2.11 Excess Fluid Volume

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "My legs are swollen." **Objective** • Pitting edema +3, both legs • Put on 2 kg in 2 days • Taking in more than he passes	**ACTUAL** **Excess fluid volume** related to compromised regulatory mechanisms as evidenced by edema, weight gain and positive fluid balance.	Within 3 days the edema is less and his weight is coming down toward baseline.	• Weigh every day, same time, same scale. • Keep a strict I&O chart. • Limit fluids and sodium as prescribed. • Give diuretics as ordered, and watch the potassium. • Raise the swollen limbs.	Less edema, weight falling: **goal met**.
Subjective • "I get short of breath when lying flat." **Objective** • Crackles at lung bases • SpO_2 91% • RR 26/min	**ACTUAL** **Impaired gas exchange** related to pulmonary congestion as evidenced by crackles, dyspnea and low SpO_2.	SpO_2 94% or more within 12 hours.	• Sit him upright or semi-Fowler. • Give oxygen as prescribed. • Listen to the lungs every 4 hours. • Check ABG as ordered.	SpO_2 95%, less breathless: **goal met**.
Subjective • *No specific complaint* **Objective** • Edema all over Moving less	**RISK** **Risk for impaired skin integrity** as evidenced by risk factors: edema and immobility.	Skin over the swollen areas stays intact for the whole admission.	• Look at swollen areas and bony prominences every shift. • Change his position every 2 hours and raise the swollen limbs. • No tight clothes, tape or restraints on swollen skin. • Keep the skin clean, dry and moisturised.	Skin intact: **goal met**.