2.18 Nausea and Vomiting

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "I feel sick all the time." **Objective** • Has vomited 4 times in 6 hours • Pale and sweaty	**ACTUAL** **Nausea** related to (cause, for example medication or gastric irritation) as evidenced by reported nausea and vomiting.	Within 2 hours she says the nausea is less.	• Give the antiemetic as prescribed. • Get rid of smells and let in fresh air. • Once she can manage it, offer small amounts of clear fluid. • Give mouth care after she vomits.	Less nausea, no more vomiting: **goal met**.
Subjective • Thirsty **Objective** • Mouth dry • Passing less urine • HR 108/min	**ACTUAL** **Deficient fluid volume** related to vomiting as evidenced by dry mucosa and reduced urine output.	Urine output adequate within 8 hours.	• Record I&O and urine output every 4 hours. • Give IV fluids as prescribed. • Watch vital signs and capillary refill. • When the vomiting settles, offer small sips of clear fluid.	Urine output adequate: **goal met**.
Subjective • *No specific complaint* **Objective** • Vomiting over and over	**RISK** **Risk for electrolyte imbalance** as evidenced by risk factors: vomiting.	Electrolytes stay normal.	• Follow serum electrolytes. • Report any abnormal result. • Replace as ordered.	Electrolytes normal: **goal met**.