2.20 Urinary Catheter Care

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "I cannot pass urine." **Objective** • Bladder distended • Bladder scan volume 600 mL	**ACTUAL** **Impaired urinary elimination** related to urinary retention as evidenced by inability to void and distended bladder.	Bladder drained, with urine output of at least 0.5 mL/kg/hour.	• Insert the catheter with aseptic technique, as ordered. • Record urine output. • Keep the drainage bag lower than the bladder. • Plan to take it out early.	Draining well: **goal met**.
Subjective • "The catheter feels uncomfortable." **Objective** • Restless • Tugging at the catheter	**ACTUAL** **Impaired comfort** related to indwelling catheter as evidenced by reported discomfort.	Says the discomfort is less within 24 hours.	• Fix the catheter to his thigh. • Check there are no kinks and nothing is pulling on it. • Give perineal care.	Says he is comfortable: **goal met**.
Subjective • *No specific complaint* **Objective** • Has an indwelling urinary catheter	**RISK** **Risk for infection** as evidenced by risk factors: indwelling catheter.	No CAUTI.	• Keep the drainage system closed. • Perineal care every day. • Encourage him to drink. • Take the catheter out as soon as it is not needed.	No signs of UTI: **goal met**.