2.9 Fever

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "I feel hot and then cold." **Objective** • Temperature 39.2 °C • Skin flushed and warm • HR 112/min	**ACTUAL** **Hyperthermia** related to infectious process as evidenced by temperature 39.2 °C, warm skin and tachycardia.	Temperature below 38 °C within 4 hours.	• Take the temperature every 2–4 hours. • Give the antipyretic as prescribed and recheck 1 hour later. • Take off extra clothes and covers; tepid sponge if ordered. • Take blood cultures before the antibiotics go in, as ordered. • Give antibiotics on time.	Temperature down to 37.6 °C: **goal met**. Report fever that will not settle, or rigors.
Subjective • "I have body aches and chills." **Objective** • Shivering • Restless	**ACTUAL** **Impaired comfort** related to fever as evidenced by chills and body aches.	Says she feels more comfortable within 2 hours.	• Dress her in light, dry clothes and change damp sheets quickly. • Keep the room at a comfortable temperature and let air move. • Give the prescribed antipyretic and analgesic for the aches. • Give mouth care and sips of fluid. • Plan care so she can rest without being disturbed.	Says she is comfortable: **goal met**.
Subjective • Thirsty, drinking less than usual **Objective** • Sweating • Temperature 39 °C • Lips dry	**RISK** **Risk for deficient fluid volume** as evidenced by risk factors: increased insensible loss and reduced oral intake.	Urine output at least 0.5 mL/kg/hour and mucous membranes moist.	• Unless restricted, encourage 2–3 L/day of oral fluids. • Keep an I&O chart. • Give IV fluids as ordered. • Watch the urine colour and specific gravity.	Urine output adequate: **goal met**.