4.7 Cardiomyopathy

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "I feel tired all the time and get breathless." **Objective** • Echo shows a reduced ejection fraction S3 heard • Edema	**ACTUAL** **Decreased cardiac output** related to impaired contractility as evidenced by reduced ejection fraction, fatigue and edema.	Vital signs stable and symptoms easing.	• Keep track of vital signs, weight and edema. • Give the heart failure medicines as prescribed. • Limit sodium as ordered. • Watch the ECG for dysrhythmias.	Symptoms less: **goal met**.
Subjective • "I cannot work as before." **Objective** • Breathless on exertion • HR goes up by 25/min with activity	**ACTUAL** **Activity intolerance** related to reduced cardiac reserve as evidenced by exertional dyspnea.	Within 1 week, plans his day within his limits and is less breathless on effort.	• Teach energy saving: sit down for tasks, rest between activities. • He should avoid heavy lifting and hard exercise, as the cardiologist advises. • Check HR, BP and SpO_2 while he is active. • Refer to cardiac rehabilitation.	Sticks to his activity plan: **goal met**.
Subjective • Complains of palpitations **Objective** • Heart dilated	**RISK** **Risk for decreased cardiac output** as evidenced by risk factors: dysrhythmias and thromboembolism related to dilated chambers.	No serious dysrhythmia, no embolic events.	• Monitor the rhythm. • Give the anticoagulant as prescribed. • Teach the signs of stroke.	No events: **goal met**.