6.10 Peritonitis

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "My whole abdomen hurts; I cannot move." **Objective** • Abdomen rigid like a board • Rebound tenderness • Lies very still with knees bent	**ACTUAL** **Acute pain** related to peritoneal inflammation as evidenced by severe generalized pain and rigidity.	Pain 3/10 or less after treatment.	• Give analgesia as prescribed. • Let him keep his knees bent. • Nothing by mouth; pass an NG tube as ordered. • Get him ready for surgery.	Pain controlled: **goal met**.
Subjective • "I am very thirsty." **Objective** • HR 120/min • Urine output 15 mL/hour 800 mL drained from the NG tube	**ACTUAL** **Deficient fluid volume** related to fluid shift into the peritoneal cavity and NG losses as evidenced by tachycardia and low urine output.	Within 8 hours, urine output at least 0.5 mL/kg/hour.	• Give IV fluids as prescribed. • Record urine output and NG losses every hour. • Follow electrolytes.	Output adequate: **goal met**.
Subjective • *No specific complaint* **Objective** • Infection in the peritoneum • Fever 39 °C	**RISK** **Risk for shock** as evidenced by risk factors: sepsis and hypovolemia.	MAP kept above 65 mmHg.	• Give antibiotics on time. • Watch vital signs and lactate as ordered. • Report low BP, confusion or mottled skin.	Hemodynamics stable: **goal met**.