6.15 Hemorrhoids and Hemorrhoidectomy

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "It hurts to sit and to pass stool." • Gives the pain 7/10 **Objective** • Swelling around the anus • Shifts his weight when sitting	**ACTUAL** **Acute pain** related to inflamed hemorrhoids or surgical trauma as evidenced by pain score 7/10 and difficulty sitting.	Pain 3/10 or less within 24 hours.	• Give analgesia regularly, and especially before the first bowel movement. • Warm sitz baths 2–3 times a day, as ordered. • Give him a soft cushion and suggest lying on his side. • Apply the topical treatment as prescribed.	Pain controlled: **goal met**.
Subjective • "I am afraid to open my bowels." **Objective** • No stool for 3 days • Usually passes hard stool	**ACTUAL** **Constipation** related to fear of pain on defecation as evidenced by no stool for 3 days.	Passes soft stool within 48 hours.	• Give the stool softener as prescribed. • Encourage 2–2.5 L/day of fluid and a high-fibre diet. • He should not strain or sit on the toilet for long.	Soft stool passed: **goal met**.
Subjective • *No specific complaint* **Objective** • Had anal surgery • One pad soaked since the operation	**RISK** **Risk for bleeding** as evidenced by risk factors: surgical wound in vascular tissue.	No significant bleeding.	• Check the dressing and pads. • Watch vital signs. • Tell him to report heavy bleeding or clots once he is home.	No significant bleeding: **goal met**.