7.7 Hemodialysis

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "I feel dizzy and cramp during dialysis." **Objective** • BP drops to 90/55 mmHg during the session • Cramps in the muscles	**ACTUAL** **Deficient fluid volume** related to rapid fluid removal during dialysis as evidenced by hypotension and cramps.	Gets through dialysis with a stable BP.	• Weigh before and after dialysis. • BP every 30 minutes during the session. • Report low BP and turn down the ultrafiltration as the protocol says. • Teach him to limit how much fluid he puts on between sessions.	Session stable: **goal met**.
Subjective • "I drink a lot because I am thirsty." **Objective** • Puts on 3.5 kg between sessions • Ankles swollen	**ACTUAL** **Ineffective health self-management** related to difficulty following fluid limit as evidenced by excessive weight gain between sessions.	Weight gain between sessions stays within the prescribed limit.	• Teach ways to handle thirst: ice chips, sour sweets, small cups. • Cut down salt. • Look over his weight records with him.	Within limit: **goal met**.
Subjective • *No specific complaint* **Objective** • Vascular access • Needled again and again	**RISK** **Risk for infection** as evidenced by risk factors: vascular access and immunosuppression from uremia.	Access site stays free of infection.	• Aseptic technique for every connection. • Look at the access site at every session. • Teach him to keep the access clean and report any redness.	No infection: **goal met**.