7.8 Peritoneal Dialysis

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "The fluid coming out looks cloudy." **Objective** • Effluent cloudy • Abdominal pain • Fever	**ACTUAL** **Acute pain** related to peritoneal infection (peritonitis) as evidenced by abdominal pain and cloudy effluent.	Within 72 hours of treatment, effluent clear and no pain.	• Send the effluent for cell count and culture. • Give intraperitoneal antibiotics as prescribed. • Record each exchange and what the fluid looks like.	Effluent clear: **goal met**.
Subjective • "How do I do the exchange at home?" **Objective** • Just started peritoneal dialysis • Cannot explain the steps of an exchange	**ACTUAL** **Deficient knowledge** related to home dialysis procedure as evidenced by questions.	Does an exchange using aseptic technique.	• Teach hand hygiene, wearing a mask and making an aseptic connection. • Teach exit-site care. • Teach her to record weight, BP and fluid balance.	Shows you correctly: **goal met**.
Subjective • *No specific complaint* **Objective** • Peritoneal catheter • Exit site a little red	**RISK** **Risk for infection** as evidenced by risk factors: indwelling peritoneal catheter.	Exit site stays free of infection.	• Exit-site care every day. • Teach the signs of exit-site infection and of peritonitis. • Hand hygiene before every exchange.	No infection: **goal met**.