8.14 Pituitary Surgery (Transsphenoidal)

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "My nose is packed and I breathe through my mouth." **Objective** • Nose packed • Mouth dry	**ACTUAL** **Impaired oral mucous membrane integrity** related to mouth breathing as evidenced by dry mouth.	Mouth moist again within 24 hours.	• Give mouth care often. • Use humidified air. • Offer sips of water.	Moist: **goal met**.
Subjective • "Can I blow my nose?" • "Is it normal to have drips from my nose?" **Objective** • Cannot say what precautions to take after surgery • Nasal packing in situ	**ACTUAL** **Deficient knowledge** related to precautions after transsphenoidal surgery as evidenced by questions and inability to state precautions.	Before discharge, can describe how to prevent a CSF leak.	• Test any drainage for glucose, following policy. • Teach her: no nose blowing, no sneezing with the mouth shut, no bending forward. • Clear drainage from the nose or a headache must be reported.	No leak: **goal met**.
Subjective • *No specific complaint* **Objective** • Has had pituitary surgery • Urine output going up	**RISK** **Risk for deficient fluid volume** as evidenced by risk factors: diabetes insipidus after surgery.	I&O balanced and sodium normal.	• Record urine output every hour. • Report output above the physician's limit. • Follow sodium and urine specific gravity.	Balanced: **goal met**.