10.14 Chemotherapy*

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "I feel sick for days after each cycle." **Objective** • Vomits three times a day • Eating less	**ACTUAL** Ineffective nausea self-management related to the effects of chemotherapy as evidenced by nausea and vomiting.	• Less nausea and intake maintained.	• Give antiemetics before chemotherapy and regularly afterward, as prescribed. • Offer small, bland, cold meals. • Keep strong smells away. • Chart intake and vomiting.	• Goal reached as nausea lessens.
Subjective • "My hair is falling out; I do not want to go out." **Objective** • Alopecia • Tearful	**ACTUAL** Disrupted body image related to alopecia as evidenced by distress and avoidance of going out.	• Uses ways of coping with hair loss.	• Explain that hair usually grows back after treatment. • Discuss wigs, scarves and head coverings before the hair falls. • Encourage her to say how she feels.	• Met when she is coping.
Subjective *No specific complaint* **Objective** • Vesicant drugs through a peripheral line	**RISK** Risk for physical injury as evidenced by risk factors: extravasation of vesicant chemotherapy.	• Finishes treatment without extravasation injury.	• Confirm blood return and look at the IV site before and during the infusion. • Ask her to report pain or burning at the site. • If extravasation is suspected: stop the infusion, leave the cannula in and follow the extravasation protocol.	• Achieved if no injury occurs.

* **References for this care plan:** [32], [35], [37], [112]. Full entries are listed in the References section of the CPMN book.