15.14 Normal Labor and Birth*

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "The pain comes every 3 minutes and is very strong." **Objective** • Contractions every 3 minutes, lasting 60 seconds • Cervix 6 cm dilated • Moaning; gripping the bed	**ACTUAL** Labor pain related to uterine contractions and cervical dilatation as evidenced by strong regular contractions and pain behavior.	• Copes with contractions using the pain relief she has chosen.	• Assess pain and coping with each contraction. • Encourage upright positions and moving about as she wishes. • Teach breathing techniques and offer massage. • Offer drug analgesia as available and ordered. • Encourage her to pass urine every 2 hours.	• Goal reached when she is coping with labor.
Subjective • "I am frightened of the birth." **Objective** • Tense • First baby	**ACTUAL** Excessive fear related to the unknown experience of childbirth as evidenced by expressed fear and tension.	• Feels supported and informed.	• Explain progress after each examination. • Encourage her chosen companion to stay. • Give continuous support.	• Met when she reports feeling supported.
Subjective *No specific complaint* **Objective** • Active labor	**RISK** Risk for impaired maternal-fetal dyad as evidenced by risk factors: uterine contractions reducing placental perfusion.	• Normal fetal heart pattern throughout labor.	• Monitor the fetal heart per protocol, intermittently or continuously. • Record findings on the partograph. • Report an abnormal fetal heart pattern or meconium-stained liquor.	• Achieved while the fetal heart is normal.

*References for this care plan: [35], [47], [103]. Full entries are listed in the References section of the CPMN book.