16.5 Neonatal Sepsis*

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective *No specific complaint* **Objective** • Temperature unstable • Poor feeding; lethargic • Raised CRP	**ACTUAL** Ineffective thermoregulation related to infection as evidenced by temperature instability.	• Temperature stable within 48 hours of treatment.	• Take blood cultures and give IV antibiotics without delay, as prescribed. • Keep a neutral thermal environment. • Follow vital signs.	• Considered met when the baby is stable.
Subjective *No specific complaint* **Objective** • Weak suck • Lethargic	**ACTUAL** Ineffective infant feeding dynamics related to lethargy as evidenced by a weak suck.	• Enough fluid and nutrition taken in.	• Give tube feeds or IV fluids as ordered. • Record intake and output. • Weigh daily.	• Goal reached with adequate intake.
Subjective *No specific complaint* **Objective** • Sepsis • Capillary refill 3 seconds	**RISK** Risk for shock as evidenced by risk factors: sepsis.	• Perfusion stays stable.	• Follow capillary refill, HR, BP and urine output. • Report any deterioration at once. • Give a fluid bolus as prescribed.	• Met while the baby is stable.

* **References for this care plan:** [20], [35], [38], [142]. Full entries are listed in the References section of the CPMN book.