2.9 Fever*

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "I feel hot and then cold." **Objective** • Temperature 39.2 °C • Flushed, warm skin • HR 112/min	**ACTUAL** Hyperthermia related to an infectious process as evidenced by a temperature of 39.2 °C, warm skin and tachycardia.	• Temperature below 38 °C within 4 hours.	• Measure temperature every 2–4 hours. • Give the prescribed antipyretic and recheck after an hour. • Remove extra clothing and covers; tepid sponge if ordered. • Take blood cultures before antibiotics, as ordered. • Give antibiotics on schedule.	• Achieved at 37.6 °C. • Persistent fever or rigors are reported.
Subjective • "I have body aches and chills." **Objective** • Shivering • Restless	**ACTUAL** Impaired physical comfort related to fever as evidenced by chills and myalgia.	• Feels more comfortable within 2 hours.	• Change her into light, dry clothing; replace damp sheets promptly. • Keep the room ventilated and at a comfortable temperature. • Give the prescribed antipyretic and analgesic. • Offer mouth care and sips of fluid. • Plan care so that she can rest undisturbed.	• Outcome reached when she reports comfort.
Subjective • Thirsty; drinking less than usual **Objective** • Sweating • Temperature 39 °C • Dry lips	**RISK** Risk for inadequate fluid volume as evidenced by risk factors: increased insensible loss and reduced oral intake.	• Urine output at least 0.5 mL/kg/hour with moist mucous membranes.	• Encourage 2–3 L of oral fluid a day unless restricted. • Keep an intake and output chart. • Give IV fluids as ordered. • Observe urine color and specific gravity.	• Considered met with adequate urine output.

* **References for this care plan:** [20], [35], [48], [110], [130]. Full entries are listed in the References section of the CPMN book.