## 5.2 Transient Ischemic Attack*

| Assessment | Nursing Diagnosis | Plan / Expected Outcome | Nursing Interventions | Evaluation |
|---|---|---|---|---|
| **Subjective**<br>• "My arm was numb for 20 minutes, then it went away."<br>**Objective**<br>• Neurological examination now normal<br>• BP 158/94 mmHg<br>• Smoker | **ACTUAL**<br>Inadequate health knowledge related to the significance of TIA as evidenced by the statement that symptoms have resolved. | • Before discharge, explains that a TIA warns of stroke and lists his own risk factors. | • Explain that a TIA is a warning sign.<br>• Teach the signs of stroke and the need for emergency care.<br>• Stress taking antiplatelet, statin and antihypertensive drugs every day.<br>• Arrange follow-up. | • Achieved when he can explain what the TIA means. |
| **Subjective**<br>• "I smoke and eat salty food."<br>**Objective**<br>• Hypertension<br>• Raised lipids | **ACTUAL**<br>Ineffective health self-management related to unhealthy lifestyle behaviors as evidenced by smoking and uncontrolled risk factors. | • Commits to two lifestyle changes. | • Support him to stop smoking.<br>• Teach a diet low in sodium and saturated fat.<br>• Encourage regular physical activity. | • Outcome reached when he describes a plan. |
| **Subjective**<br>*No specific complaint*<br>**Objective**<br>• Recent TIA<br>• Hypertension | **RISK**<br>Risk for ineffective cerebral tissue perfusion as evidenced by risk factors: recent TIA and hypertension. | • No stroke. | • Check BP.<br>• Give antiplatelet therapy as prescribed.<br>• Assess neurological status. | • Considered met if no neurological deficit appears. |

*References for this care plan: [32], [35], [111], [132]. Full entries are listed in the References section of the CPMN book.