8.14 Pituitary Surgery (Transsphenoidal)*

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "My nose is packed and I breathe through my mouth." **Objective** • Nasal packing • Dry mouth	**ACTUAL** Impaired oral mucous membrane integrity related to mouth breathing as evidenced by a dry mouth.	• Mouth moist within 24 hours.	• Give mouth care often. • Humidify the air. • Offer sips of water.	• Goal reached when the mouth is moist.
Subjective • "Can I blow my nose?" • "Is it normal to have drips from my nose?" **Objective** • Cannot state the post-operative precautions • Nasal packing in place	**ACTUAL** Inadequate health knowledge related to precautions after transsphenoidal surgery as evidenced by questioning and inability to state precautions.	• Before discharge, describes how to prevent a CSF leak.	• Test any nasal drainage for glucose, per policy. • Teach: no nose blowing, no sneezing with the mouth closed, no bending forward. • Ask her to report clear nasal drainage or headache.	• Met when no leak occurs and precautions are stated.
Subjective *No specific complaint* **Objective** • After pituitary surgery • Urine output rising	**RISK** Risk for inadequate fluid volume as evidenced by risk factors: post-operative diabetes insipidus.	• Intake and output balanced; sodium normal.	• Measure urine output hourly. • Report output above the physician's threshold. • Follow sodium and urine specific gravity.	• Achieved when balance is maintained.

* **References for this care plan:** [32], [35], [37]. Full entries are listed in the References section of the CPMN book.