

PRELIMINARY

SIMPLY RICH

$\mathbf{Z}\mathbf{K}^{\mathsf{TM}}$

The Component Development Guide

Version 2.1.0 RC2

July 2006

Potix Corporation

Revision 1

Copyright © Potix Corporation. All rights reserved.
The material in this document is for information only and is subject to change without notice. While reasonable efforts have been made to assure its accuracy, Potix Corporation assumes no liability resulting from errors or omissions in this document, or from the use of the information contained herein.
Potix Corporation may have patents, patent applications, copyright or other intellectual property rights covering the subject matter of this document. The furnishing of this document does not give you any license to these patents, copyrights or other intellectual property.
Potix Corporation reserves the right to make changes in the product design without reservation and without notification to its users.
The Potix logo and ZK are trademarks of Potix Corporation.
All other product names are trademarks, registered trademarks, or trade names of their respective owners.

Ta	h	عا	οf	Co	nte	ents
			.,.			

1.	Introduction	4

1. Introduction

Welcome to ZK, the simplest way to make Web applications rich.

The Component Development Guide describes how to develop ZK components. For concepts and features of ZK, refer to **the Developer's Guide**. For installation, refer to **the Quick Start Guide**. For fully description of properties and methods of components, refer to **the Developer's Reference**.

The chapter describes the basic concept of ZK components.