

Yaqeen — Evaluation Demo Cheat-Sheet

Sir wants to SEE it work + SEE the code. Don't explain long. Just: **click** → **show row in DB** → **point at the 3 files**. Follow this order.

0. Before sir arrives (setup)

1. XAMPP Control Panel → **Apache** Start, **MySQL** Start (both green).
 2. Terminal in project → `npm run dev` → open `http://localhost:5173`
 3. Open `http://localhost/phpmyadmin` in another tab → click `yaqeen_web_project`.
 4. In VS Code keep these 3 files open in tabs (your "proof"):
 5. `src/serviceApi.js`
 6. `src/components/Registration.jsx`
 7. `D:\xampp\htdocs\yaqeen-backend\register_processing.php`
-

1. The one-line concept (say this once)

"React form sends data with **axios** to a **PHP** file, PHP runs an **SQL** query on **MySQL**. Same 3 layers for every feature."

Draw nothing. Just show it working.

2. DEMO — Create (Register) ← sir's main task

1. App → **Register** → fill the form → **Create Account**.
2. Green message "Account created successfully" appears.
3. Switch to phpMyAdmin → `users` table → **Browse** → **your row is there**. ← the proof.
4. Now show the 3 files (point, don't lecture):
5. `Registration.jsx` → `submit()` → `await process_registration(data)`
6. `serviceApi.js` → `axios.post("../register_processing.php", data)`
7. `register_processing.php` → `INSERT INTO users (...) VALUES (...)`

That's the whole task proven. Everything else is the same pattern.

3. DEMO — Read (listing from DB)

1. App → **Products** page → 8 products show.
2. Say: "These are not hard-coded — they come from the DB."

3. Proof: phpMyAdmin → `products` table (8 rows). Delete one row in phpMyAdmin → refresh the Products page → it's gone.
4. Show the code:
5. `Products.jsx` → `useEffect` → `await get_products()`
6. `serviceApi.js` → `axios.get("../get_products.php")`
7. `get_products.php` → `SELECT * FROM products`

4. DEMO — full CRUD on products (admin)

Login first: **Login** → `admin@yaqeen.pk` / `admin123` → lands on `/admin`.

Show	Do	Proof
Create	Admin → Products → Add New Product → fill (image URL <code>/images/7.png</code>) → submit	new row in <code>products</code>
Read	Admin → Products list	table from DB
Update	Edit a product → change price → submit	price changes in <code>products</code>
Delete	Delete a product → confirm	row gone from <code>products</code> (refresh proves it)

Code to point at (same 3-layer each): `ProductsList.jsx` / `ProductEdit.jsx` + `serviceApi.js` + the matching `*_processing.php` / `delete_product.php`.

5. DEMO — Login validation (two checks)

1. Type bad email → red zod error, won't submit. (client check)
2. Type `wrong@x.com` / `wrongpass` → red "Invalid email or password". (DB check)
3. Type `admin@yaqeen.pk` / `admin123` → logs in → `/admin`.
4. Code: `Login.jsx` `submit()` → `process_login` → `login_processing.php` → `SELECT * FROM users WHERE email AND user_password`.

6. File map (if sir asks "where is X")

Frontend (`src/`) | File | Does | |-----|-----| | `serviceApi.js` | all axios calls (one function per feature) | | `components/Registration.jsx` | register form → users | | `components/Login.jsx` | login → checks users | | `pages/Contact.jsx` | contact → contacts | | `pages/Products.jsx`, `ProductDetail.jsx` | read products | | `components/LandingPage.jsx` | read products + testimonials | | `pages/admin/ProductsList/ProductAdd/ProductEdit.jsx` | products CRUD | | `pages/admin/UsersList/UserAdd/UserEdit.jsx` | users CRUD | | `pages/admin/Dashboard.jsx` | counts from DB |

Backend (`D:\xampp\htdocs\yaqeen-backend\`) | File | SQL | |-----|-----| | `connection.php` | opens MySQL | | `register_processing.php` / `user_add_processing.php` | INSERT users | | `contact_processing.php` | INSERT contacts | | `product_add_processing.php` | INSERT products | | `user_update_processing.php` /

product_update_processing.php | UPDATE || delete_user.php / delete_product.php | DELETE ||
login_processing.php | SELECT (login check) || get_products.php / get_product.php / get_users.php /
get_user.php / get_testimonials.php | SELECT (read) |

Database yaqeen_web_project : tables users , products , testimonials , contacts .

7. CRUD status (if asked)

	Create	Read	Update	Delete
users	✓	✓	✓	✓
products	✓	✓	✓	✓
contacts	✓	—	—	—
testimonials	—	✓	—	—

8. If something breaks during demo (panic fixes)

- **Page blank / "map is not a function"** → MySQL or Apache not started. Start both in XAMPP, reload.
- **"Access denied for root"** → wrong MySQL running. Services → stop **MySQL80**, start XAMPP MySQL.
- **Form shows "server error 500"** → Apache off, or table missing. Start Apache; check the table exists in phpMyAdmin.
- **Login fails for everyone** → you're testing a seeded user with no password; use a registered account or `admin@yaqeen.pk` / `admin123` .

One sentence to open with

"Sir, every form saves to MySQL through PHP and axios, and every list reads back from MySQL. Let me show you." — then just do section 2.