Among the following identify the one in which dimensionality reduction reduces.

- a) Performance
- b) statistics
- c) Entropy
- d) Collinearity

Ans:-d

- 42) Which of the following machine learning algorithm is based upon the idea of bagging?
- a) Decision Tree
- b) Random Forest
- c) Classfication
- d) SVM

Ans:-b

- 43) Choose a disadvantage of decision trees among the following.
- a) Decision tree robust to outliers
- b) Factor analysis
- c) Decision Tree are prone to overfit
- d) all of the above

Ans:-c

44)

What is the term known as on which the machine learning algorithms build a model based on sample data?

- a) Data Training
- b) Sample Data
- c) Training data
- d) None of the above Ans:-c

45)

Which of the following machine learning techniques helps in detecting the outliers in data?

- a) Clustering
 - b) Classification
 - c) Anamoly detection
 - d) All of the above

Ans:-c

46) Identify learnin	y the incorrect numerical functions in the various function representation of machine g.
b) c)	Support Vector Regression Case based Classification
47)	Ans:-c
ŕ	is of ML algorithm needs
b) c)	Statistical learning theory Computational learning theory None of the above Both a and b
Ans:-d	
48)	
a) b) c) d)	y the difficulties with the k-nearest neighbor algorithm. Curse of dimensionality Calculate the distance of test case for all training cases Both a and b None s:-b
	The total types of the layer in radial basis function neural networks is a) 1 b) 2 c) 3 d) 4 50 Which of the following is not a supervised learning
	 a) PCA b) Naïve bayes c) Linear regression d) KMeans Ans:-a