oc_user ■ oc_product_reward ▼ oc_voucher oc_geo_zone 🔻 oc_api_ip 🔻 oc_return_status 🔻 ☐ oc_vendor ▼ ☐ oc_zone ▼ oc_user_login V ■ oc_information_to_layout ▼ Oc_product_to_download voucher_id INT(11) geo_zone_id INT(11) vendor_id INT(11) api_ip_id INT(11) return_status_id INT(11) ? zone_id INT(11) vser_login_id INT(11) information_id INT(11) product_id INT(11) user_id INT(11) product_reward_id INT(11) order_id INT(11) name VARCHAR(32) name VARCHAR(64) api_id INT(11) language_id INT(11) country_id INT(11) user_id INT(11) store_id INT(11) download_id INT(11) user_group_id INT(11) product_id INT(11) code VARCHAR(10) description VARCHAR(255) code TEXT ip VARCHAR(40) name VARCHAR(32) name VARCHAR(128) token VARCHAR(96) layout_id INT(11) customer_group_id INT(11) date_added DATETIME version TEXT ode VARCHAR(32) total INT(1) from_name VARCHAR(64) password VARCHAR(255) points INT(8) from_email VARCHAR(96) date_modified DATETIME ♦ date_added DATETIME status TINYINT(1) ip VARCHAR(40) firstname VARCHAR(32) to_name VARCHAR(64) user_agent VARCHAR(255) to_email VARCHAR(96) status TINYINT(1) email VARCHAR(96) voucher_theme_id INT(11) date_added DATETIME image VARCHAR(255) message TEXT code VARCHAR(40) amount DECIMAL(15,4) ip VARCHAR(40) stat □ category ▼ status TINYINT(1) odate category_id INT ♦ date added DATETIME oc_product_subscription \ oc_product_attribute Oc_layout_module ▼ oc_weight_class_description \ oc_return_history ▼ oc_order_status 🔻 oc_return oc_product_to_store oc_product_to_category Inde: oname VARCHAR(255) product_id INT(11) layout_module_id INT(11) weight_class_id INT(11) return_history_id INT(11) order_status_id INT(11) product_id INT(11) return_action_id INT(11) product_id INT(11) return_id INT(11) product_id INT(11) language_id INT(11) category_id INT(11) fraction store store store store in the store of the store in the stor ? attribute_id INT(11) layout_id INT(11) return id INT(11) language_id INT(11) language_id INT(11) rsubscription_plan_id INT(11) order id INT(11) language_id INT(11) name VARCHAR(32) code VARCHAR(64) ◆ title VARCHAR(32) name VARCHAR(64) return_status_id INT(11) customer_group_id INT(11) oproduct_id INT(11) text TEXT oposition VARCHAR(14) unit VARCHAR(4) notify TINYINT(1) customer_id INT(11) sort_order INT(3) comment TEXT firstname VARCHAR(32) date_added DATETIME lastname VARCHAR(32) email VARCHAR(96) telephone VARCHAR(32) product VARCHAR(255) oc_tax_rate_to_customer_group ▼ tax_rate_id INT(11) model VARCHAR(64) quantity INT(4) 💡 customer_group_id INT(11) opened TINYINT(1) oc_subscription_status oc_seo_url oc_tax_class oc_subscription_plan oc_order oc_subscription_plan_description ☐ oc_length_class ▼ oc_subscription_history oc_customer_login oc_stock_status 🔻 return_reason_id INT(11) subscription_plan_id INT(11) rseo_url_id INT(11) order_id INT(11) 💡 subscription_plan_id INT(11) length_class_id INT(11) tax_class_id INT(11) subscription_status_id INT(11) subscription_history_id INT(11) customer_login_id INT(11) stock_status_id INT(11) return_action_id INT(11) trial_price DECIMAL(10,4) store_id INT(11) transaction_id VARCHAR(100) language_id INT(11) value DECIMAL(15,8) title VARCHAR(32) language_id INT(11) subscription_id INT(11) email VARCHAR(96) language_id INT(11) return_status_id INT(11) Oc_startup ▼ trial_frequency ENUM(...) ♦ language_id INT(11) invoice_no INT(11) name VARCHAR(255) description VARCHAR(255) name VARCHAR(32) ip VARCHAR(40) name VARCHAR(32) subscription_status_id INT(11) comment TEXT 💡 startup_id INT(11) trial_duration INT(10) key VARCHAR(64) invoice_prefix VARCHAR(26) description TEXT date_added DATETIME notify TINYINT(1) total INT(4) date_ordered DATE store_id INT(11) date_modified DATETIME code VARCHAR(64) comment TEXT date_added DATETIME trial cycle INT(10) value VARCHAR(255) date_added DATETIME action TEXT kevword VARCHAR(255) date added DATETIME date_modified DATETIME trial_status TINYINT(4) store_name VARCHAR(64) date_modified DATETIME status TINYINT(1) price DECIMAL(10,4) sort_order INT(3) store_url VARCHAR(255) sort order INT(3) frequency ENUM(...) customer_id INT(11) duration INT(10) customer_group_id INT(11) cycle INT(10) ♦ firstname VARCHAR(32) status TINYINT(1) ♦ lastname VARCHAR(32) sort order INT(3) email VARCHAR(96) oc_subscription_transaction ` oc_customer_online ☐ oc_subscription ☐ oc_tax_rate oc_download 🔻 oc_information_description ` ■ oc_layout ▼ oc_extension_install V oc_filter_description oc_zone_to_geo_zone ▼ telephone VARCHAR(32) subscription_transaction_id INT(11) rone_to_geo_zone_id INT(11) subscription_id INT(11) tax_rate_id INT(11) download_id INT(11) ip VARCHAR(40) information_id INT(11) layout_id INT(11) extension_install_id INT(11) filter_id INT(11) custom_field TEXT customer_id INT(11) name VARCHAR(64) subscription id INT(11) customer_id INT(11) geo_zone_id INT(11) filename VARCHAR(160) language_id INT(11) language_id INT(11) country_id INT(11) customer id INT(11) extension_id INT(11) payment_firstname VARCHAR(32) mask VARCHAR(128) url TEXT name VARCHAR(32) ♦ filter_group_id INT(11) store_id INT(11) order_id INT(11) zone_id INT(11) order_id INT(11) title VARCHAR(64) extension_download_id INT(11) payment_lastname VARCHAR(32) ip VARCHAR(40) transaction_id VARCHAR(255) geo_zone_id INT(11) order_product_id INT(11) rate DECIMAL(15,4) date_added DATETIME referer TEXT description MEDIUMTEXT name VARCHAR(128) name VARCHAR(64) payment_company VARCHAR(60) country VARCHAR(2) description TEXT date_added DATETIME subscription_plan_id INT(11) type CHAR(1) date_added DATETIME meta_title VARCHAR(255) code VARCHAR(255) payment_address_1 VARCHAR(128) version VARCHAR(255) date_added DATETIME amount DECIMAL(10,4) date_modified DATETIME customer_payment_id INT(11) date_added DATETIME meta_description VARCHAR(255) payment_address_2 VARCHAR(128) type TINYINT(2) name VARCHAR(255) date_modified DATETIME meta_keyword VARCHAR(255) author VARCHAR(255) payment_city VARCHAR(128) description TEXT ♦ link VARCHAR(255) payment_method VARCHAR(128) payment_postcode VARCHAR(10) reference VARCHAR(255) payment_code VARCHAR(128) payment_country VARCHAR(128) date_added DATETIME trial_price DECIMAL(10,4) date_added DATETIME payment_country_id INT(11) trial_frequency ENUM(...) payment zone VARCHAR(128) trial_cycle SMALLINT(6) payment_zone_id INT(11) oc_manufacturer_to_store ▼ oc_length_class_description oc_option_value_description ■ oc_module ▼ Oc_order_history □ oc_option_description ▼ oc_marketing 🔻 □ oc_language ▼ ■ oc_customer_group_description ▼ ■ oc_customer_search ▼ trial_duration SMALLINT(6) payment_address_format TEXT manufacturer_id INT(11) length_class_id INT(11) language_id INT(11) option_value_id INT(11) module_id INT(11) order_history_id INT(11) option_id INT(11) customer_group_id INT(11) ? customer_search_id INT(11) marketing_id INT(11) trial_remaining SMALLINT(6) payment_custom_field TEXT store_id INT(11) name VARCHAR(32) name VARCHAR(64) order_id INT(11) language_id INT(11) store_id INT(11) name VARCHAR(32) language_id INT(11) language_id INT(11) language_id INT(11) trial_status TINYINT(1) payment_method VARCHAR(128) name VARCHAR(128) title VARCHAR(32) code VARCHAR(5) option_id INT(11) code VARCHAR(64) order_status_id INT(11) name VARCHAR(32) language_id INT(11) description TEXT price DECIMAL(10,4) payment_code VARCHAR(128) unit VARCHAR(4) locale VARCHAR(255) name VARCHAR(128) setting TEXT notify TINYINT(1) description TEXT customer_id INT(11) code VARCHAR(64) frequency ENUM(...) shipping_firstname VARCHAR(32) comment TEXT clicks INT(5) extension VARCHAR(255) keyword VARCHAR(255) cycle SMALLINT(6) date added DATETIME sort_order INT(3) date added DATETIME category_id INT(11) duration SMALLINT(6) status TINYINT(1) sub_category TINYINT(1) remaining SMALLINT(6) description TINYINT(1) ◆ date_next DATETIME products INT(11) subscription_status_id INT(11) ip VARCHAR(40) status TINYINT(1) date_added DATETIME date_added DATETIME date_modified DATETIME oc_upload ☐ oc_option ▼ roup ▼ oc_translation ▼ ☐ oc_voucher_theme_description ▼ oc_user_group ▼ oc_gdpr oc_layout_route 🔻 oc_filter_group ▼ ■ oc_product_discount ▼ oc_theme oc_extension pload id INT(11) product discount id INT(11) option_id INT(11) NT(11) translation id INT(11) vser_group_id INT(11) gdpr id INT(11) theme id INT(11) extension id INT(11) information id INT(11) layout route id INT(11) filter_group_id INT(11) voucher theme id INT(11) store_id INT(11) name VARCHAR(255) product_id INT(11) type VARCHAR(32) name VARCHAR(64) store id INT(11) extension VARCHAR(255) layout_id INT(11) sort order INT(3) store_id INT(11) language_id INT(11) store id INT(11) permission TEXT oroute VARCHAR(64) ◆ sort_order INT(3) language_id INT(11) ♦ type VARCHAR(32) name VARCHAR(32) store_id INT(11) customer_group_id INT(11) language_id INT(11) oroute VARCHAR(64) code VARCHAR(255) quantity INT(4) oroute VARCHAR(64) code VARCHAR(40) code MEDIUMTEXT code VARCHAR(128) date_added DATETIME priority INT(5) key VARCHAR(64) email VARCHAR(96) date_added DATETIME price DECIMAL(15,4) value TEXT action VARCHAR(6) date_added DATETIME status TINYINT(1) date_start DATE date_end DATE date_added DATETIME ■ oc_product_option ▼ ■ oc_product_viewed ▼ oc_location v oc_product_description 🔻 ■ oc_order_option oc_session v □ oc_setting ▼ ☐ oc_attribute

▼ □ oc_product_filter ▼ oc_product_image ▼ ■ oc_product_special ▼ ■ oc_product_report ▼ oc_marketing_report ■ oc_return_reason ▼ product_option_id INT(11) product_id INT(11) product_id INT(11) product_image_id INT(11) location_id INT(11) product_id INT(11) product_special_id INT(11) order_option_id INT(11) product_report_id INT(11) marketing_report_id INT(11) session_id VARCHAR(32) setting_id INT(11) attribute_id INT(11) return_reason_id INT(11) product_id INT(11) viewed INT(11) filter_id INT(11) product_id INT(11) name VARCHAR(32) language_id INT(11) product_id INT(11) order_id INT(11) product_id INT(11) marketing_id INT(11) data TEXT store_id INT(11) attribute_group_id INT(11) language_id INT(11) option_id INT(11) image VARCHAR(255) address TEXT name VARCHAR(255) order_product_id INT(11) store_id INT(11) expire DATETIME code VARCHAR(128) sort_order INT(3) name VARCHAR(128) customer_group_id INT(11) store_id INT(11) value TEXT sort_order INT(3) telephone VARCHAR(32) description TEXT priority INT(5) product_option_id INT(11) ip VARCHAR(40) ip VARCHAR(40) key VARCHAR(128) required TINYINT(1) value TEXT tag TEXT price DECIMAL(15,4) country VARCHAR(2) country VARCHAR(2) • geocode VARCHAR(32) product option value id INT(11) date_added DATETIME date_added DATETIME serialized TINYINT(1) image VARCHAR(255) meta title VARCHAR(255) name VARCHAR(255) date_start DATE open TEXT meta_description VARCHAR(255) date_end DATE value TEXT comment TEXT meta_keyword VARCHAR(255) type VARCHAR(32) oc_review ☐ oc_event ▼ ■ oc_filter oc_customer_reward ☐ oc_order_total ▼ oc_product ☐ oc_voucher_history ▼ ☐ oc_tax_rule ▼ oc_voucher_theme V oc_weight_class **** oc_download_report oc_api ☐ oc_customer_wishlist ▼ ■ oc_statistics ▼ review_id INT(11) graph customer_reward_id INT(11) order total id INT(10) product id INT(11) tax rule id INT(11) voucher theme id INT(11) weight class id INT(11) api id INT(11) customer id INT(11) event_id INT(11) filter_id INT(11) voucher history id INT(11) download report id INT(11) fractistics id INT(11) tax_class_id INT(11) product id INT(11) customer id INT(11) order id INT(11) master id INT(11) voucher id INT(11) value DECIMAL(15.8) product id INT(11) code VARCHAR(128) filter_group_id INT(11) image VARCHAR(255) download id INT(11) username VARCHAR(64) code VARCHAR(64) extension VARCHAR(255) model VARCHAR(64) tax_rate_id INT(11) key TEXT sort_order INT(3) customer_id INT(11) order_id INT(11) order_id INT(11) date added DATETIME description TEXT value DECIMAL(15,4) store_id INT(11) author VARCHAR(64) description TEXT code VARCHAR(32) sku VARCHAR(64) amount DECIMAL(15,4) based VARCHAR(10) ip VARCHAR(40) status TINYINT(1) trigger TEXT text TEXT points INT(8) title VARCHAR(255) date_added DATETIME priority INT(5) country VARCHAR(2) date_added DATETIME action TEXT value DECIMAL(15,4) date_added DATETIME date_modified DATETIME status TINYINT(1) rating INT(1) date_added DATETIME ean VARCHAR(14) status TINYINT(1) sort_order INT(3) jan VARCHAR(13) sort_order INT(3) date_added DATETIME isbn VARCHAR(17) mpn VARCHAR(64) date modified DATETIME variant TEXT override TEXT oc_address ☐ oc_category_filter ▼ oc_cron □ oc_category_to_layout ▼ ☐ oc_coupon_history ▼ oc_category_path ■ oc_filter_group_description oc_api_session V ■ oc_extension_path □ oc_customer_group ▼ oc_country ■ oc_category_description ▼ quantity INT(4) address_id INT(11) category_id INT(11) ron_id INT(11) ? category_id INT(11) filter_group_id INT(11) papi_session_id INT(11) ? category_id INT(11) rextension_path_id INT(11) coupon_history_id INT(11) customer_group_id INT(11) country_id INT(11) category_id INT(11) stock status id INT(11) customer_id INT(11) filter_id INT(11) ode VARCHAR(128) language_id INT(11) language_id INT(11) api_id INT(11) fraction store store store store in the store of the store in the stor extension_install_id INT(11) coupon_id INT(11) approval INT(1) name VARCHAR(128) path_id INT(11) image VARCHAR(255) name VARCHAR(255) iso_code_2 VARCHAR(2)

iso_code_2 VARCHAR(2) level INT(11) firstname VARCHAR(32) description TEXT name VARCHAR(64) session_id VARCHAR(32) layout_id INT(11) path VARCHAR(255) order_id INT(11) sort_order INT(3) manufacturer_id INT(11) cycle VARCHAR(12) description TEXT ip VARCHAR(40) customer_id INT(11) iso_code_3 VARCHAR(3) shipping TINYINT(1) date_added DATETIME address_format_id INT(11) action TEXT meta title VARCHAR(255) amount DECIMAL(15,4) company VARCHAR(60) price DECIMAL(15,4) opostcode_required TINYINT(1) address_1 VARCHAR(128) date_modified DATETIME meta_description VARCHAR(255) status TINYINT(1) date_added DATETIME opoints INT(8) address_2 VARCHAR(128) date_added DATETIME meta_keyword VARCHAR(255) status TINYINT(1) tax class id INT(11) city VARCHAR(128) date_modified DATETIME ◆ date available DATE postcode VARCHAR(10) weight DECIMAL(15,8) country_id INT(11) weight_class_id INT(11) > zone id INT(11) length DECIMAL(15,8) custom field TEXT width DECIMAL(15,8) oc_download_description ` ■ oc_custom_field ▼ oc_information oc_store oc_custom_field_value_description oc_customer_history \ oc_custom_field_value oc_manufacturer_to_layout oc_coupon oc_customer_transaction default TINYINT(1) height DECIMAL(15,8) custom field value id INT(11) download id INT(11) customer history id INT(11) rustom field value id INT(11) custom field id INT(11) information_id INT(11) manufacturer id INT(11) coupon id INT(11) ? customer transaction id INT(11) fraction store store store store store in the store store in the store s length_class_id INT(11) language_id INT(11) bottom INT(1) name VARCHAR(64) language_id INT(11) customer_id INT(11) custom_field_id INT(11) type VARCHAR(32) f store_id INT(11) name VARCHAR(128) customer_id INT(11) subtract TINYINT(1) url VARCHAR(255) custom_field_id INT(11) name VARCHAR(64) comment TEXT sort_order INT(3) value TEXT sort_order INT(3) layout_id INT(11) code VARCHAR(20) order_id INT(11) minimum INT(11) name VARCHAR(128) date_added DATETIME validation VARCHAR(255) status TINYINT(1) type CHAR(1) description TEXT sort_order INT(11) location VARCHAR(10) discount DECIMAL(15,4) amount DECIMAL(15,4) 3 more... status TINYINT(1) logged TINYINT(1) date_added DATETIME sort_order INT(3) shipping TINYINT(1) ◆ total DECIMAL(15.4) date_start DATE date_end DATE oc_order_voucher 🔻 ☐ oc_customer ▼ oc_customer_activity ■ oc_customer_approval ▼ oc_custom_field_description oc_customer_affiliate_report ▼ Oc_customer_affiliate ▼ ___ oc_customer_payment ▼ oc_coupon_product V status TINYINT(1) order_voucher_id INT(11) ? customer_approval_id INT(11) custom_field_id INT(11) customer_affiliate_report_id INT(11) customer_id INT(11) customer_payment_id INT(11) coupon_product_id INT(11) customer_id INT(11) ? customer_activity_id INT(11) coupon_id INT(11) ♦ date added DATETIME order_id INT(11) customer_id INT(11) company VARCHAR(60) coupon_id INT(11) category_id INT(11) language_id INT(11) customer_id INT(11) customer_id INT(11) ○ customer_group_id INT(11) customer_id INT(11) voucher_id INT(11) type VARCHAR(9) name VARCHAR(128) store_id INT(11) website VARCHAR(255) name VARCHAR(32) product_id INT(11) store_id INT(11) key VARCHAR(64) description VARCHAR(255) data TEXT date_added DATETIME ip VARCHAR(40) tracking VARCHAR(64) image VARCHAR(255) language id INT(11) country VARCHAR(2) ip VARCHAR(40) code VARCHAR(10) commission DECIMAL(4,2) type VARCHAR(64) firstname VARCHAR(32) from_name VARCHAR(64) date_added DATETIME tax VARCHAR(64) extension VARCHAR(255) lastname VARCHAR(32) date_added DATETIME from_email VARCHAR(96) payment VARCHAR(6) code VARCHAR(32) email VARCHAR(96) to_name VARCHAR(64) cheque VARCHAR(100) token VARCHAR(96) to_email VARCHAR(96) paypal VARCHAR(64) date_expire DATE password VARCHAR(255) voucher_theme_id INT(11) bank_name VARCHAR(64) default TINYINT(1) custom_field TEXT message TEXT status TINYINT(1) newsletter TINYINT(1) bank_branch_number VARCHAR(64) amount DECIMAL(15,4) bank swift code VARCHAR(64) date added DATETIME ip VARCHAR(40) ■ oc_banner ▼ ■ oc_category_to_store oc_banner_image ` oc_order_product oc_product_option_value ` bank_account_name VARCHAR(64) status TINYINT(1) panner_id INT(11) ? category_id INT(11) panner_image_id INT(11) order_product_id INT(11) product_option_value_id INT(11) bank_account_number VARCHAR(64) safe TINYINT(1) name VARCHAR(64) product option id INT(11) rstore id INT(11) banner_id INT(11) order_id INT(11) custom_field TEXT token TEXT language_id INT(11) product_id INT(11) status TINYINT(1) product_id INT(11) status TINYINT(1) code VARCHAR(40) title VARCHAR(64) master_id INT(11) option_id INT(11) date_added DATETIME date_added DATETIME ♦ link VARCHAR(255) name VARCHAR(255) option_value_id INT(11) image VARCHAR(255) model VARCHAR(64) quantity INT(3) sort_order INT(3) quantity INT(4) subtract TINYINT(1) price DECIMAL(15,4) price DECIMAL(15,4) total DECIMAL(15,4) price_prefix VARCHAR(1) tax DECIMAL(15,4) points INT(8) reward INT(8) points_prefix VARCHAR(1) weight DECIMAL(15,8) oc_product_to_layout oc_custom_field_customer_group ■ oc_manufacturer ▼ oc_product_related ■ oc_option_value ▼ weight prefix VARCHAR(1) notification_id INT(11) custom_field_id INT(11) manufacturer_id INT(11) product_id INT(11) option_value_id INT(11) roduct_id INT(11) option_id INT(11) title VARCHAR(64) ? customer_group_id INT(11) 💡 store_id INT(11) name VARCHAR(64) related_id INT(11) text TEXT required TINYINT(1) layout_id INT(11) image VARCHAR(255) image VARCHAR(255) sort_order INT(3) status TINYINT(11) sort_order INT(3) date_added DATETIME oc_attribute_group_description ☐ oc_address_format ▼ oc_cart oc_attribute_description oc_category \ oc_currency currency_id INT(11) address_format_id INT(11) cart_id INT(11) attribute id INT(11) ? attribute_group_id INT(11) category_id INT(11) api_id INT(11) ♦ title VARCHAR(32) language_id INT(11) name VARCHAR(128) language_id INT(11) image VARCHAR(255)

code VARCHAR(3)

symbol_left VARCHAR(12)

decimal_place CHAR(1)

value DOUBLE(15.8)

♦ status TINYINT(1)♦ date_modified DATETIME

symbol_right VARCHAR(12)

address_format TEXT

customer_id INT(11)

product_id INT(11)

option TEXT

quantity INT(5)

date_added DATETIME

session_id VARCHAR(32)

subscription_plan_id INT(11)

name VARCHAR(64)

parent_id INT(11)

top TINYINT(1)

column INT(3)

sort_order INT(3)

status TINYINT(1)

date_added DATETIME

date_modified DATETIME

name VARCHAR(64)