

RFP 180 - IoT Protocols: MQTT

Draft

8 Pages

Abstract

In the IoT domain there is a widespread of communication protocols available for letting devices interact with eachother. A popular publish-subscribe protocol for communicating with IoT devices is MQTT. This RFP focuses on ways to integrate the MQTT protocol with OSGi. The goal to bridge MQTT to the existing OSGi EventAdmin.

Draft 14 January 2016

0 Document Information

0.1 License

DISTRIBUTION AND FEEDBACK LICENSE, Version 2.0

The OSGi Alliance hereby grants you a limited copyright license to copy and display this document (the "Distribution") in any medium without fee or royalty. This Distribution license is exclusively for the purpose of reviewing and providing feedback to the OSGi Alliance. You agree not to modify the Distribution in any way and further agree to not participate in any way in the making of derivative works thereof, other than as a necessary result of reviewing and providing feedback to the Distribution. You also agree to cause this notice, along with the accompanying consent, to be included on all copies (or portions thereof) of the Distribution. The OSGi Alliance also grants you a perpetual, non-exclusive, worldwide, fully paid-up, royalty free, limited license (without the right to sublicense) under any applicable copyrights, to create and/or distribute an implementation of the Distribution that: (i) fully implements the Distribution including all its required interfaces and functionality; (ii) does not modify, subset, superset or otherwise extend the OSGi Name Space, or include any public or protected packages, classes, Java interfaces, fields or methods within the OSGi Name Space other than those required and authorized by the Distribution. An implementation that does not satisfy limitations (i)-(ii) is not considered an implementation of the Distribution, does not receive the benefits of this license, and must not be described as an implementation of the Distribution. "OSGi Name Space" shall mean the public class or interface declarations whose names begin with "org.osgi" or any recognized successors or replacements thereof. The OSGi Alliance expressly reserves all rights not granted pursuant to these limited copyright licenses including termination of the license at will at any time.

EXCEPT FOR THE LIMITED COPYRIGHT LICENSES GRANTED ABOVE, THE OSGI ALLIANCE DOES NOT GRANT, EITHER EXPRESSLY OR IMPLIEDLY, A LICENSE TO ANY INTELLECTUAL PROPERTY IT, OR ANY THIRD PARTIES, OWN OR CONTROL. Title to the copyright in the Distribution will at all times remain with the OSGI Alliance. The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted therein are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

THE DISTRIBUTION IS PROVIDED "AS IS," AND THE OSGI ALLIANCE (INCLUDING ANY THIRD PARTIES THAT HAVE CONTRIBUTED TO THE DISTRIBUTION) MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DISTRIBUTION ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

NEITHER THE OSGI ALLIANCE NOR ANY THIRD PARTY WILL BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR RELATING TO ANY USE OR DISTRIBUTION OF THE DISTRIBUTION.

Implementation of certain elements of this Distribution may be subject to third party intellectual property rights, including without limitation, patent rights (such a third party may or may not be a member of the OSGi Alliance). The OSGi Alliance is not responsible and shall not be held responsible in any manner for identifying or failing to identify any or all such third party intellectual property rights.

The Distribution is a draft. As a result, the final product may change substantially by the time of final publication, and you are cautioned against relying on the content of this Distribution. You are encouraged to update any implementation of the Distribution if and when such Distribution becomes a final specification.



14 January 2016

The OSGi Alliance is willing to receive input, suggestions and other feedback ("Feedback") on the Distribution. By providing such Feedback to the OSGi Alliance, you grant to the OSGi Alliance and all its Members a non-exclusive, non-transferable, worldwide, perpetual, irrevocable, royalty-free copyright license to copy, publish, license, modify, sublicense or otherwise distribute and exploit your Feedback for any purpose. Likewise, if incorporation of your Feedback would cause an implementation of the Distribution, including as it may be modified, amended, or published at any point in the future ("Future Specification"), to necessarily infringe a patent or patent application that you own or control, you hereby commit to grant to all implementers of such Distribution or Future Specification an irrevocable, worldwide, sublicenseable, royalty free license under such patent or patent application to make, have made, use, sell, offer for sale, import and export products or services that implement such Distribution or Future Specification. You warrant that (a) to the best of your knowledge you have the right to provide this Feedback, and if you are providing Feedback on behalf of a company, you have the rights to provide Feedback on behalf of your company; (b) the Feedback is not confidential to you and does not violate the copyright or trade secret interests of another; and (c) to the best of your knowledge, use of the Feedback would not cause an implementation of the Distribution or a Future Specification to necessarily infringe any third-party patent or patent application known to you. You also acknowledge that the OSGi Alliance is not required to incorporate your Feedback into any version of the Distribution or a Future Specification.

I HEREBY ACKNOWLEDGE AND AGREE TO THE TERMS AND CONDITIONS DELINEATED ABOVE.

0.2 Trademarks

OSGi™ is a trademark, registered trademark, or service mark of the OSGi Alliance in the US and other countries. Java is a trademark, registered trademark, or service mark of Oracle Corporation in the US and other countries. All other trademarks, registered trademarks, or service marks used in this document are the property of their respective owners and are hereby recognized.

0.3 Feedback

This document can be downloaded from the OSGi Alliance design repository at https://github.com/osgi/design The public can provide feedback about this document by opening a bug at https://www.osgi.org/bugzilla/.

0.4 Table of Contents

0 Document Information	2
0.1 License	2
0.2 Trademarks	
0.3 Feedback	
0.4 Table of Contents	
0.5 Terminology and Document Conventions	
0.6 Revision History	
1 Introduction	4
2 Application Domain	4
2.1 Terminology + Abbreviations	5
3 Problem Description	5
4 Use Cases	5
5 Requirements	6
6 Document Support	6
6.1 References	6



Draft	14 January 2016
6.2 Author's Address	6
6.3 End of Document	6

0.5 Terminology and Document Conventions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY" and "OPTIONAL" in this document are to be interpreted as described in 6.1.

Source code is shown in this typeface.


0.6 Revision History

The last named individual in this history is currently responsible for this document.

Revision	Date	Comments
Initial	January 7 2016	Initial contribution – extracted from initial RFP 177
		Tim Verbelen, iMinds – Ghent University, tim.verbelen@intec.ugent.be
0.1	January 14 2016	<u>Updates F2F Madrid</u>
		<u>Tim Verbelen, iMinds – Ghent University, tim.verbelen@intec.ugent.be</u>

1 Introduction

Internet of Things (IoT) is becoming an important application domain of OSGi. The ability to run an OSGi framework on a gateway device as well as a Cloud server, together with the ability of transparently calling remote services using distributed OSGi makes it perfect base for an IoT platform. However, the proliferation of IoT protocols makes it difficult to integrate the many technologies available. One popular IoT protocol for connecting such IoT devices is MQTT. This RFP provides a solution to transparently handle MQTT events in OSGi via the EventAdmin.



2 Application Domain

In the current IoT domain we see a proliferation of different protocols for device access, remote management and IoT applications.

Various device access protocols are defined to interface with small (wireless) sensor devices, such as enOcean, ZigBee, Z-Wave, etc. Also for device management different protocols exist such as OMA DM, TR-69, etc. While these protocols are already being handled in the OSGi specification (103 – Device Access, 117 – Dmt Admin, 141- Device Abstraction layer, and specific protocol adapters for enOcean, TR069, ...), there are also many IoT protocols that are widely used on an application level (i.e. CoAP, MQTT).

One of the more popular application-level IoT protocols nowadays is the event based MQTT.

2.1 MQTT

MQTT is a lightweight publish/subscribe messaging protocol on top of TCP/IP standardized by OASIS [3]. MQTT uses a central broker where all clients send their messages to and where clients can subscribe on certain topics.

MQTT topics are represented as hierarchically structured strings with a forward slash topic separator, i.e. "sensors/temperature/mysensor1". To subscribe to topics, filters can be used containing wildcard characters. The hash sign '#' is used as a multi-level topic wildcard, the plus sign '+' is used as a single level wildcard. Topic names starting with a dollar sign '\$' are special topics that relate to the event broker, and clients should not use topic names starting with '\$' to exchange messages with other clients.

The MQTT broker supports multiple QoS levels: QoS level 0: best effort delivery: the message is not acknowledged by the receiver or stored and redelivered by the sender. QoS level 1: the message is guaranteed to be delivered at least once to the receiver. The sender stores the messages until it gets an acknowledgement. QoS level 2: the message is delivered exactly once to the receiver. This is the highest and slowest QoS level.

MQTT also supports so called "last will and testament" messages, which are sent out by the broker when the sender loses connectivity with the broker.

The MQTT specification does not specify any format the message payload should adhere to. <u>However, the application developer will know the payload format, as this is implicitly defined by the topic(s) he subscribes to.</u>

3 Problem Description

Although there are already solutions for using MQTT within an OSGi application, these still leave it up to the developer to use the specific APIs of the MQTT library used, which is currently not standardized in OSGi. For



14 January 2016

example the Eclipse Paho [4] MQTT client API is used in the Eclipse Kura [5] platform. To facilitate interaction with an MQTT broker, this RFP aims to bridge MQTT and EventAdmin:


- subscribe to an MQTT broker topic by registering an EventHandler in the OSGi framework
- sending out MQTT messages by publishing an Event via EventAdmin

4 Use Cases

4.1 Integrate with small, embedded devices unable to run OSGi

Many devices are powered with a small microcontroller (e.g. Arduino-like) that is unable to run a full OSGi stack, but often does support communicating over IoT protocols such as MQTT.

For example a small temperature sensor connects to an MQTT broker and sends out MQTT events with the temperature value on topic "sensor/temperature". Withing OSGi, an IoT application bundle wants to listen to these events. This bundle registers an EventHandler with topic "sensor/temperature". An MQTT adapter bundle is configured with a MQTT broker URI and a set of topics to bridge to MQTT. Once the EventHandler is registered, the MQTT adapter will subscribe to this topic with the MQTT broker, and post any received MQTT message to the EventAdmin.



Similarly, one could also forward Events posted on the EventAdmin to the MQTT broker.

Since MQTT does not provide any structure for the payload, it is up to the application developer to correctly parse the MQTT payload.

4.2 MQTT as distributed eventing mechanism between OSGi frameworks

An adapter that translates MQTT events to OSGi events through EventAdmin and vice versa could provide a mechanism for distributed eventing in OSGi.

In this case, the MQTT message payload could be the JSON String representing the OSGi event using the Object Conversion spec.

TODO: relation with RFP 158

14 January 2016



5 Requirements

5.1 MQTT

- M0010 The solution MUST define a mapping from an MQTT topic to an EventAdmin topic
- M0020 The solution MUST define a mapping from an MQTT message to an OSGi Event
- M0030 The solution SHOULD provide a mechanism to define which OSGi Events should be have to be sent to the MQTT broker and which EventAdmin topics have to be subscribed with the MQTT broker
- M0040 The solution MUST be configurable (i.e. which MQTT broker to connect to)
- M0050 The solution <u>MAYMUST</u> support the different MQTT QoS levels
- M0060 The solution MAYMUST support providing last will and testament messages

6 Document Support

6.1 References

- [1]. Bradner, S., Key words for use in RFCs to Indicate Requirement Levels, RFC2119, March 1997.
- [2]. Software Requirements & Specifications. Michael Jackson. ISBN 0-201-87712-0
- [3]. MQTT Version 3.1.1. Edited by Andrew Banks and Rahul Gupta. 29 September 2014. OASIS Standard. Latest version: http://docs.oasis-open.org/mqtt/mqtt/v3.1.1/mqtt-v3.1.1.html.
- [4]. Eclipse Paho, https://www.eclipse.org/paho/
- [5]. Eclipse Kura, https://www.eclipse.org/kura/



Draft 14 January 2016

6.2 Author's Address

Name	Tim Verbelen
Company	iMinds, Ghent University
Address	Gaston Crommenlaan 8 box 201, 9050 Ghent, Belgium
Voice	
e-mail	tim.verbelen@intec.ugent.be

6.3 End of Document