The Media Connectivity Association



OVERVIEW AND UPDATES · IMMERSIVE MEDIA

XR Media & 3D Scenes

Composing, positioning, and temporally synchronizing dynamic 3D visual and audio objects for XR

MPEG (ISO/IEC)

OCTOBER 2026 – www.5g-mag.com

LEARN

About the project

Composing, positioning, and temporally synchronizing dynamic 3D visual and audio objects for XR

ISO/IEC 23090-14

MPEG standard

MPEG-I Scene Description: extensions to glTF 2.0 that enable the inclusion of timed media in a scene description.

ISO/IEC 12113

Khronos glTF 2.0

An open interoperable 3D asset format with a JSON scene description, which the MPEG-I Scene Description extensions build on.

3GPP TS 26.119

Technical Specification

Device media capabilities for AR services (MeCAR): device categories and the capabilities each supports, aligned with the OpenXR runtime API.

FIND OUT MORE **Technical analysis** **Standards** **Reference Tools**

LEARN

The scene description: ISO/IEC 23090-14

Overview and architecture of ISO/IEC 23090-14



Timed media in a scene

Features that describe how to get the timed media, and how a rendering process expects the data once it is decoded.

Extensions to glTF

The features are defined as extensions to the glTF format defined in ISO/IEC 12113.

Two interfaces

The MAF API and the Buffer API decouple the Presentation Engine from the Media Access Function.

Dynamic scenes

The scene description itself may change over time; the document defines how a change is signalled.

Carriage

Storage and delivery consistent with MPEG formats, using ISO/IEC 14496-12 and its derived specifications.

Advanced features

AR anchoring, interactivity, avatars and lighting; haptics and V3C objects.

5G-MAG © 2026

LEARN

Features

The extensions of ISO/IEC 23090-14 to glTF 2.0

Timed framework external and timed media

MPEG_media | MPEG_accessor_timed | MPEG_buffer_circular

Dynamic and temporal media media and timing

MPEG_texture_video | MPEG_audio_spatial | MPEG_mesh_linking | MPEG_scene_dynamic | MPEG_viewport_recommended | MPEG_animation_timing

Real-time immersive and interactive media real-world and interactive scenes

MPEG_anchor | MPEG_scene_interactivity | MPEG_node_interactivity | MPEG_node_avatar | MPEG_lights_texture_based | MPEG_light_punctual | MPEG_haptic | MPEG_primitive_V3C | MPEG_sampler_YCbCr

Declare the source → **Bind into the scene** → **Timed accessors, circular buffers**

Timed media reaches the renderer in three steps; the Presentation Engine never needs to know the transport or codec of a media object.

LEARN

Architecture

Scene description reference architecture of ISO/IEC 23090-14

Receive	Request	Fetch and decode	Exchange
The Presentation Engine receives and parses the scene description document and its updates.	It identifies the timed media and requests it through the MAF API: where, which parts, when and in which format.	The Media Access Function instantiates the media fetching and decoding pipeline for the requested media.	The data is exchanged through buffers, controlled through the Buffer API.

IMPLEMENT

Repositories

What each repository covers, from its README; six public repositories

REPOSITORY	WHAT IT IS	COVERS	LATEST RELEASE	
rt-xr-unity-player	an XR-capable glTF scene viewer in Unity3D for the MPEG-I Scene Description extensions	Presentation Engine, Extensions	● **v1.1.0** 27 Feb 2025	GitHub
rt-xr-glTFast	a glTFast fork that parses the MPEG-I Scene Description extensions	Extensions	○ none yet	GitHub
rt-xr-maf-native	the Media Access Function API, its C# bindings and media pipeline plugins	Media Access Function	○ none yet	GitHub
rt-xr-maf-plugin	a Unity3D package of the build artifacts of rt-xr-maf-native	Media Access Function	○ none yet	GitHub
rt-xr-content	reference scenes and media for testing and demos with the XR Player	Reference scenes	○ none yet	GitHub
rt-xr-blender-exporter	a Blender add-on that adds the MPEG_* extensions to the glTF exporter	Authoring	● **v1.1.0** 16 Apr 2025	GitHub

FIND OUT MORE — Technical analysis · Standards · Reference Tools


● released ○ no release yet

5G-MAG © 2026

IMPLEMENT

Repositories in the architecture

The Reference Tools on the specification figure, as the figure generator draws them



PROVIDED BY THE REFERENCE TOOLS


1. **rt-xr-maf-native**
2. **rt-xr-unity-player**
3. **rt-xr-glTFast**
   dependency, used by 2

Boxes without a badge are not mapped to a repository.


IMPLEMENT

See it and try it


The XR Scene Player on an Android phone: pick a scene, open it in AR, control the media




Library



Scene details



A video scene on the floor



AR and media controls

CONTRIBUTORS

MOTION SPELL interdigital. Fraunhofer FOKUS Qualcomm

CONTRIBUTE

Latest updates and roadmap

Status on 19 October 2026

RELEASED

rt-xr-unity-player v1.1.0

27 Feb 2025. Media pipelines, video textures and spatial audio sources on Android.

rt-xr-blender-exporter v1.1.0

16 Apr 2025. XR anchors defined in Blender and exported as MPEG_anchor glTF extensions.

IN DEVELOPMENT

XR Scene Player

A smartphone app with media control, and compliance work.

Reference scenes and validator

Reference scenes that follow ISO/IEC 23090-14, and a scene validator.

Media pipelines and loader

Decoding of timed metadata tracks, and fixes for the scene description extensions and interactivity.

UNDER INVESTIGATION

Delivery over 5G Media Streaming

Serving glTF content to rt-xr-unity-player applications.

Real-time communication

Avatar based real time communication, TR 26.813, with the MPEG_node_avatar extension.

Split rendering

TS 26.249 (Immersive Audio for Split Rendering Scenarios) and TS 26.565 (Split Rendering Media Service Enabler).

MERGED SINCE V1.1.0 23 pull requests in 5 repositories

5G MAG The Media Connectivity Association

See it. Try it. Contribute.

Raise an issue, send a pull request or join the monthly public call.

GitHub

5g-mag.com

Become a contributor →

CONTRIBUTORS

MOTION SPELL

interdigital.

Fraunhofer FOKUS

Qualcomm