```
<Window x:Class="_2024_WpfApp3.MainWindow"</pre>
2
           xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation"
3
           xmlns:x="http://schemas.microsoft.com/winfx/2006/xam1"
           xmlns:d="http://schemas.microsoft.com/expression/blend/2008"
4
5
           xmlns:mc="http://schemas.openxmlformats.org/markup-compatibility/2006"
6
           xmlns:local="clr-namespace:_2024_WpfApp3"
7
           mc: Ignorable="d"
8
           Title="飲料點餐系統ver3" Height="620" Width="715">
9
       <Grid>
10
           <StackPanel x:Name="stackpanel_DrinkMenu" Margin="20,65,0,0"</pre>
                                                                                         P
             Background=\( \pi \) "#FFFC5C5" Height="200" VerticalAlignment="Top"
                                                                                         P
             HorizontalAlignment="Left" Width="529" />
11
           <Button x:Name="OrderButton" Content="確定訂購" Margin="0,25,30,0"
                                                                                         P
             VerticalAlignment="Top" Height="60" FontSize="18" FontWeight="Bold"
             HorizontalAlignment="Right" Width="100" Click="OrderButton_Click"/>
12
           <TextBlock x:Name="ResultTextBlock" Margin="20,0,30,20" TextWrapping="Wrap"</pre>
              Background=■"#FF90A77A" Height="283" VerticalAlignment="Bottom"
             Padding="5,5,5,5" FontSize="16"/>
           <GroupBox Header="內用/外帶" Margin="20,0,0,0" Background=■"#FF78A4A4"</p>
13
                                                                                         P
             Height="52" VerticalAlignment="Top" HorizontalAlignment="Left"
                                                                                         P
             Width="455">
               <StackPanel Orientation="Horizontal" Height="30" Margin="0,0,-83,0">
14
                    <RadioButton Content="內用" FontSize="16" FontWeight="Bold"
15
                                                                                         P
                     Height="25" Width="80" Margin="10,0,0,0"
                                                                                         P
                      VerticalAlignment="Center" VerticalContentAlignment="Center"
                                                                                         P
                     Checked="RadioButton Checked"/>
                    <RadioButton Content="外帶" FontSize="16" FontWeight="Bold"
16
                                                                                         P
                     Height="25" Width="80" Margin="10,0,0,0"
                                                                                         P
                      VerticalAlignment="Center" VerticalContentAlignment="Center"
                     Checked="RadioButton_Checked"/>
17
               </StackPanel>
18
           </GroupBox>
19
       </Grid>
20 </Window>
21
```

```
1 using System. Windows;
 2 using System.Windows.Controls;
3 using System. Windows. Data;
4 using System. Windows. Media;
6 namespace _2024_WpfApp3
7 {
8
       /// <summary>
9
        /// Interaction logic for MainWindow.xaml
10
        /// </summary>
11
       public partial class MainWindow: Window
12
13
           Dictionary<string, int> drinks = new Dictionary<string, int>
14
15
                { "紅茶大杯", 60 },
16
                { "紅茶小杯", 40 },
17
               { "綠茶大杯", 50 },
18
               { "綠茶小杯", 30 },
               { "可樂大杯", 50 },
{ "可樂小杯", 30 },
19
20
               {"咖啡大杯",80},
21
                {"咖啡小杯",50}
22
23
           };
24
25
           Dictionary<string, int> orders = new Dictionary<string, int>();
26
            string takeout = "";
27
           public MainWindow()
28
29
               InitializeComponent();
30
31
                // 顯示飲料品項
32
               DisplayDrinkMenu(drinks);
33
            }
34
35
           private void DisplayDrinkMenu(Dictionary<string, int> drinks)
36
            {
37
               //stackpanel DrinkMenu.Children.Clear();
38
                stackpanel_DrinkMenu.Height = 42 * drinks.Count;
39
                foreach (var drink in drinks)
40
41
                    var sp = new StackPanel
42
43
                        Orientation = Orientation. Horizontal,
44
                        Margin = new Thickness(3),
45
                        Background = Brushes.LightBlue,
46
                       Height = 35,
47
                    };
48
49
                   var cb = new CheckBox
50
51
                        Content = drink.Key,
52
                        FontFamily = new FontFamily("微軟正黑體"),
53
                        FontSize = 16,
```

```
... 3 A\_ver 3 \\ 2024\_Wpf App 3 - 3 A\_ver 3 \\ \\ 2024\_Wpf App 3 \\ \\ Main Window. xam 1.cs
54
                          FontWeight = FontWeights.Bold,
55
                         Foreground = Brushes.Blue,
56
                         Width = 150,
57
                         Margin = new Thickness(5),
58
                         VerticalContentAlignment = VerticalAlignment.Center,
59
                     };
60
61
                     var lb_price = new Label
62
63
                          Content = $"{drink.Value}元",
                          FontFamily = new FontFamily("微軟正黑體"),
64
                         FontSize = 16,
65
66
                         FontWeight = FontWeights.Bold,
67
                         Foreground = Brushes. Green,
68
                         Width = 60,
69
                         VerticalContentAlignment = VerticalAlignment.Center,
70
                     };
71
72
                     var sl = new Slider
73
                     {
74
                         Width =150,
75
                         Minimum = 0,
76
                         Maximum = 10,
77
                         Value = 0,
78
                         Margin = new Thickness(5),
79
                         VerticalAlignment = VerticalAlignment.Center,
80
                          IsSnapToTickEnabled = true,
81
                     };
82
83
                     var lb_amount = new Label
84
                     {
85
                         Content = "0",
                         FontFamily = new FontFamily("微軟正黑體"),
86
87
                         FontSize = 16,
88
                         FontWeight = FontWeights.Bold,
89
                         Foreground = Brushes.Red,
90
                         VerticalContentAlignment = VerticalAlignment.Center,
91
                         Width = 50,
92
                     };
93
94
                     Binding myBinding = new Binding("Value");
95
                     myBinding.Source = s1;
96
                     1b amount.SetBinding(ContentProperty, myBinding);
97
98
                     sp.Children.Add(cb);
99
                     sp.Children.Add(lb_price);
100
                     sp.Children.Add(sl);
101
                     sp.Children.Add(lb_amount);
102
103
                     stackpanel_DrinkMenu.Children.Add(sp);
```

104

105106

}

}

```
...3 A\_ver 3 \\ \ 2024\_Wpf App 3 \\ -3 A\_ver 3 \\ \ 2024\_Wpf App 3 \\ \ Main Window. xam 1.cs
```

```
3
```

```
107
108
            private void RadioButton_Checked(object sender, RoutedEventArgs e)
109
110
                var rb = sender as RadioButton;
111
                if ( rb.IsChecked == true)
112
113
                     //MessageBox.Show(rb.Content.ToString());
114
                     takeout = rb.Content.ToString();
115
                }
116
            }
117
            private void OrderButton_Click(object sender, RoutedEventArgs e)
118
119
120
                // 確認訂購內容
121
                orders.Clear();
122
                for (int i=0; i < stackpanel_DrinkMenu.Children.Count; i++)</pre>
123
124
                    var sp = stackpanel DrinkMenu.Children[i] as StackPanel;
125
                    var cb = sp.Children[0] as CheckBox;
126
                    var drinkName = cb.Content.ToString();
127
                    var s1 = sp.Children[2] as Slider;
128
                    var amount = (int)sl.Value;
129
130
                    if (cb.IsChecked == true && amount >0) orders.Add(drinkName,
                      amount):
131
                }
132
133
                // 顯示訂購內容
                string msg = "";
134
135
                string discount_msg = "";
136
                int total = 0;
137
138
                msg += $"此次訂購為{takeout},訂購內容如下: \n";
139
                 int num = 1;
140
                foreach (var order in orders)
141
142
                     int subtotal = drinks[order.Key] * order.Value;
143
                    msg += $"{num}. {order.Key} x {order.Value}杯,小計{subtotal}元
                      \n";
144
                    total += subtotal;
145
                    num++;
146
                }
147
                msg += $"總金額為{total}元";
148
149
                 int sellPrice = total;
150
                if (total >= 500)
151
152
                    sellPrice = (int)(total * 0.8);
153
                    discount msg = $"恭喜您獲得滿500元打8折優惠";
154
155
                else if (total >= 300)
156
157
                    sellPrice = (int)(total * 0.9);
```

```
discount_msg = $"恭喜您獲得滿300元打9折優惠";
159
           }
160
           else
161
           {
162
              discount_msg = $"未達到任何折扣條件";
163
           }
           msg += $"\n{discount_msg},原價為{total}元,售價為 {sellPrice}元。";
164
165
166
           ResultTextBlock.Text = msg;
167
        }
168
     }
169 }
```

