

CompTIA Network+ Certification Exam Objectives

EXAM NUMBER: N10-008



About the Exam

Candidates are encouraged to use this document to help prepare for the CompTIA Network+ (N10-008) certification exam. The CompTIA Network+ certification exam will verify the successful candidate has the knowledge and skills required to:

- · Establish network connectivity by deploying wired and wireless devices
- · Understand and maintain network documentation
- Understand the purpose of network services
- Understand basic datacenter, cloud, and virtual networking concepts
- · Monitor network activity, identifying performance and availability issues
- · Implement network hardening techniques
- · Manage, configure, and troubleshoot network infrastructure

This is equivalent to 9–12 months of hands-on experience working in a junior network administrator/ network support technician job role. These content examples are meant to clarify the test objectives and should not be construed as a comprehensive listing of all the content of this examination.

EXAM ACCREDITATION

The CompTIA Network+ (N10-008) exam is accredited by ANSI to show compliance with the ISO 17024 standard and, as such, undergoes regular reviews and updates to the exam objectives.

EXAM DEVELOPMENT

CompTIA exams result from subject matter expert workshops and industry-wide survey results regarding the skills and knowledge required of an entry-level IT professional.

COMPTIA AUTHORIZED MATERIALS USE POLICY

CompTIA Certifications, LLC is not affiliated with and does not authorize, endorse, or condone utilizing any content provided by unauthorized third-party training sites (aka "brain dumps"). Individuals who utilize such materials in preparation for any CompTIA examination will have their certifications revoked and be suspended from future testing in accordance with the CompTIA Candidate Agreement. In an effort to more clearly communicate CompTIA's exam policies on use of unauthorized study materials, CompTIA directs all certification candidates to the CompTIA Certification Exam Policies. Please review all CompTIA policies before beginning the study process for any CompTIA exam. Candidates will be required to abide by the CompTIA Candidate Agreement. If a candidate has a question as to whether study materials are considered unauthorized (aka "brain dumps"), he/she should contact CompTIA at examsecurity@comptia.org to confirm.

PLEASE NOTE

The lists of examples provided in bulleted format are not exhaustive lists. Other examples of technologies, processes, or tasks pertaining to each objective may also be included on the exam although not listed or covered in this objectives document. CompTIA is constantly reviewing the content of our exams and updating test questions to be sure our exams are current, and the security of the questions is protected. When necessary, we will publish updated exams based on existing exam objectives. Please know that all related exam preparation materials will still be valid.



TEST DETAILS

Required exam N10-008

Number of questions Maximum of 90

Types of questions Multiple-choice and performance-based

Length of test 90 minutes

Recommended experience • CompTIA A+ certified, or equivalent

 Minimum of 9–12 months of hands-on experience working in a junior network administrator/ network support technician job role

Passing score 720 (on a scale of 100-900)

EXAM OBJECTIVES (DOMAINS)

The table below lists the domains measured by this examination and the extent to which they are represented.

DOMAIN	PERCENTAGE OF EXAMINATION	
1.0 Networking Fundamentals	24%	
2.0 Network Implementations	19%	
3.0 Network Operations	16%	
4.0 Network Security	19%	
5.0 Network Troubleshooting	22%	
Total	100%	





-- 1.0 Networking Fundamentals

- Compare and contrast the Open Systems Interconnection (OSI) model layers and encapsulation concepts.
 - · OSI model
 - Layer 1 Physical
 - Layer 2 Data link
 - Layer 3 Network
 - Layer 4 Transport
 - Layer 5 Session
 - Layer 6 Presentation
 - Layer 7 Application

- Data encapsulation and decapsulation within the OSI model context
 - Ethernet header
 - Internet Protocol (IP) header
 - Transmission Control Protocol (TCP)/ User Datagram Protocol (UDP) headers
 - TCP flags
 - Payload
 - Maximum transmission unit (MTU)
- Explain the characteristics of network topologies and network types.
 - Mesh
 - · Star/hub-and-spoke
 - Bus
 - Ring
 - Hybrid
 - Network types and characteristics
 - Peer-to-peer
 - Client-server
 - Local area network (LAN)
 - Metropolitan area network (MAN)
 - Wide area network (WAN)
 - Wireless local area network (WLAN)
 - Personal area network (PAN)

- Campus area network (CAN)
- Storage area network (SAN)
- Software-defined wide area network (SDWAN)
- Multiprotocol label switching (MPLS)
- Multipoint generic routing encapsulation (mGRE)
- · Service-related entry point
 - Demarcation point
 - Smartjack
- Virtual network concepts
 - vSwitch
 - Virtual network interface card (vNIC)

- Network function virtualization (NFV)
- Hypervisor
- Provider links
 - Satellite
 - Digital subscriber line (DSL)
 - Cable
 - Leased line
 - Metro-optical



Summarize the types of cables and connectors and explain which is the appropriate type for a solution.

- Copper

 Twisted pair

 Cat 5

 Cat 5e

 Cat 6

 Cat 6a

 Cat 7

 Cat 8

 Coaxial/RG-6

 Twinaxial
 - Termination standards - TIA/EIA-568A
 - -TIA/EIA-568B
- Fiber
 - Single-modeMultimode
- Connector types
 - Local connector (LC), straight tip (ST), subscriber connector (SC), mechanical transfer (MT), registered jack (RJ)
 - Angled physical contact (APC)Ultra-physical contact (UPC)
 - RJ11

- RJ45
- F-type connector
- Transceivers/media converters
- Transceiver type
 - Small form-factor pluggable (SFP)
 - Enhanced form-factor pluggable (SFP+)
 Quad small form-factor pluggable (QSFP)
 Enhanced quad small
- form-factor pluggable (QSFP+)
 Cable management
 - Patch panel/patch bay
 - Fiber distribution panel
 - Punchdown block
 - 66 - 110
 - Krone - Bix
- · Ethernet standards
 - Copper
 - 10BASE-T
 - 100BASE-TX

- 1000BASE-T
- 10GBASE-T
- 40GBASE-T
- Fiber
 - 100BASE-FX
 - -100BASE-SX
 - 1000BASE-SX
 - 1000BASE-LX
 - 10GBASE-SR
 - 10GBASE-LR
 - Coarse wavelength
 - division multiplexing (CWDM)
 - Dense wavelength
 - division multiplexing (DWDM)
 - Bidirectional wavelength division multiplexing (WDM)

Given a scenario, configure a subnet and use appropriate IP addressing schemes.

· Public vs. private

- RFC1918
- Network address translation (NAT)
- Port address translation (PAT)

• IPv4 vs. IPv6

- Automatic Private IP Addressing (APIPA)
- Extended unique identifier (EUI-64)
- Multicast
- Unicast
- Anycast
- Broadcast
- Link local
- Loopback
- Default gateway

• IPv4 subnetting

- Classless (variable-length
- subnet mask)

- Classful
 - A
 - B
 - C
 - D - E
- Classless Inter-Domain Routing (CIDR) notation

• IPv6 concepts

- Tunneling
- Dual stack
- Shorthand notation
- Router advertisement
- Stateless address
- autoconfiguration (SLAAC)
- · Virtual IP (VIP)
- Subinterfaces





Explain common ports and protocols, their application, and encrypted alternatives.

	Protocols	Ports
•	File Transfer Protocol (FTP)	20/21
	Secure Shell (SSH)	22
	Secure File Transfer Protocol (SFTP)	22
	Telnet	23
	Simple Mail Transfer Protocol (SMTP)	25
	Domain Name System (DNS)	53
	Dynamic Host Configuration Protocol (DHCP)	67/68
	Trivial File Transfer Protocol (TFTP)	69
	Hypertext Transfer Protocol (HTTP)	80
٠	Post Office Protocol v3 (POP3)	
۰	Network Time Protocol (NTP)	110
۰	• •	123
۰	Internet Message Access Protocol (IMAP)	143
•	Simple Network Management Protocol (SNMP)	161/162
•	Lightweight Directory Access Protocol (LDAP)	389
٠	Hypertext Transfer Protocol Secure (HTTPS) [Secure Sockets Layer (SSL)]	443
•	HTTPS [Transport Layer Security (TLS)]	443
۰	Server Message Block (SMB)	445
٠	Syslog	514
•	SMTP TLS	587
•	Lightweight Directory Access Protocol (over SSL) (LDAPS)	636
٠	IMAP over SSL	993
•	POP3 over SSL	995
•	Structured Query Language (SQL) Server	1433
•	SQLnet	1521
٠	MySQL	3306
•	Remote Desktop Protocol (RDP)	3389
•	Session Initiation Protocol (SIP)	5060/5061
•	IP protocol types	
	- Internet Control Message Protocol (ICMP)	
	-TCP	
	- UDP	
	- Generic Routing Encapsulation (GRE)	
	- Internet Protocol Security (IPSec)	
	- Authentication Header (AH)/Encapsulating Security Payload (ESP)	



Connectionless vs. connection-oriented

Explain the use and purpose of network services.

- DHCP
 - Scope
 - Exclusion ranges
 - Reservation
 - Dynamic assignment
 - Static assignment
 - Lease time
 - Scope options
 - Available leases
 - DHCP relay
 - IP helper/UDP forwarding

- DNS
 - Record types
 - Address (A vs. AAAA)
 - Canonical name (CNAME)
 - Mail exchange (MX)
 - Start of authority (SOA)
 - Pointer (PTR)
 - Text (TXT)
 - Service (SRV)
 - Name server (NS)
 - Global hierarchy
 - Root DNS servers
 - Internal vs. external
 - Zone transfers

- Authoritative name servers
- Time to live (TTL)
- DNS caching
- Reverse DNS/reverse lookup/forward lookup
- Recursive lookup/iterative lookup
- NTP
 - Stratum
 - Clients
 - Servers

Explain basic corporate and datacenter network architecture.

- Three-tiered
 - Core
 - Distribution/aggregation layer
 - Access/edge
- · Software-defined networking
 - Application layer
 - Control layer
 - Infrastructure layer
 - Management plane

- Spine and leaf
 - Software-defined network
 - Top-of-rack switching
 - Backbone
- Traffic flows
 - North-South
 - East-West
- Branch office vs. on-premises datacenter vs. colocation

- · Storage area networks
 - Connection types
 - Fibre Channel over Ethernet (FCoE)
 - Fibre Channel
 - Internet Small Computer
 Systems Interface (iSCSI)

^{1.8} Summarize cloud concepts and connectivity options.

- · Deployment models
 - Public
 - Private
 - Hybrid
 - Community
- Service models
 - Software as a service (SaaS)
 - Infrastructure as a service (IaaS)
 - Platform as a service (PaaS)
 - Desktop as a service (DaaS)

- · Infrastructure as code
 - Automation/orchestration
- Connectivity options
 - Virtual private network (VPN)
 - Private-direct connection to cloud provider
- Multitenancy
- Elasticity
- Scalability
- Security implications





-- 2.0 Network Implementations

- 2.1 Compare and contrast various devices, their features, and their appropriate placement on the network.
 - Networking devices
 - Layer 2 switch
 - Layer 3 capable switch
 - Router
 - Hub
 - Access point
 - Bridge
 - Wireless LAN controller
 - Load balancer
 - Proxy server
 - Cable modem
 - DSL modem
 - Repeater

- Voice gateway
- Media converter
- Intrusion prevention system (IPS)/intrusion detection system (IDS) device
- Firewall
- VPN headend
- Networked devices
 - Voice over Internet Protocol (VoIP) phone
 - Printer
 - Physical access control devices
 - Cameras

- Heating, ventilation, and air conditioning (HVAC) sensors
- Internet of Things (IoT)
 - Refrigerator
 - Smart speakers
 - Smart thermostats
 - Smart doorbells
- Industrial control systems/ supervisory control and data acquisition (SCADA)

222 Compare and contrast routing technologies and bandwidth management concepts.

- Routing
 - Dynamic routing
 - Protocols [Routing Internet Protocol (RIP), Open Shortest Path First (OSPF), Enhanced Interior Gateway Routing Protocol (EIGRP), Border Gateway Protocol (BGP)]
 - Link state vs. distance vector vs. hybrid

- Static routing
- Default route
- Administrative distance
- Exterior vs. interior
- Time to live
- Bandwidth management
 - Traffic shaping
 - Quality of service (QoS)





Given a scenario, configure and deploy common Ethernet switching features.

- Data virtual local area network (VLAN)
- Voice VLAN
- Port configurations
 - Port tagging/802.1Q
 - Port aggregation
 - Link Aggregation Control Protocol (LACP)
 - Duplex
 - Speed
 - Flow control
 - Port mirroring

- Port security
- Jumbo frames
- Auto-medium-dependent interface crossover (MDI-X)
- Media access control (MAC) address tables
- Power over Ethernet (PoE)/
 Power over Ethernet plus (PoE+)
- Spanning Tree Protocol
- Carrier-sense multiple access with collision detection (CSMA/CD)

- · Address Resolution Protocol (ARP)
- Neighbor Discovery Protocol

Given a scenario, install and configure the appropriate wireless standards and technologies.

- · 802.11 standards
 - а - b

 - g
 - n (WiFi 4)
 - ac (WiFi 5)
 - ax (WiFi 6)
- Frequencies and range
 - 2.4GHz
 - 5GHz
- Channels
 - Regulatory impacts
- · Channel bonding
- Service set identifier (SSID)
 - Basic service set
 - Extended service set
 - Independent basic service set (Ad-hoc)
 - Roaming

- · Antenna types
 - Omni
 - Directional
- Encryption standards
 - WiFi Protected Access (WPA)/ WPA2 Personal [Advanced Encryption Standard (AES)/
 - Temporal Key Integrity Protocol (TKIP)]
 - WPA/WPA2 Enterprise (AES/TKIP)
- · Cellular technologies
 - Code-division multiple access (CDMA)
 - Global System for Mobile Communications (GSM)
 - Long-Term Evolution (LTE)
 - 3G, 4G, 5G
- Multiple input, multiple output (MIMO) and multi-user MIMO (MU-MIMO)





-3.0 Network Operations

- Given a scenario, use the appropriate statistics and sensors to ensure network availability.
 - · Performance metrics/sensors
 - Device/chassis
 - Temperature
 - Central processing unit (CPU) usage
 - Memory
 - Network metrics
 - Bandwidth
 - Latency
 - Jitter
 - SNMP
 - Traps
 - Object identifiers (OIDs)
 - Management information bases (MIBs)

- Network device logs
 - Log reviews
 - Traffic logs
 - Audit logs
 - Syslog
 - Logging levels/severity levels
- Interface statistics/status
 - Link state (up/down)
 - Speed/duplex
 - Send/receive traffic
 - Cyclic redundancy checks (CRCs)
 - Protocol packet and byte counts

- · Interface errors or alerts
 - CRC errors
 - Giants
 - Runts
 - Encapsulation errors
- · Environmental factors and sensors
 - Temperature
 - Humidity
 - Electrical
 - Flooding
- BaselinesNetFlow data
- Uptime/downtime

Explain the purpose of organizational documents and policies.

- · Plans and procedures
 - Change management
 - Incident response plan
 - Disaster recovery plan
 - Business continuity plan
 - System life cycle
 - Standard operating procedures
- · Hardening and security policies
 - Password policy
 - Acceptable use policy
 - Bring your own device (BYOD) policy
 - Remote access policy

- Onboarding and offboarding policy
- Security policy
- Data loss prevention
- · Common documentation
 - Physical network diagram
 - Floor plan
 - Rack diagram
 - Intermediate distribution frame (IDF)/main distribution frame (MDF) documentation
 - Logical network diagram
 - Wiring diagram

- Site survey report
- Audit and assessment report
- Baseline configurations
- Common agreements
 - Non-disclosure agreement (NDA)
 - Service-level agreement (SLA)
 - Memorandum of understanding (MOU)





Explain high availability and disaster recovery concepts and summarize which is the best solution.

- · Load balancing
- Multipathing
- · Network interface card (NIC) teaming
- · Redundant hardware/clusters
 - Switches
 - Routers
 - Firewalls
- Facilities and infrastructure support
 - Uninterruptible power supply (UPS)
 - Power distribution units (PDUs)
 - Generator
 - HVAC
 - Fire suppression

- Redundancy and high availability (HA) concepts
 - Cold site
 - Warm site
 - Hot site
 - Cloud site
 - Active-active vs. active-passive
 - Multiple Internet service providers (ISPs)/diverse paths
 - Virtual Router Redundancy Protocol (VRRP)/First Hop Redundancy Protocol (FHRP)
 - Mean time to repair (MTTR)
 - Mean time between failure (MTBF)
 - Recovery time objective (RTO)
 - Recovery point objective (RPO)

- · Network device backup/restore
 - State
 - Configuration





-4.0 Network Security

Explain common security concepts.

- Confidentiality, integrity, availability (CIA)
- Threats
 - Internal
 - External
- Vulnerabilities
 - Common vulnerabilities and exposures (CVE)
 - Zero-day
- Exploits
- · Least privilege
- · Role-based access
- Zero Trust
- · Defense in depth
 - Network segmentation enforcement

- Perimeter network [previously known as demilitarized zone (DMZ)]
- Separation of duties
- Network access control
- Honeypot
- Authentication methods
 - Multifactor
 - Terminal Access Controller Access-Control System Plus (TACACS+)
 - Single sign-on (SSO)
 - Remote Authentication Dialin User Service (RADIUS)
 - LDAP
 - Kerberos
 - Local authentication

- -802.1X
- Extensible Authentication Protocol (EAP)
- Risk Management
 - Security risk assessments
 - Threat assessment
 - Vulnerability assessment
 - Penetration testing
 - Posture assessment
 - Business risk assessments
 - Process assessment
 - Vendor assessment
- Security information and event management (SIEM)

Compare and contrast common types of attacks.

- · Technology-based
 - Denial-of-service (DoS)/ distributed denial-of-service (DDoS)
 - Botnet/command and control
 - On-path attack (previously known as man-in-the-middle attack)
 - DNS poisoning
 - VLAN hopping
 - ARP spoofing
 - Rogue DHCP

- Rogue access point (AP)
- Fvil twin
- Ransomware
- Password attacks
 - Brute-force
 - Dictionary
- MAC spoofing
- IP spoofing
- Deauthentication
- Malware

- Human and environmental
 - Social engineering
 - Phishing
 - Tailgating
 - Piggybacking
 - Shoulder surfing



Given a scenario, apply network hardening techniques.

- Best practices
 - Secure SNMP
 - Router Advertisement (RA) Guard
 - Port security
 - Dynamic ARP inspection
 - Control plane policing
 - Private VLANs
 - Disable unneeded switchports
 - Disable unneeded network services
 - Change default passwords
 - Password complexity/length

- Enable DHCP snooping
- Change default VLAN
- Patch and firmware management
- Access control list
- Role-based access
- Firewall rules
 - Explicit deny
 - Implicit deny
- Wireless security
 - MAC filtering
 - Antenna placement

- Power levels
- Wireless client isolation
- Guest network isolation
- Preshared keys (PSKs)
- EAP
- Geofencing
- Captive portal
- IoT access considerations

44 Compare and contrast remote access methods and security implications.

- · Site-to-site VPN
- · Client-to-site VPN
 - Clientless VPN
 - Split tunnel vs. full tunnel
- · Remote desktop connection
- · Remote desktop gateway
- SSH

- Virtual network computing (VNC)
- · Virtual desktop
- Authentication and authorization considerations
- In-band vs. out-of-band management

Explain the importance of physical security.

- Detection methods
 - Camera
 - Motion detection
 - Asset tags
 - Tamper detection
- Prevention methods
 - Employee training
 - Access control hardware
 - Badge readers
 - Biometrics
 - Locking racks

- Locking cabinets
- Access control vestibule (previously known as a mantrap)
- Smart lockers
- · Asset disposal
 - Factory reset/wipe configuration
 - Sanitize devices for disposal



5.0 Network Troubleshooting

- 5.1 Explain the network troubleshooting methodology.
 - Identify the problem
 - Gather information
 - Question users
 - Identify symptoms
 - Determine if anything has changed
 - Duplicate the problem, if possible
 - Approach multiple problems individually
 - · Establish a theory of probable cause
 - Question the obvious

- Consider multiple approaches
 - Top-to-bottom/ bottom-to-top OSI model
 - Divide and conquer
- Test the theory to determine the cause
 - If the theory is confirmed, determine the next steps to resolve the problem
 - If the theory is not confirmed, reestablish a new theory or escalate
- Establish a plan of action to resolve the problem and identify potential effects
- Implement the solution or escalate as necessary
- Verify full system functionality and, if applicable, implement preventive measures
- Document findings, actions, outcomes, and lessons learned

Given a scenario, troubleshoot common cable connectivity issues and select the appropriate tools.

- · Specifications and limitations
 - -Throughput
 - Speed
 - Distance
- · Cable considerations
 - Shielded and unshielded
 - Plenum and riser-rated
- · Cable application
 - Rollover cable/console cable
 - Crossover cable
 - Power over Ethernet
- Common issues
 - Attenuation
 - Interference
 - Decibel (dB) loss

- Incorrect pinout
- Bad ports
- Open/short
- Light-emitting diode (LED) status indicators
- Incorrect transceivers
- Duplexing issues
- Transmit and receive (TX/RX) reversed
- Dirty optical cables
- · Common tools
 - Cable crimper
 - Punchdown tool
 - Tone generator
 - Loopback adapter
 - Optical time-domain

- reflectometer (OTDR)
- Multimeter
- Cable tester
- Wire map
- Tap
- Fusion splicers
- Spectrum analyzers
- Snips/cutters
- Cable stripper
- Fiber light meter



Given a scenario, use the appropriate network software tools and commands.

- Software tools
 - WiFi analyzer
 - Protocol analyzer/packet capture
 - Bandwidth speed tester
 - Port scanner
 - -iperf
 - NetFlow analyzers
 - Trivial File Transfer
 - Protocol (TFTP) server

- Terminal emulator
- IP scanner
- · Command line tool
 - ping
 - ipconfig/ifconfig/ip
 - nslookup/dig
 - traceroute/tracert
 - arp
 - netstat

- hostname
- route
- telnet
- tcpdumpnmap
- · Basic network platform commands
 - show interface
 - show config
 - show route
- Given a scenario, troubleshoot common wireless connectivity issues.
- · Specifications and limitations
 - -Throughput
 - Speed
 - Distance
 - Received signal strength indication (RSSI) signal strength
 - Effective isotropic radiated power (EIRP)/power settings
- Considerations
 - Antennas

- Placement
- Type
- Polarization
- Channel utilization
- AP association time
- Site survey
- · Common issues
 - Interference
 - Channel overlap
 - Antenna cable attenuation/signal loss

- RF attenuation/signal loss
- Wrong SSID
- Incorrect passphrase
- Encryption protocol mismatch
- Insufficient wireless coverage
- Captive portal issues
- Client disassociation issues

- Given a scenario, troubleshoot general networking issues.
 - Considerations
 - Device configuration review
 - Routing tables
 - Interface status
 - VLAN assignment
 - Network performance baselines
 - Common issues
 - Collisions
 - Broadcast storm
 - Duplicate MAC address
 - Duplicate IP address
 - Multicast flooding
 - Asymmetrical routing

- Switching loops
- Routing loops
- Rogue DHCP server
- DHCP scope exhaustion
- IP setting issues
 - Incorrect gateway
 - Incorrect subnet mask
 - Incorrect IP address
 - Incorrect DNS
- Missing route
- Low optical link budget
- Certificate issues
- Hardware failure

- Host-based/networkbased firewall settings
- Blocked services, ports, or addresses
- Incorrect VLAN
- DNS issues
- NTP issues
- BYOD challenges
- Licensed feature issues
- Network performance issues

Network+ (N10-008) Acronym List

The following is a list of acronyms that appear on the CompTIA Network+ exam. Candidates are encouraged to review the complete list and attain a working knowledge of all listed acronyms as part of a comprehensive exam preparation program.

ACRONYM	SPELLED OUT	ACRONYM	SPELLED OUT
AAAA	Authentication, Authorization,	EIRP	Effective Isotropic Radiated Power
	Accounting, Auditing	ESP	Encapsulating Security Payload
ACL	Access Control List	EUI	Extended Unique Identifier
AES	Advanced Encryption Standard	FCoE	Fibre Channel over Ethernet
AH	Authentication Header	FHRP	First Hop Redundancy Protocol
AP	Access Point	FTP	File Transfer Protocol
APC	Angled Physical Contact	GBIC	Gigabit Interface Converter
APIPA	Automatic Private Internet Protocol Addressing	GRE	Generic Routing Encapsulation
ARP	Address Resolution Protocol	GSM	Global System for Mobile Communications
AUP	Acceptable Use Policy	HA	High Availability
BGP	Border Gateway Protocol	HDMI	High-Definition Multimedia Interface
BNC	British Naval Connector/Bayonet Neill-Concelman	HTTP	Hypertext Transfer Protocol
BYOD	Bring Your Own Device	HTTPS	Hypertext Transfer Protocol Secure
CAM	Content Addressable Memory (table)	HVAC	Heating, Ventilation, and Air Conditioning
CAN	Campus Area Network	IaaS	Infrastructure as a Service
CDMA	Code Division Multiple Access	ICMP	Internet Control Message Protocol
CIA	Confidentiality, Integrity, and Availability	ICS	Industrial Control System
CIDR	Classless Inter-Domain Routing	IDF	Intermediate Distribution Frame
CLI	Command-Line Interface	IDS	Intrusion Detection System
CNAME	Canonical Name	IGMP	Internet Group Management Protocol
CPU	Central Processing Unit	IMAP	Internet Message Access Protocol
CRC	Cyclic Redundancy Check	IoT	Internet of Things
CSMA/CA	Carrier-Sense Multiple	IP	Internet Protocol
	Access with Collision Avoidance	IPS	Intrusion Prevention System
CSMA/CD	Carrier-Sense Multiple Access	IPSec	Internet Protocol Security
	with Collision Detection	IPv4	Internet Protocol version 4
CSU	Channel Service Unit	IPv6	Internet Protocol version 6
CVE	Common Vulnerabilities and Exposures	iSCSI	Internet Small Computer Systems Interface
CWDM	Coarse Wavelength Division Multiplexing	ISP	Internet Service Provider
DaaS	Desktop as a Service	LACP	Link Aggregation Control Protocol
dB	Decibel	LAN	Local Area Network
DDoS	Distributed Denial-of-Service	LC	Local Connector
DHCP	Dynamic Host Configuration Protocol	LDAP	Lightweight Directory Access Protocol
DLP	Data Loss Prevention	LDAPS	Lightweight Directory Access Protocol (over SSL)
DNS	Domain Name System	LED	Light-Emitting Diode
DoS	Denial-of-Service	LTE	Long-Term Evolution
DSL	Digital Subscriber Line	MAC	Media Access Control/Medium Access Control
DSU	Data Service Unit	MAN	Metropolitan Area Network
DWDM	Dense Wavelength Division Multiplexing	MDF	Main Distribution Frame
EAP	Extensible Authentication Protocol	MDIX	Medium Dependent Interface Crossover
EIA	Electronic Industries Association	mGRE	Multipoint Generic Routing Encapsulation
EIGRP	Enhanced Interior Gateway Routing Protocol	MIB	Management Information Base



ACRONYM	SPELLED OUT	ACRONYM	SPELLED OUT
MIMO	Multiple Input, Multiple Output	SFP	Small Form-factor Pluggable
MU-MIMO	Multiuser - Multiple Input, Multiple Output	SFTP	Secure File Transfer Protocol
MOU	Memorandum of Understanding	SIEM	Security Information and Event Management
MPLS	Multiprotocol Label Switching	SIP	Session Initiation Protocol
MTBF	Mean Time Between Failure	SLA	Service Level Agreement
MT-RJ	Mechanical Transfer - Registered Jack	SLAAC	Stateless Address Auto-Configuration
MTTR	Mean Time to Repair	SMB	Server Message Block
MTU	Maximum Transmission Unit	SMTP	Simple Mail Transfer Protocol
MX	Mail Exchange	SNMP	Simple Network Management Protocol
NAC	Network Access Control	SOA	Start of Authority
NAS	Network Attached Storage	SOHO	Small Office Home Office
NAT	Network Address Translation	SQL	Structured Query Language
NDA	Non-Disclosure Agreement	SRV	Service Record
NFV	Network Function Virtualization	SSD	Solid-State Drive
NGFW	Next-Generation Firewall	SSH	Secure Shell
NIC	Network Interface Card	SSID	Service Set Identifier
NS	Name Server	SSL	Secure Sockets Layer
	Network Time Protocol		
NTP		SSO ST	Single Sign-On
OID	Object Identifier		Straight Tip or Snap Twist
OSI	Open Systems Interconnection	STP	Spanning Tree Protocol
OSPF	Open Shortest Path First	SYSLOG	System Log
OTDR	Optical Time Domain Reflectometer	TACACS+	Terminal Access Controller Access
PaaS	Platform as a Service		Control System Plus
PAN	Personal Area Network	TCP	Transmission Control Protocol
PAT	Port Address Translation	TFTP	Trivial File Transfer Protocol
PDU	Power Distribution Unit	TIA/EIA	Telecommunications Industry
PoE	Power over Ethernet		Association/Electronic Industries Alliance
POP3	Post Office Protocol version 3	TKIP	Temporal Key Integrity Protocol
PSK	Pre-Shared Key	TLS	Transport Layer Security
PTR	Pointer Record	TTL	Time to Live
QoS	Quality of Service	TX/RX	Transmit and Receive
QSFP	Quad Small Form-factor Pluggable	UDP	User Datagram Protocol
RA	Router Advertisements	UPC	Ultra-Physical Contact
RADIUS	Remote Authentication Dial-In User Service	UPS	Uninterruptible Power Supply
RAID	Redundant Array of Inexpensive	URL	Uniform Resource Locator
	(or Independent) Disks	USB	Universal Serial Bus
RDP	Remote Desktop Protocol	UTP	Unshielded Twister Pair
RF	Radio Frequency	VIP	Virtual IP
RFC	Request for Comment	VLAN	Virtual Local Area Network
RG	Radio Guide	VM	Virtual Machine
RIP	Routing Internet Protocol	VNC	Virtual Network Computing
RJ	Registered Jack	vNIC	virtual Network Interface Card
RPO	Recovery Point Objective	VoIP	Voice over Internet Protocol
RSSI	Received Signal Strength Indication	VPN	Virtual Private Network
RTO	Recovery Time Objective	VRRP	Virtual Router Redundancy Protocol
RTSP	Real Time Streaming Protocol	WAN	Wide Area Network
SaaS	Software as a Service	WAP	Wireless Access Point
SAN	Storage Area Network	WDM	Wavelength Division Multiplexing
SC	Standard Connector/Subscriber Connector	WLAN	Wireless Local Area Network
SCADA	Supervisory Control and Data Acquisition	WPA	WiFi Protected Access
SDN	Software-Defined Network		
SDWAN	Software-Defined WAN		



Network+ Proposed Hardware and Software List

CompTIA has included this sample list of hardware and software to assist candidates as they prepare for the Network+ exam. This list may also be helpful for training companies that wish to create a lab component for their training offering.

The bulleted lists below each topic are sample lists and are not exhaustive.

EQUIPMENT

- Optical and copper patch panels
- Punchdown blocks
- · Layer 2 switch
- · Layer 3 switch
- PoE switch
- Router
- Firewall
- VPN headend
- Wireless access point
- Basic laptops that support virtualization
- Tablet/cell phone
- Media converters
- · VoIP system (including a phone)

SPARE HARDWARE

- NICs
- Power supplies
- GBICs
- SFPs
- Managed switch
- Wireless access point
- UPS
- PoE injector

SPARE PARTS

- Patch cables
- RJ11 connectors
- RJ45 connectors, modular jacks
- Unshielded twisted pair cable spool
- · Coaxial cable spool
- F connectors
- Fiber connectors
- Antennas
- Bluetooth/wireless adapters
- Console cables (RS-232 to USB serial adapter)

TOOLS

- Telco/network crimper
- Cable tester
- Punchdown tool
- · Cable stripper
- · Coaxial crimper
- Wire cutter
- Tone generator
- Fiber termination kit
- · Optical power meter

SOFTWARE

- Protocol analyzer/packet capture
- Terminal emulation software
- · Linux OS/Windows OS
- Software firewall
- Software IDS/IPS
- Network mapper
- Hypervisor software
- Virtual network environment
- WiFi analyzer
- Spectrum analyzer
- Network monitoring tools
- DHCP service
- DNS service
- NetFlow analyzer
- TFTP server
- Firmware backups for upgrades

OTHER

- · Sample network documentation
- Sample logs
- Defective cables
- · Cloud network diagrams

