

# CompTIA Security+ Certification Exam Objectives

**EXAM NUMBER: SY0-701** 





### About the Exam

The CompTIA Security+ certification exam will certify the successful candidate has the knowledge and skills required to:

- Assess the security posture of an enterprise environment and recommend and implement appropriate security solutions.
- Monitor and secure hybrid environments, including cloud, mobile, and Internet of Things (IoT).
- Operate with an awareness of applicable regulations and policies, including principles of governance, risk, and compliance.
- Identify, analyze, and respond to security events and incidents.

#### **EXAM DEVELOPMENT**

CompTIA exams result from subject matter expert workshops and industry-wide survey results regarding the skills and knowledge required of an IT professional.

#### **COMPTIA AUTHORIZED MATERIALS USE POLICY**

CompTIA Certifications, LLC is not affiliated with and does not authorize, endorse, or condone utilizing any content provided by unauthorized third-party training sites (aka "brain dumps"). Individuals who utilize such materials in preparation for any CompTIA examination will have their certifications revoked and be suspended from future testing in accordance with the CompTIA Candidate Agreement. In an effort to more clearly communicate CompTIA's exam policies on use of unauthorized study materials, CompTIA directs all certification candidates to the CompTIA Certification Exam Policies. Please review all CompTIA policies before beginning the study process for any CompTIA exam. Candidates will be required to abide by the CompTIA Candidate Agreement. If a candidate has a question as to whether study materials are considered unauthorized (aka "brain dumps"), he/she should contact CompTIA at examsecurity@comptia.org to confirm.

#### **PLEASE NOTE**

The lists of examples provided in bulleted format are not exhaustive lists. Other examples of technologies, processes, or tasks pertaining to each objective may also be included on the exam, although not listed or covered in this objectives document. CompTIA is constantly reviewing the content of our exams and updating test questions to be sure our exams are current, and the security of the questions is protected. When necessary, we will publish updated exams based on existing exam objectives. Please know that all related exam preparation materials will still be valid.



#### **TEST DETAILS**

Required exam SY0-701

Number of questions Maximum of 90

Types of questions Multiple-choice and performance-based

Length of test 90 minutes

Recommended experience A minimum of 2 years of experience in IT

administration with a focus on security, hands-on experience with technical information security, and broad knowledge of security concepts

#### **EXAM OBJECTIVES (DOMAINS)**

The table below lists the domains measured by this examination and the extent to which they are represented.

DOMAIN PERCENTAGE OF E		AMINATION	
1.0	General Security Concepts	12%	
2.0	Threats, Vulnerabilities, and Mitigations	22%	
3.0	Security Architecture	18%	
4.0	Security Operations	28%	
5.0	Security Program Management and Oversight	20%	
Total		100%	





### .1.0 General Security Concepts

- 1.1 Compare and contrast various types of security controls.
  - Categories
    - Technical
    - Managerial
    - Operational
    - Physical

- Control types
  - Preventive
  - Deterrent
  - Detective
  - Corrective
  - Compensating
  - Directive
- 1.2 Summarize fundamental security concepts.
  - Confidentiality, Integrity, and Availability (CIA)
  - Non-repudiation
  - Authentication, Authorization, and Accounting (AAA)
    - Authenticating people
    - Authenticating systems
    - Authorization models
  - Gap analysis
  - Zero Trust
    - Control Plane
      - Adaptive identity
      - Threat scope reduction
      - Policy-driven access control
      - Policy Administrator

- Policy Engine
- Data Plane
  - Implicit trust zones
  - Subject/System
  - Policy Enforcement Point
- Physical security
  - Bollards
  - Access control vestibule
  - Fencina
  - Video surveillance
  - Security guard
  - Access badge
  - Lighting
  - Sensors
    - □ Infrared

- □ Pressure
- Microwave
- Ultrasonic
- Deception and disruption technology
  - Honeypot
  - Honeynet
  - Honeyfile
  - Honeytoken

# Explain the importance of change management processes and the impact to security.

- Business processes impacting security operation
  - Approval process
  - Ownership
  - Stakeholders
  - Impact analysis
  - Test results
  - Backout plan
  - Maintenance window
  - Standard operating procedure

- Technical implications
  - Allow lists/deny lists
  - Restricted activities
  - Downtime
  - Service restart
  - Application restart
  - Legacy applications
  - Dependencies

- Documentation
  - Updating diagrams
  - Updating policies/procedures
- Version control

## Explain the importance of using appropriate cryptographic solutions.

- Public key infrastructure (PKI)
  - Public key
  - Private key
  - Key escrow
- Encryption
  - Level
    - □ Full-disk
    - Partition
    - □ File
    - Volume
    - Database
    - □ Record
  - Transport/communication
  - Asymmetric
  - Symmetric
  - Key exchange
  - Algorithms
  - Key length

- Tools
  - Trusted Platform Module (TPM)
  - Hardware security module (HSM)
  - Key management system
  - Secure enclave
- Obfuscation
  - o Steganography
  - o Tokenization
  - o Data masking
- Hashing
- Salting
- Digital signatures
- Key stretching
- Blockchain
- Open public ledger
- Certificates
  - Certificate authorities

- Certificate revocation lists (CRLs)
- Online Certificate Status Protocol (OCSP)
- Self-signed
- Third-party
- Root of trust
- Certificate signing request (CSR) generation
- Wildcard





### .2.0 Threats, Vulnerabilities, and Mitigations

### 2.1 Compare and contrast common threat actors and motivations.

- · Threat actors
  - Nation-state
- Unskilled attacker
- Hacktivist
- Insider threat
- Organized crime
- Shadow IT
- Attributes of actors
  - Internal/external
  - Resources/funding
  - Level of sophistication/capability

- Motivations
  - Data exfiltration
  - Espionage
  - Service disruption
  - Blackmail
  - Financial gain
  - Philosophical/political beliefs
  - Ethical
  - Revenge
  - Disruption/chaos
  - War

#### 2.2 Explain common threat vectors and attack surfaces.

- · Message-based
  - o Email
  - o Short Message Service (SMS)
  - o Instant messaging (IM)
- Image-based
- File-based
- Voice call
- Removable device
- Vulnerable software
  - o Client-based vs. agentless
- Unsupported systems and applications

- Unsecure networks
  - Wireless
  - Wired
  - Bluetooth
- · Open service ports
- · Default credentials
- · Supply chain
  - Managed service providers (MSPs)
  - Vendors
  - Suppliers

- · Human vectors/social engineering
  - Phishina
- Vishing
- Smishing
- Misinformation/disinformation
- Impersonation
- Business email compromise
- Pretexting
- Watering hole
- Brand impersonation
- Typosquatting





### Explain various types of vulnerabilities.

- Application
  - Memory injection
  - Buffer overflow
  - Race conditions
    - Time-of-check (TOC)
    - □ Time-of-use (TOU)
  - Malicious update
- · Operating system (OS)-based
- Web-based
  - Structured Query Language injection (SQLi)
  - Cross-site scripting (XSS)

- Hardware
  - Firmware
  - End-of-life
  - Legacy
- Virtualization
  - Virtual machine (VM) escape
  - Resource reuse
- · Cloud-specific
- · Supply chain
  - Service provider
  - Hardware provider
  - Software provider
- Cryptographic

- Misconfiguration
- Mobile device
  - Side loading
- Jailbreaking
- Zero-day

#### 2.4 Given a scenario, analyze indicators of malicious activity.

- · Malware attacks
  - Ransomware
  - Trojan
  - Worm
  - Spyware
  - Bloatware
  - Virus
  - Keylogger
  - Logic bomb
  - Rootkit
- · Physical attacks
  - Brute force
  - Radio frequency identification (RFID) cloning
  - Environmental
- · Network attacks
  - Distributed denial-of-service (DDoS)

- Amplified
- Reflected
- Domain Name System (DNS) attacks
- Wireless
- On-path
- Credential replay
- Malicious code
- Application attacks
  - Injection
  - Buffer overflow
  - Replay
  - Privilege escalation
  - Forgery
  - Directory traversal
- Cryptographic attacks
  - Downgrade
  - Collision

- Birthday
- · Password attacks
  - Spraying
  - Brute force
- Indicators
  - Account lockout
- Concurrent session usage
- Blocked content
- Impossible travel
- Resource consumption
- Resource inaccessibility
- Out-of-cycle logging
- Published/documented
- Missing logs

# 2.5 Explain the purpose of mitigation techniques used to secure the enterprise.

- Segmentation
- Access control
  - Access control list (ACL)
  - Permissions
- Application allow list
- Isolation
- Patching
- Encryption

- Monitoring
- Least privilege
- Configuration enforcement
- Decommissioning
- Hardening techniques
  - Encryption
  - Installation of endpoint protection

- Host-based firewall
- Host-based intrusion prevention system (HIPS)
- Disabling ports/protocols
- Default password changes
- Removal of unnecessary software





### →3.0 Security Architecture

- Compare and contrast security implications of different architecture models.
  - Architecture and infrastructure concepts
    - Cloud
      - Responsibility matrix
      - Hybrid considerations
      - Third-party vendors
    - Infrastructure as code (IaC)
    - Serverless
    - Microservices
    - Network infrastructure
      - Physical isolation
        - Air-gapped
      - Logical segmentation
      - Software-defined networking (SDN)

- On-premises
- Centralized vs. decentralized
- Containerization
- Virtualization
- IoT
- Industrial control systems (ICS)/ supervisory control and data acquisition (SCADA)
- Real-time operating system (RTOS)
- Embedded systems
- High availability
- Considerations
  - Availability
- Resilience

- Cost
- Responsiveness
- Scalability
- Ease of deployment
- Risk transference
- Ease of recovery
- Patch availability
- Inability to patch
- Power
- Compute

- Given a scenario, apply security principles to secure enterprise infrastructure.
  - Infrastructure considerations
    - Device placement
    - Security zones
    - Attack surface
    - Connectivity
    - Failure modes
      - □ Fail-open
      - □ Fail-closed
    - Device attribute
      - Active vs. passive
      - Inline vs. tap/monitor
    - Network appliances
      - $\fine U$  Jump server
      - □ Proxy server
      - Intrusion prevention system
        (IPS)/intrusion detection system
      - Load balancer

- Sensors
- Port security
  - □ 802.1X
  - Extensible Authentication
- Protocol (EAP)
- Firewall types
  - Web application firewall (WAF)
  - Unified threat management (UTM)
  - Next-generation firewall (NGFW)
  - Layer 4/Layer 7
- Secure communication/access
  - Virtual private network (VPN)
  - Remote access
  - Tunneling
    - Transport Layer Security (TLS)

- Internet protocol security (IPSec)
- Software-defined wide area network (SD-WAN)
- Secure access service edge (SASE)
- · Selection of effective controls



### 3.3 Compare and contrast concepts and strategies to protect data.

- Data types
  - Regulated
  - Trade secret
  - Intellectual property
  - Legal information
  - Financial information
  - Human- and non-humanreadable
- Data classifications
  - Sensitive
  - Confidential

- Public
- Restricted
- Private
- Critical
- General data considerations
  - Data states
    - Data at rest
    - Data in transit
    - Data in use
  - Data sovereignty
  - Geolocation

- · Methods to secure data
  - Geographic restrictions
  - Encryption
  - Hashing
  - Masking
  - Tokenization
  - Obfuscation
  - Segmentation
  - Permission restrictions

## Explain the importance of resilience and recovery in security architecture.

- · High availability
  - Load balancing vs. clustering
- Site considerations
  - Hot
  - Cold
  - Warm
  - Geographic dispersion
- Platform diversity
- Multi-cloud systems
- Continuity of operations
- Capacity planning
  - People

- Technology
- Infrastructure
- Testing
  - Tabletop exercises
  - Fail over
  - Simulation
  - Parallel processing
- Backups
  - Onsite/offsite
  - Frequency
  - Encryption
  - Snapshots

- Recovery
- Replication
- Journaling
- Power
  - Generators
  - Uninterruptible power supply (UPS)





### 4.0 Security Operations

- Given a scenario, apply common security techniques to computing resources.
  - · Secure baselines
    - Establish
    - Deploy
    - Maintain
  - · Hardening targets
    - Mobile devices
    - Workstations
    - Switches
    - Routers
    - Cloud infrastructure
    - Servers
    - ICS/SCADA
    - Embedded systems
    - RTOS
    - IoT devices
  - Wireless devices

- Installation considerations
  - Site surveys
  - Heat maps
- Mobile solutions
  - Mobile device management (MDM)
  - Deployment models
    - Bring your own device (BYOD)
    - Corporate-owned, personally enabled (COPE)
    - Choose your own device (CYOD)
  - Connection methods
    - Cellular
    - □ Wi-Fi
    - Bluetooth

- · Wireless security settings
  - Wi-Fi Protected Access 3 (WPA3)
  - AAA/Remote Authentication
    Dial-In User Service (RADIUS)
  - Cryptographic protocols
  - Authentication protocols
- Application security
  - Input validation
  - Secure cookies
  - Static code analysis
  - Code signing
- Sandboxing
- Monitoring
- Explain the security implications of proper hardware, software, and data asset management.
  - Acquisition/procurement process
  - Assignment/accounting
    - Ownership
    - Classification
  - Monitoring/asset tracking
    - Inventory
    - Enumeration

- · Disposal/decommissioning
  - Sanitization
  - Destruction
  - Certification
  - Data retention



# Explain various activities associated with vulnerability management.

- · Identification methods
  - Vulnerability scan
  - Application security
    - Static analysis
    - Dynamic analysis
    - Package monitoring
  - Threat feed
    - Open-source intelligence (OSINT)
    - Proprietary/third-party
    - Information-sharing
    - organization
    - Dark web
  - Penetration testing
  - Responsible disclosure program
    - Bug bounty program
  - System/process audit
- Analysis

- Confirmation
  - False positive
  - False negative
- Prioritize
- Common Vulnerability Scoring System (CVSS)
- Common Vulnerability Enumeration (CVE)
- Vulnerability classification
- Exposure factor
- Environmental variables
- Industry/organizational impact
- Risk tolerance
- Vulnerability response and remediation
  - Patching
  - Insurance
  - Segmentation

- Compensating controls
- Exceptions and exemptions
- Validation of remediation
  - Rescanning
  - Audit
  - Verification
- Reporting

### 4.4

#### Explain security alerting and monitoring concepts and tools.

- Monitoring computing resources
  - Systems
  - Applications
  - Infrastructure
- Activities
  - Log aggregation
  - Alerting
  - Scanning
  - Reporting
  - Archiving

- Alert response and remediation/ validation
  - Quarantine
  - Alert tuning
- Tools
  - Security Content Automation Protocol (SCAP)
  - Benchmarks
  - Agents/agentless
  - Security information and event

management (SIEM)

- Antivirus
- Data loss prevention (DLP)
- Simple Network Management Protocol (SNMP) traps
- NetFlow
- Vulnerability scanners



# Given a scenario, modify enterprise capabilities to enhance security.

- Firewall
  - Rules
  - Access lists
  - Ports/protocols
  - Screened subnets
- IDS/IPS
  - Trends
  - Signatures
- · Web filter
  - Agent-based
  - Centralized proxy
  - Universal Resource Locator (URL) scanning
  - Content categorization
  - Block rules
  - Reputation

- · Operating system security
  - Group Policy
  - SELinux
- Implementation of secure protocols
  - Protocol selection
  - Port selection
  - Transport method
- DNS filtering
- Email security
  - Domain-based Message Authentication Reporting and Conformance (DMARC)
  - DomainKeys Identified Mail (DKIM)
  - Sender Policy Framework (SPF)

- Gateway
- · File integrity monitoring
- DLP
- Network access control (NAC)
- Endpoint detection and response (EDR)/extended detection and response (XDR)
- User behavior analytics

# Given a scenario, implement and maintain identity and access management.

- Provisioning/de-provisioning user accounts
- Permission assignments and implications
- · Identity proofing
- Federation
- Single sign-on (SSO)
  - Lightweight Directory Access Protocol (LDAP)
  - Open authorization (OAuth)
  - Security Assertions Markup Language (SAML)
- Interoperability
- Attestation
- Access controls
  - Mandatory

- Discretionary
- Role-based
- Rule-based
- Attribute-based
- Time-of-day restrictions
- Least privilege
- Multifactor authentication
  - Implementations
    - Biometrics
    - Hard/soft authentication
    - tokens
    - Security keys
  - Factors
    - Something you know
    - Something you have
    - $\hfill \square$  Something you are

- Somewhere you are
- · Password concepts
  - Password best practices
    - Length
    - Complexity
    - □ Reuse
    - Expiration
    - □ Age
  - Password managers
  - Passwordless
- Privileged access management tools
  - Just-in-time permissions
  - Password vaulting
  - Ephemeral credentials



# Explain the importance of automation and orchestration related to secure operations.

- Use cases of automation and scripting
  - User provisioning
  - Resource provisioning
  - Guard rails
  - Security groups
  - Ticket creation
  - Escalation
  - Enabling/disabling services and access
  - Continuous integration and testing
  - Integrations and Application programming interfaces (APIs)

- Benefits
  - Efficiency/time saving
  - Enforcing baselines
  - Standard infrastructure configurations
  - Scaling in a secure manner
  - Employee retention
  - Reaction time
  - Workforce multiplier

- · Other considerations
  - Complexity
- Cost
- Single point of failure
- Technical debt
- Ongoing supportability

- 4.8 Explain appropriate incident response activities.
  - Process
    - Preparation
    - Detection
    - Analysis
    - Containment
    - Eradication
    - Recovery
    - Lessons learned

- Training
- Testing
  - Tabletop exercise
  - Simulation
- Root cause analysis
- Threat hunting
- · Digital forensics
  - Legal hold

- Chain of custody
- Acquisition
- Reporting
- Preservation
- E-discovery
- 4.9 Given a scenario, use data sources to support an investigation.
  - Log data
    - Firewall logs
    - Application logs
    - Endpoint logs
    - OS-specific security logs
    - IPS/IDS logs
    - Network logs
    - Metadata

- Data sources
  - Vulnerability scans
  - Automated reports
  - Dashboards
  - Packet captures



# 5.0 Security Program Management and Oversight

- 5.1 Summarize elements of effective security governance.
  - Guidelines
  - Policies
  - Acceptable use policy (AUP)
  - Information security policies
  - Business continuity
  - Disaster recovery
  - Incident response
  - Software development lifecycle (SDLC)
  - Change management
  - Standards
    - Password
    - Access control

- Physical security
- Encryption
- Procedures
  - Change management
  - Onboarding/offboarding
  - Playbooks
- · External considerations
  - Regulatory
  - Legal
  - Industry
  - Local/regional
  - National
  - Global

- · Monitoring and revision
- Types of governance structures
  - Boards
  - Committees
  - Government entities
  - Centralized/decentralized
- Roles and responsibilities for systems and data
  - Owners
  - Controllers
  - Processors
  - Custodians/stewards
- 5.2 Explain elements of the risk management process.
  - Risk identification
  - Risk assessment
    - Ad hoc
    - Recurring
    - One-time
    - Continuous
  - Risk analysis
    - Qualitative
    - Quantitative
    - Single loss expectancy (SLE)
    - Annualized loss expectancy (ALE)
    - Annualized rate of occurrence (ARO)
    - Probability
    - Likelihood
    - Exposure factor

- Impact
- Risk register
  - Key risk indicators
  - Risk owners
  - Risk threshold
- Risk tolerance
- Risk appetite
  - Expansionary
  - Conservative
  - Neutral
- · Risk management strategies
  - Transfer
  - Accept
    - Exemption
    - Exception
  - Avoid
  - Mitigate

- Risk reporting
- Business impact analysis
  - Recovery time objective (RTO)
  - Recovery point objective (RPO)
  - Mean time to repair (MTTR)
  - Mean time between failures (MTBF)





# Explain the processes associated with third-party risk assessment and management.

- · Vendor assessment
  - Penetration testing
  - Right-to-audit clause
  - Evidence of internal audits
  - Independent assessments
  - Supply chain analysis
- · Vendor selection
  - Due diligence
  - Conflict of interest

- Agreement types
  - Service-level agreement (SLA)
  - Memorandum of agreement (MOA)
  - Memorandum of understanding (MOU)
  - Master service agreement (MSA)
  - Work order (WO)/statement of work (SOW)
- Non-disclosure agreement (NDA)
- Business partners agreement (BPA)
- Vendor monitoring
- Questionnaires
- · Rules of engagement

### Summarize elements of effective security compliance.

- Compliance reporting
  - Internal
  - External
- · Consequences of non-compliance
  - Fines
  - Sanctions
  - Reputational damage
  - Loss of license
  - Contractual impacts

- · Compliance monitoring
  - Due diligence/care
  - Attestation and acknowledgement
  - Internal and external
  - Automation
- Privacy
  - Legal implications
    - Local/regional

- National
- Global
- Data subject
- Controller vs. processor
- Ownership
- Data inventory and retention
- Right to be forgotten

- Explain types and purposes of audits and assessments.
  - Attestation
  - Internal
    - Compliance
    - Audit committee
    - Self-assessments
  - External
    - Regulatory
    - Examinations
    - Assessment
    - Independent thirdparty audit

- · Penetration testing
  - Physical
  - Offensive
  - Defensive
  - Integrated
  - Known environment
  - Partially known environment
  - Unknown environment
  - Reconnaissance
    - □ Passive
    - □ Active





### 5.6 Given a scenario, implement security awareness practices.

- Phishing
  - Campaigns
  - Recognizing a phishing attempt
  - Responding to reported suspicious messages
- Anomalous behavior recognition
  - Risky
  - Unexpected
  - Unintentional
- User guidance and training
  - Policy/handbooks
  - Situational awareness

- Insider threat
- Password management
- Removable media and cables
- Social engineering
- Operational security
- Hybrid/remote work environments
- · Reporting and monitoring
  - Initial
  - Recurring
- Development
- Execution



### CompTIA Security+ SYO-701 Acronym List

The following is a list of acronyms that appears on the CompTIA Security+ SYO-701 exam. Candidates are encouraged to review the complete list and attain a working knowledge of all listed acronyms as part of a comprehensive exam preparation program.

Acronym	Spelled Out	Acronym	Spelled Out
AAA	Authentication, Authorization, and	CHAP	Challenge Handshake Authentication
	Accounting		Protocol
ACL	Access Control List	CIA	Confidentiality, Integrity, Availability
AES	Advanced Encryption Standard	CIO	Chief Information Officer
AES-256	Advanced Encryption Standards 256-bit	CIRT	Computer Incident Response Team
AH	Authentication Header	CMS	Content Management System
Al	Artificial Intelligence	COOP	Continuity of Operation Planning
AIS	Automated Indicator Sharing	COPE	Corporate Owned, Personally Enabled
ALE	Annualized Loss Expectancy	CP	Contingency Planning
AP	Access Point	CRC	Cyclical Redundancy Check
API	Application Programming Interface	CRL	Certificate Revocation List
APT	Advanced Persistent Threat	CSO	Chief Security Officer
ARO	Annualized Rate of Occurrence	CSP	Cloud Service Provider
ARP	Address Resolution Protocol	CSR	Certificate Signing Request
ASLR	Address Space Layout Randomization	CSRF	Cross-site Request Forgery
ATT&CK	Adversarial Tactics, Techniques, and	CSU	Channel Service Unit
	Common Knowledge	CTM	Counter Mode
AUP	Acceptable Use Policy	CTO	Chief Technology Officer
AV	Antivirus	CVE	Common Vulnerability Enumeration
BASH	Bourne Again Shell	CVSS	Common Vulnerability Scoring System
BCP	Business Continuity Planning	CYOD	Choose Your Own Device
BGP	Border Gateway Protocol	DAC	Discretionary Access Control
BIA	Business Impact Analysis	DBA	Database Administrator
BIOS	Basic Input/Output System	DDoS	Distributed Denial of Service
BPA	Business Partners Agreement	DEP	Data Execution Prevention
BPDU	Bridge Protocol Data Unit	DES	Digital Encryption Standard
BYOD	Bring Your Own Device	DHCP	Dynamic Host Configuration Protocol
CA	Certificate Authority	DHE	Diffie-Hellman Ephemeral
CAPTCHA	Completely Automated Public Turing Test to	DKIM	DomainKeys Identified Mail
	Tell Computers and Humans Apart	DLL	Dynamic Link Library
CAR	Corrective Action Report	DLP	Data Loss Prevention
CASB	Cloud Access Security Broker	DMARC	Domain Message Authentication Reporting
CBC	Cipher Block Chaining		and Conformance
CCMP	Counter Mode/CBC-MAC Protocol	DNAT	Destination Network Address Translation
CCTV	Closed-circuit Television	DNS	Domain Name System
CERT	Computer Emergency Response Team	DoS	Denial of Service
CFB	Cipher Feedback	DPO	Data Privacy Officer



Acronym	Spelled Out	Acronym	Spelled Out
DRP	Disaster Recovery Plan	IEEE	Institute of Electrical and Electronics
DSA	Digital Signature Algorithm		Engineers
DSL	Digital Subscriber Line	IKE	Internet Key Exchange
EAP	Extensible Authentication Protocol	IM	Instant Messaging
ECB	Electronic Code Book	IMAP	Internet Message Access Protocol
ECC	Elliptic Curve Cryptography	loC	Indicators of Compromise
ECDHE	Elliptic Curve Diffie-Hellman Ephemeral	IoT	Internet of Things
ECDSA	Elliptic Curve Digital Signature Algorithm	IP	Internet Protocol
EDR	Endpoint Detection and Response	IPS	Intrusion Prevention System
EFS	Encrypted File System	IPSec	Internet Protocol Security
ERP	Enterprise Resource Planning	IR	Incident Response
ESN	Electronic Serial Number	IRC	Internet Relay Chat
ESP	Encapsulated Security Payload	IRP	Incident Response Plan
FACL	File System Access Control List	ISO	International Standards Organization
FDE	Full Disk Encryption	ISP	Internet Service Provider
FIM	File Integrity Management	ISSO	Information Systems Security Officer
FPGA	Field Programmable Gate Array	IV	Initialization Vector
FRR	False Rejection Rate	KDC	Key Distribution Center
FTP	File Transfer Protocol	KEK	Key Encryption Key
FTPS	Secured File Transfer Protocol	L2TP	Layer 2 Tunneling Protocol
GCM	Galois Counter Mode	LAN	Local Area Network
GDPR	General Data Protection Regulation	LDAP	Lightweight Directory Access Protocol
GPG	Gnu Privacy Guard	LEAP	Lightweight Extensible Authentication
GPO	Group Policy Object		Protocol
GPS	Global Positioning System	MaaS	Monitoring as a Service
GPU	Graphics Processing Unit	MAC	Mandatory Access Control
GRE	Generic Routing Encapsulation	MAC	Media Access Control
НА	High Availability	MAC	Message Authentication Code
HDD	Hard Disk Drive	MAN	Metropolitan Area Network
HIDS	Host-based Intrusion Detection System	MBR	Master Boot Record
HIPS	Host-based Intrusion Prevention System	MD5	Message Digest 5
HMAC	Hashed Message Authentication Code	MDF	Main Distribution Frame
HOTP	HMAC-based One-time Password	MDM	Mobile Device Management
HSM	Hardware Security Module	MFA	Multifactor Authentication
HTML	Hypertext Markup Language	MFD	Multifunction Device
HTTP	Hypertext Transfer Protocol	MFP	Multifunction Printer
HTTPS	Hypertext Transfer Protocol Secure	ML	Machine Learning
HVAC	Heating, Ventilation Air Conditioning	MMS	Multimedia Message Service
laaS	Infrastructure as a Service	MOA	Memorandum of Agreement
laC	Infrastructure as Code	MOU	Memorandum of Understanding
IAM	Identity and Access Management	MPLS	Multi-protocol Label Switching
ICMP	Internet Control Message Protocol	MSA	Master Service Agreement
ICS	Industrial Control Systems	MSCHAP	Microsoft Challenge Handshake
IDEA	International Data Encryption Algorithm		Authentication Protocol
		MSP	Managed Service Provider
IDF	Intermediate Distribution Frame	MSSP	Managed Security Service Provider
IdP IDS	Identity Provider	MTBF	Mean Time Between Failures
וחס	Intrusion Detection System	MTTF	Mean Time to Failure



Acronym	Spelled Out	Acronym	Spelled Out
MTTR	Mean Time to Recover	PKI	Public Key Infrastructure
MTU	Maximum Transmission Unit	POP	Post Office Protocol
NAC	Network Access Control	POTS	Plain Old Telephone Service
NAT	Network Address Translation	PPP	Point-to-Point Protocol
NDA	Non-disclosure Agreement	PPTP	Point-to-Point Tunneling Protocol
NFC	Near Field Communication	PSK	Pre-shared Key
NGFW	Next-generation Firewall	PTZ	Pan-tilt-zoom
NIDS	Network-based Intrusion Detection System	PUP	Potentially Unwanted Program
NIPS	Network-based Intrusion Prevention System	RA	Recovery Agent
NIST	National Institute of Standards & Technology	RA	Registration Authority
NTFS	New Technology File System	RACE	Research and Development in Advanced
NTLM	New Technology LAN Manager		Communications Technologies in Europe
NTP	Network Time Protocol	RAD	Rapid Application Development
OAUTH	Open Authorization	RADIUS	Remote Authentication Dial-in User Service
OCSP	Online Certificate Status Protocol	RAID	Redundant Array of Inexpensive Disks
OID	Object Identifier	RAS	Remote Access Server
OS	Operating System	RAT	Remote Access Trojan
OSINT	Open-source Intelligence	RBAC	Role-based Access Control
OSPF	Open Shortest Path First	RBAC	Rule-based Access Control
ОТ	Operational Technology	RC4	Rivest Cipher version 4
OTA	Over the Air	RDP	Remote Desktop Protocol
OVAL	Open Vulnerability Assessment Language	RFID	Radio Frequency Identifier
P12	PKCS #12	RIPEMD	RACE Integrity Primitives Evaluation
P2P	Peer to Peer		Message Digest
PaaS	Platform as a Service	ROI	Return on Investment
PAC	Proxy Auto Configuration	RPO	Recovery Point Objective
PAM	Privileged Access Management	RSA	Rivest, Shamir, & Adleman
PAM	Pluggable Authentication Modules	RTBH	Remotely Triggered Black Hole
PAP	Password Authentication Protocol	RTO	Recovery Time Objective
PAT	Port Address Translation	RTOS	Real-time Operating System
PBKDF2	Password-based Key Derivation Function 2	RTP	Real-time Transport Protocol
PBX	Private Branch Exchange	S/MIME	Secure/Multipurpose Internet Mail
PCAP	Packet Capture		Extensions
PCI DSS	Payment Card Industry Data Security	SaaS	Software as a Service
	Standard	SAE	Simultaneous Authentication of Equals
PDU	Power Distribution Unit	SAML	Security Assertions Markup Language
PEAP	Protected Extensible Authentication	SAN	Storage Area Network
	Protocol	SAN	Subject Alternative Name
PED	Personal Electronic Device	SASE	Secure Access Service Edge
PEM	Privacy Enhanced Mail	SCADA	Supervisory Control and Data Acquisition
PFS	Perfect Forward Secrecy	SCAP	Security Content Automation Protocol
PGP	Pretty Good Privacy	SCEP	Simple Certificate Enrollment Protocol
PHI	Personal Health Information	SD-WAN	Software-defined Wide Area Network
PII	Personally Identifiable Information	SDK	Software Development Kit
PIV	Personal Identity Verification	SDLC	Software Development Lifecycle
PKCS	Public Key Cryptography Standards	SDLM	Software Development Lifecycle
11.00	. asile neg eryptography standards		Methodology



Acronym	Spelled Out	Acronym	Spelled Out
SDN	Software-defined Networking	TOTP	Time-based One-time Password
SE Linux	Security-enhanced Linux	TOU	Time-of-use
SED	Self-encrypting Drives	TPM	Trusted Platform Module
SEH	Structured Exception Handler	TTP	Tactics, Techniques, and Procedures
SFTP	Secured File Transfer Protocol	TSIG	Transaction Signature
SHA	Secure Hashing Algorithm	UAT	User Acceptance Testing
SHTTP	Secure Hypertext Transfer Protocol	UAV	Unmanned Aerial Vehicle
SIEM	Security Information and Event Management	UDP	User Datagram Protocol
SIM	Subscriber Identity Module	UEFI	Unified Extensible Firmware Interface
SLA	Service-level Agreement	UEM	Unified Endpoint Management
SLE	Single Loss Expectancy	UPS	Uninterruptable Power Supply
SMS	Short Message Service	URI	Uniform Resource Identifier
SMTP	Simple Mail Transfer Protocol	URL	Universal Resource Locator
SMTPS	Simple Mail Transfer Protocol Secure	USB	Universal Serial Bus
SNMP	Simple Network Management Protocol	USB OTG	USB On the Go
SOAP	Simple Object Access Protocol	UTM	Unified Threat Management
SOAR	Security Orchestration, Automation,	UTP	Unshielded Twisted Pair
	Response	VBA	Visual Basic
SoC	System on Chip	VDE	Virtual Desktop Environment
SOC	Security Operations Center	VDI	Virtual Desktop Infrastructure
SOW	Statement of Work	VLAN	Virtual Local Area Network
SPF	Sender Policy Framework	VLSM	Variable Length Subnet Masking
SPIM	Spam over Internet Messaging	VM	Virtual Machine
SQL	Structured Query Language	VoIP	Voice over IP
SQLi	SQL Injection	VPC	Virtual Private Cloud
SRTP	Secure Real-Time Protocol	VPN	Virtual Private Network
SSD	Solid State Drive	VTC	Video Teleconferencing
SSH	Secure Shell	WAF	Web Application Firewall
SSL	Secure Sockets Layer	WAP	Wireless Access Point
SSO	Single Sign-on	WEP	Wired Equivalent Privacy
STIX	Structured Threat Information eXchange	WIDS	Wireless Intrusion Detection System
SWG	Secure Web Gateway	WIPS	Wireless Intrusion Prevention System
TACACS+	Terminal Access Controller Access Control	WO	Work Order
	System	WPA	Wi-Fi Protected Access
TAXII	Trusted Automated eXchange of Indicator	WPS	Wi-Fi Protected Setup
	Information	WTLS	Wireless TLS
TCP/IP	Transmission Control Protocol/Internet	XDR	Extended Detection and Response
	Protocol	XML	Extensible Markup Language
TGT	Ticket Granting Ticket	XOR	Exclusive Or
TKIP	Temporal Key Integrity Protocol	XSRF	Cross-site Request Forgery
TLS	Transport Layer Security	XSS	Cross-site Scripting
TOC	Time-of-check		



# CompTIA Security+ SYO-701 Hardware and Software List

CompTIA has included this sample list of hardware and software to assist candidates as they prepare for the Security+ SYO-701 certification exam. This list may also be helpful for training companies that wish to create a lab component for their training offering. The bulleted lists below each topic are sample lists and are not exhaustive.

#### **Equipment**

- Tablet
- Laptop
- · Web server
- Firewall
- Router
- Switch
- IDS
- IPS
- Wireless access point
- · Virtual machines
- Email system
- Internet access
- DNS server
- IoT devices
- Hardware tokens
- Smartphone

#### **Spare Hardware**

- NICs
- Power supplies
- GBICs
- SFPs
- Managed Switch
- · Wireless access point
- UPS

#### Tools

- Wi-Fi analyzer
- Network mapper
- · NetFlow analyzer

#### **Software**

- Windows OS
- Linux OS
- Kali Linux
- · Packet capture software
- · Pen testing software
- · Static and dynamic analysis tools
- · Vulnerability scanner
- · Network emulators
- · Sample code
- · Code editor
- SIEM
- Keyloggers
- MDM software
- VPN
- DHCP service
- DNS service

#### Other

- Access to cloud environments
- Sample network documentation/diagrams
- Sample logs

