

MySQL 설치하는 방법

gamefive

Choosing a Setup Type

Select Products and Features

Installation

Installation Complete

Choosing a Setup Type

Please select the Setup Type that suits your use case.

- ☐ **Developer Default**
Installs all products needed for MySQL development purposes.
- ☐ **Server only**
Installs only the MySQL Server product.
- ☐ **Client only**
Installs only the MySQL Client products, without a server.
- ☐ **Full**
Installs all included MySQL products and features.
- ☒ **Custom**
Manually select the products that should be installed on the system.


Setup Type Description

Allows you to select exactly which products you would like to install. This also allows to pick other server versions and architectures (depending on your OS).


Next >

Cancel


Available Products:




Products/Features To Be Installed:




Available Products:




Products/Features To Be Installed:




Available Products:




Products/Features To Be Installed:



Available Products:



Products/Features To Be Installed:



Published: N/A

Estimated Size: 96 MB

Release Notes:

< Back

Next >

Cancel

Path Conflicts

Some products has path conflicts

Here are the list of the products that has path conflicts, please navigate between them and if is necessary change the path or paths below.

Product	Architecture
MySQL Server 8.0.21	X64
MySQL Workbench 8.0.21	X64

2 Warnings

You can use the same folder or change it to a new one, take in mind that the install process can overwrite the folder if already exists.

Install Directory:

C:\Program Files\MySQL\MySQL Server 8.0



Data Directory:

C:\ProgramData\MySQL\MySQL Server 8.0



The selected path already exists.

< Back

Next >

Cancel

Choosing a Setup Type

Select Products and Features

Path Conflicts





Installation

Product Configuration

Installation Complete

Installation

The following products will be installed.

Product	Status	Progress	Notes
 MySQL Server 8.0.21	Ready to Install		
 MySQL Workbench 8.0.21	Ready to Install		
 Samples and Examples 8.0.21	Ready to Install		
 MySQL Documentation 8.0.21	Ready to Install		

Click [Execute] to install the following packages.

< Back

Execute

Cancel

Choosing a Setup Type

Select Products and Features

Path Conflicts









Installation

Product Configuration

Installation Complete

Installation

The following products will be installed.

	Product	Status	Progress	Notes
	 MySQL Server 8.0.21	Complete		
	 MySQL Workbench 8.0.21	Complete		
	 Samples and Examples 8.0.21	Complete		
	 MySQL Documentation 8.0.21	Complete		

Show Details >

< Back

Next >

Cancel

Product Configuration

We'll now walk through a configuration wizard for each of the following products.

You can cancel at any point if you wish to leave this wizard without configuring all the products.

Product	Status
MySQL Server 8.0.21	Ready to configure
Samples and Examples 8.0.21	Ready to configure

Next >

Cancel

High Availability

Type and Networking

Authentication Method

Accounts and Roles

Windows Service

Logging Options

Advanced Options

Apply Configuration


High Availability

☒ Standalone MySQL Server / Classic MySQL Replication

Choose this option to run the MySQL instance as a standalone database server with the opportunity to configure classic replication later. With this option, you can provide your own high-availability solution, if required.

☐ InnoDB Cluster

The InnoDB cluster technology provides an out-of-the-box high availability (HA) solution for MySQL using Group Replication.



Note: [InnoDB cluster](#) requires a minimum of three MySQL server instances to provide a fully automated HA solution. Members of a cluster should be located such that network communication latency between servers is low.

Next >

Cancel

High Availability

Type and Networking

Authentication Method

Accounts and Roles

Windows Service

Apply Configuration

Type and Networking

Server Configuration Type

Choose the correct server configuration type for this MySQL Server installation. This setting will define how much system resources are assigned to the MySQL Server instance.

Config Type:

Connectivity

Use the following controls to select how you would like to connect to this server.

- ☒ TCP/IP Port: X Protocol Port:
- ☒ Open Windows Firewall ports for network access
- ☐ Named Pipe Pipe Name:
- ☐ Shared Memory Memory Name:

Advanced Configuration

Select the check box below to get additional configuration pages where you can set advanced and logging options for this server instance.

- ☐ Show Advanced and Logging Options

< Back

Next >

Cancel

High Availability

Type and Networking

Authentication Method

Accounts and Roles

Windows Service

Apply Configuration

Authentication Method

☐ Use Strong Password Encryption for Authentication (RECOMMENDED)

MySQL 8 supports a new authentication based on improved stronger SHA256-based password methods. It is recommended that all new MySQL Server installations use this method going forward.



Attention: This new authentication plugin on the server side requires new versions of connectors and clients which add support for this new 8.0 default authentication (caching_sha2_password authentication).

Currently MySQL 8.0 Connectors and community drivers which use libmysqlclient 8.0 support this new method. If clients and applications cannot be updated to support this new authentication method, the MySQL 8.0 Server can be configured to use the legacy MySQL Authentication Method below.

☒ Use Legacy Authentication Method (Retain MySQL 5.x Compatibility)

Using the old MySQL 5.x legacy authentication method should only be considered in the following cases:

- If applications cannot be updated to use MySQL 8 enabled Connectors and drivers.
- For cases where re-compilation of an existing application is not feasible.
- An updated, language specific connector or driver is not yet available.

Security Guidance: When possible, we highly recommend taking needed steps towards upgrading your applications, libraries, and database servers to the new stronger authentication. This new method will significantly improve your security.

< Back

Next >

Cancel

High Availability

Type and Networking

Authentication Method

Accounts and Roles

Windows Service

Apply Configuration

Accounts and Roles

Root Account Password

Enter the password for the root account. Please remember to store this password in a secure place.

Current Root Password:

••••|

Check

비밀번호 입력후 check 클릭

Check



< Back

Next >

Cancel

High Availability

Type and Networking

Authentication Method

Accounts and Roles

Windows Service

Apply Configuration

Windows Service

☒ Configure MySQL Server as a Windows Service

Windows Service Details

Please specify a Windows Service name to be used for this MySQL Server instance. A unique name is required for each instance.

Windows Service Name:

☒ Start the MySQL Server at System Startup

Run Windows Service as ...

The MySQL Server needs to run under a given user account. Based on the security requirements of your system you need to pick one of the options below.

☒ Standard System Account

Recommended for most scenarios.

☐ Custom User

An existing user account can be selected for advanced scenarios.

< Back

Next >

Cancel

High Availability

Type and Networking

Authentication Method

Accounts and Roles

Windows Service

Apply Configuration

Apply Configuration

Click [Execute] to apply the changes

Configuration Steps

Log

- ☐ Writing configuration file
- ☐ Updating Windows Firewall rules
- ☐ Adjusting Windows service
- ☐ Starting the server
- ☐ Updating the Start menu link

< Back

Execute

Cancel



MySQL® Installer

MySQL Server 8.0.21

High Availability

Type and Networking

Authentication Method

Accounts and Roles

Windows Service

Apply Configuration

Apply Configuration

The configuration operation has completed.

Configuration Steps

Log

- ✔ Writing configuration file
- ✔ Updating Windows Firewall rules
- ✔ Adjusting Windows service
- ✔ Starting the server
- ✔ Updating the Start menu link

The configuration for MySQL Server 8.0.21 was successful.
Click Finish to continue.

Finish

Product Configuration

We'll now walk through a configuration wizard for each of the following products.

You can cancel at any point if you wish to leave this wizard without configuring all the products.

Product	Status
MySQL Server 8.0.21	Configuration complete.
Samples and Examples 8.0.21	Ready to configure

Next >

Cancel

Connect To Server

Select the MySQL server instances from the list to receive sample schemas and data.

☐ Show MySQL Server instances that may be running in read-only mode

	Server	Port	Arch...	Type	Status
<input checked="" type="checkbox"/>	MySQL Server 8.0.21	3306	X64	Stand-alone Server	Connection succeeded.

Provide the credentials that should be used (requires root privileges).
Click "Check" to ensure they work.

User name: root

Password: ●●●●

Check



Credentials provided in Server configuration

비밀번호를 입력 후
check 클릭

Next >

Cancel

Apply Configuration

Click [Execute] to apply the changes

Configuration Steps

Log

- ☐ Checking if there are any features installed that need configuration.
- ☐ Running Scripts

< Back

Execute

Cancel

Apply Configuration

The configuration operation has completed.

Configuration Steps

Log

- ✓ Checking if there are any features installed that need configuration.
- ✓ Running Scripts

The configuration for Samples and Examples 8.0.21 was successful.
Click Finish to continue.

Finish

Product Configuration

We'll now walk through a configuration wizard for each of the following products.

You can cancel at any point if you wish to leave this wizard without configuring all the products.

Product	Status
MySQL Server 8.0.21	Configuration complete.
Samples and Examples 8.0.21	Configuration complete.

Next >

Cancel

Choosing a Setup Type

Select Products and Features

Path Conflicts

Installation

Product Configuration

Installation Complete

Installation Complete

The installation procedure has been completed.

[Copy Log to Clipboard](#)

☒ Start MySQL Workbench after Setup

Finish