

ASCO

SINCE : 1948



ISO 9001 : 2000 CERTIFIED

Wide Range of World Class Operation Tables



CONTENTS

Contents	Page Nos.
MF 2184 Table Operating- Side End Control Double Hydraulic Cylinder.	2-3
MF 2184(A) Table Operating- Side End Control Single Hydraulic Cylinder	4-5
MF 2184(B) Table Operating- Side End Control Double Hydraulic Cylinder with Radiolucent Top.	6-7
MF 2187 Table Operating Hydraulic- Major Head End Control.	8-9
Table Positions {for MF2184, MF 2184(A),MF2184(B),MF2187}	10-11
MF 2185 Table Operating-Remote Controlled Electronic	12-13
MF 2186 Table Operating C-Arm Compatible Gearmatic.	14-15
MF 2188 Orthopaedic Extension Device for Operating Table.	16
Table Positions {for MF2185 and MF 2186}	17-19
Accessories.	20

COMPANY PROFILE

"Apothecaries Sundries Manufacturing Company" (ASCO) an ISO 9001:2000 certified company was founded in year 1948 and has since been developing and marketing various Hospital Furniture items. With its zest to achieve latest innovations in technology and to meet broad spectrum of customer's requirement ASCO has developed a wide range of Operating Tables. The company also engages in manufacturing of other high quality Hospital Furniture items like Beds, Stretchers, Trolley, Cabinets etc.

The Company has already secured for itself a position of reliability and prominence as makers of high quality products of international Standards.


The Company has the required infrastructure and all the testing facilities to ensure that the best quality products are provided to the customer.

Worldwide patronage : There is practically no country of the world where the 'ASCO' products have not found way at one time or the other, either direct or through re-exports by our customers, particularly in the U.S.A. and a few European countries, even in their brand names. At present, the 'ASCO' products are being exported to over forty countries.

Meeting individual requirements : Every order, howsoever big or small is complied within accordance with individual requirement.

Twin Passion : Commitment to quality as well as holding the priceline is the twin passion with 'ASCO'

Assets : Ever growing clientele and excellent reference-both bank & trade-are our assets we feel justly proud of.



MF2184

Table Operating
Side End Control
Double Hydraulic Cylinder

SALIENT FEATURES

Versatile Operation Table for general surgical procedures

Accurate positions can be achieved with easy mechanical operation.

Five Section Stainless Steel Top.

Heavy Duty Double Cylinder Hydraulic Pump.

Base and Column covered with Stainless Steel fittings for Hygiene and Durability.

Moveable on High Quality Castors.

Equipped with Base Locking Mechanism for firm and rigid locking of the table.






TECHNICAL SPECIFICATION

Length	1830 mm
Width	485 mm
Maximum Height	980 mm
Minimum Height	760 mm
Trendlenberg	Upto 30°
Reverse Trendlenberg	Upto 30°
Lateral Tilt	20° Both side
Head Rest	20° UP 90° DOWN.

STANDARD ACCESSORIES

- OTA-01 Shoulder Supports (1 pair)
- OTA-02 Lateral Supports (1 pair)
- OTA-03 Knee Crutches/ Leg Holder Straps (1 pair)
- OTA-05 Arm Board (1 pair)
- OTA-07 Anaesthetic Screen (1 piece)

DIMENSIONS & MOVEMENTS





MF2184(A)

Table Operating
Side End Control
Single Hydraulic Cylinder

SALIENT FEATURES

Versatile Operation Table for general surgical procedures

Accurate positions can be achieved with easy mechanical operation.

Five Section Stainless Steel Top.

Table Top can be rotated 360° on central axis.

Heavy Duty Single Cylinder Hydraulic Pump.

Base and Column covered with Stainless Steel fittings for Hygiene and Durability.

Moveable on High Quality Castors.

Equipped with Base Locking Mechanism for firm and rigid locking of the table.

Detachable Leg Section.







TECHNICAL SPECIFICATION

Length	1830 mm
Width	485 mm
Maximum Height	1010 mm
Minimum Height	790 mm
Trendlenberg	Upto 30°
Reverse Trendlenberg	Upto 30°
Lateral Tilt	20° Both side

STANDARD ACCESSORIES

- OTA-01 Shoulder Supports (1 pair)
- OTA-02 Lateral Supports (1 pair)
- OTA-03 Knee Crutches/ Leg Holder Straps (1 pair)
- OTA-05 Arm Board (1 pair)
- OTA-07 Anaesthetic Screen (1 piece)

DIMENSIONS & MOVEMENTS



MF2184(B)

Table Operating
Side End Control
Double Hydraulic Cylinder
with Radiolucent Top

**SALIENT FEATURES**

Versatile Operation Table for general surgical procedures.

Accurate positions can be achieved with easy mechanical operation.

Five Section Radiolucent Top for X-ray Imaging.

Heavy Duty Double Cylinder Hydraulic Pump.

Base and Column covered with Stainless Steel fittings for Hygiene and Durability.

Moveable on High Quality Castors.

Equipped with Base Locking Mechanism for firm and rigid locking of the table.

Interchangeable Leg and Head Section.






TECHNICAL SPECIFICATION

Length	1860 mm
Width	510 mm
Maximum Height	980 mm
Minimum Height	760 mm
Trendlenberg	Upto 30°
Reverse Trendlenberg	Upto 30°
Lateral Tilt	20° Both side
Head Rest	20° UP 90° DOWN.

STANDARD ACCESSORIES

- OTA-01 Shoulder Supports (1 pair)
- OTA-02 Lateral Supports (1 pair)
- OTA-03 Knee Crutches/ Leg Holder Straps (1 pair)
- OTA-05 Arm Board (with radiolucent top) (1 pair)
- OTA-07 Anaesthetic Screen (1 piece)

DIMENSIONS & MOVEMENTS



MF2187

Table Operating
Hydraulic-Major
Head End Control

**SALIENT FEATURES**

An easy to operate operation table with all Major Positions of the table are simply effected by crank operated on the Head End Of the table.

Improved Gear Mechanism Totally Concealed for obtaining all positions from the Head-End.

Five Section Stainless Steel Top.

Heavy Duty Double Cylinder Hydraulic Pump.

Base and Column covered with Stainless Steel fittings for Hygiene and Durability.

Moveable on High Quality Castors.

Equipped with Base Locking Mechanism for firm and rigid locking of the table.






TECHNICAL SPECIFICATION

Length	1800 mm
Width	500 mm
Maximum Height	1050 mm
Minimum Height	750 mm
Trendlenberg	Upto 45°
Reverse Trendlenberg	Upto 30°
Lateral Tilt	20° Both side
Head Rest	20° UP 90° DOWN.

STANDARD ACCESSORIES

- OTA-01 Shoulder Supports (1 pair)
- OTA-02 Lateral Supports (1 pair)
- OTA-03 Knee Crutches (1 pair)
- OTA-05 Arm Board (1 pair)
- OTA-07 Anaesthetic Screen (1 piece)

DIMENSIONS & MOVEMENTS



Wide Range of Table Positions

For MF2184, MF2184(A)
MF2184(B), MF2187



Standard Supine Position

Trendelenburg, Reverse
Trendelenburg Position



Lateral Tilt Position

Kidney Position





Gallbladder, Thoracic
Abdominal Position

Chair / Sitting Position



Proctology Prone
Kneeling Position

Lithotomy Position,
Urology, Gynaecology



MF2185

Table Operating-Remote
Controlled Electronic

**SALIENT FEATURES**

State-of-Art Electrically Operated Versatile Operation Table for all major and minor surgical procedures.

Fully manoeuvrable by Soft-Touch Keys on Hand Held Remote Control Panel

Legible and easily identifiable symbols on switches provide correct selection of Table position at any stage of operation.

Provides for smooth, easy and accurate positioning.

Five Section Radiolucent Table Top

Its special design allows ability to use C-arm over the length of the table.

Unique, sensor-controlled levelling for height adjustment, backrest lifting, Lateral and Trendelenburg position

Base and Column covered with Stainless Steel fittings for Hygiene and Durability.

Moveable on High Quality Castors.

Equipped with Mechanical Foot Pedal Operated Base Locking Mechanism for firm and rigid locking of the table.

Head section and Kidney Section are mechanically operated having easy and smooth movements.

Leg Section and Head Section







TECHNICAL SPECIFICATION

Length	1910 mm
Width	530 mm
Maximum Height	950 mm
Minimum Height	750 mm
Trendlenberg	Upto 30°
Reverse Trendlenberg	Upto 20°
Lateral Tilt	20° Both side
Kidney Section Elevation	150 mm
Head Rest	20° UP 60° DOWN.

STANDARD ACCESSORIES

- OTA-01 Shoulder Supports (1 pair)
- OTA-02 Lateral Supports (1 pair)
- OTA-03 Knee Crutches (1 pair)
- OTA-05 Arm Board (1 pair)
- OTA-07 Anaesthetic Screen (1 piece)

DIMENSIONS & MOVEMENTS



MF2186

Table Operating
C-Arm Compatable
Gearmatic

**SALIENT FEATURES**

An all-in-one operation table which can be used for all major surgeries including orthopaedic, Urology, Neurosurgery, Gynae and general surgical procedures.

Five Section Radiolucent Table Top

Its special design allows ability to use C-Arm over the length of the table.

Control of Height, Trendlenberg, Lateral Tilt and Back Section can be done entirely by fully Gearmatic Force.

All Major Positions of the table are simply effected by crank operated on the Head End Of the table.

Foot Pedal Operated Height Adjustment with Four Cylinders Hydraulic Pump.

Base and Column covered with Stainless Steel fittings for Hygiene and Durability

Moveable on High Quality Castors.

Equipped with Base Locking Mechanism for firm and rigid locking of the table.







Leg Section and Head Section Interchangeable.

TECHNICAL SPECIFICATION

Length	1910 mm
Width	530 mm
Maximum Height	1040 mm
Minimum Height	785 mm
Trendlenberg	Upto 40°
Reverse Trendlenberg	Upto 20°
Lateral Tilt	20° Both side
Kidney Section Elevation	150 mm
Head Rest	20° UP 20° DOWN.

STANDARD ACCESSORIES

- OTA-01 Shoulder Supports (1 pair)
- OTA-02 Lateral Supports (1 pair)
- OTA-03 Knee Crutches (1 pair)
- OTA-05 Arm Board (1 pair)
- OTA-07 Anaesthetic Screen (1 piece)
- OTA-08 Arm Table / Arm Board with Stand

DIMENSIONS & MOVEMENTS


MF2188

Orthopaedic Extension Device
For Operating Table

**SALIENT FEATURES**

This Orthopaedic Extension Device can be used with any Operating Table as it independently stands on the floor.

Specially Designed for Intra Operative X-Ray Photos and Image Intensifiers use.

Removable Pelvis Rest and X-Ray Translucent Pelvis Stem.

Stirring Instruments allow Flexion/ Raising of Legs and Stirring Ball Joint Locked from Foot End.

Two Traction Devices On sliding Spot with Ball Joints Allowing Flexions and Rotations of Foot with Traction Shoe.

Padded Orthopaedic Knee Crutches provides support to the legs of the patient.

Requires Small Storage space as it is easily collapsible.

Wide Range of Table Positions

For MF2185 and MF2186



Standard Supine Position



Trendelenburg, Reverse
Trendelenburg Position



Lateral Tilt Position



Kidney Position

Wide Range of Table Positions

For MF2185 and MF2186




Gallbladder, Thoracic
Abdominal Position

Chair/Sitting Position



Proctology Prone
Kneeling Position

with use of accessories
OTA-04 & OTA-12 (optional)



Lithotomy Position,
Urology, Gynaecology





Femoral Neck Positioning
in Supine Position

with use of orthopaedic
extension device (optional)

Leg Stem Fracture
Procedure Posturing



with use of orthopaedic
extension device (optional)



Cerebellum Prone Position

with use of accessory OTA-09 (optional)

Neurosurgery Position

with use of accessory OTA-10 (optional)



Accessories



Shoulder Supports

OTA-01



Lateral Supports

OTA-02




Knee Crutches

OTA-03



Knee Rest

OTA-04




Arm Board

OTA-05



Raised Arm Board

OTA-06



Anaesthetic Screen Frame

OTA-07




Arm Table/Arm Board with stand

OTA-08

Neurosurgical Attachment
-General Purpose Head Support

OTA-09

Neurosurgical Attachment-Cross Bar
Attachment with 3pin Head Clamp

OTA-10



Divided Twin Leg Section

OTA-11



Spine Support

OTA-12

A Brief Outline of our other high quality Hospital Furniture items

Hospital Beds-ICU, Fowler, Semi-Fowler, Ward, Attendant, Maternity etc.

Tables- Examination, Gynae.

Bed Side Lockers, Over-Bed Tables.

Baby Bassinet and cradle.

Bed Side Screens.

Trolley-Dressing / Instrument / Medicine.

Saline / IV Stands.

Patient and Surgeon Stools.

Folding Stretchers, Stretcher on Trolley.

Shadowless Surgical Operating Lamps.

Dust Bin, Foot Steps, Kick Bucket, Wash Basin Stand and other miscellaneous items.

- All sizes in this catalogue are approximate. We reserve the right to upgrade/improve/alter the specifications of our products without notice.
- Use of all our products is restricted to professionals who are qualified and trained to use them. We are not responsible for any damages which may occur due to improper or unauthorized use. In case of malfunctioning of the product, the company's liability is limited to the maximum extent of the cost of equipment.
- All transactions shall be governed by jurisdiction under Delhi courts.



Representative :

Apothecaries' Sundries Manufacturing Co.

P.O. Box No. 1, New Delhi-110001, India

Admn. Office :

'ASCO' House, I-30 (a), Kirti Nagar, New Delhi-110 015 (India)

Phones : 2542 0779, 2541 0008, 2542 0783

Fax : (+91-11) 2541 0007, 2542 9633

E-mail : info@ascomedical.com Website : www.ascoindia.com