```
02/28/24 (Not in 3NF)
drillData
       Drill Name (text)
               not nullable, "New Drill" as default value, must be unique
       Level (text)
               nullable
       Player # (number)
               int4, nullable, 6 as default value
       Duration (number)
               Int2, nullable, 0 as default value
       Focus (text)
               nullable
       Description (text)
               Nullable
       Scoring (text)
               nullable
       Behaviors (text)
               nullable
       Variations (text)
               nullable
       Category (text)
               nullable
```

02/17/24

Work

- Created *Retool* logins
- Established Retool database format
- Connected Retool database with "First App"
 - Named SpikeDB
- Rework a copy of the Drill Matrix
 - Plan to "import from cvs" to populate the database
 - Category is from the sheet tabs
 - Removing range times into only the maximum times
- Retool has an embed capability which we can use for HTML and JavaScript
 - Means cannot be public, public
 - Solution: Can create a universal "client login" to act as an authenticator
 - Google account for admin + backup
 - Password is the same

Questions

- What can be blank in the database?
- What are the values of "scores?"

| • | For duration, we took maximum scores |
|-------|---|
| | o Idea behind this is if team finishes early, can move on to another drill se |
| To Do | |
| | Figure out how to back-up the database |
| | Figure out how to pipe database results to a working website |
| | ☐ View from phones |
| | Add, edit, and update data without needing the database manager |