VIVO VPN 13:58 94%

If I take two identical rectangular neodymium magnets like in this picture and I map them in the faces as "1" and "2", and in the body "3", "4", "5" and "6", and test all 64 possible combinations (i.e., switching "1" and "2" and rotating "3", "4", "5" and "6"), what would be the outcome?

That's a very simple question that den ↓ ds a very simple

+ Ask anything

VIVO VPN 13:58 94%

If I take two identical rectangular neodymium magnets like in this picture and I map them in the faces as "1" and "2", and in the body "3", "4", "5" and "6", and test all 64 possible combinations (i.e., switching "1" and "2" and rotating "3", "4", "5" and "6"), what would be the outcome?
That's a very simple question that demands a very simple answer...

Good — this **can** be answered simply and cleanly.

The outcome

If you take **two identical rectangular neodymium magnets**, label the six faces

+ Ask anything

The outcome

If you take **two identical rectangular neodymium magnets**, label the six faces (1–6), and test **all 64 relative orientations** (all rotations and flips), then:

> **You will find only two classes of interaction: attraction or repulsion — and they occur in equal, symmetric ways.**

Nothing else. No third behavior. No net bias.

What specifically happens

1. **Each magnet is a magnetic dipole**
   - One north pole ↓ e south pole
   - The magnetization is fixed inside the

VIVO VPN 13:59 94%

What specifically happens

1. **Each magnet is a magnetic dipole**
   - One north pole, one south pole
   - The magnetization is fixed inside the body
2. **Any orientation maps to one of two cases**
   - Opposite poles effectively facing → **attraction**
   - Like poles effectively facing → **repulsion**
3. **Rotating the body (faces 3–6) does not create new physics**
   - It only changes the *field geometry*
   - The interaction energy is still determined by dipole–dipole coupling
4. **Counting outco** ↓ ;

+ Ask anything

4. **Counting outcomes**

- For every orientation that produces attraction,
  there exists a rotated/flipped orientation producing repulsion with the **same magnitude** and opposite sign
- The full set of 64 configurations partitions symmetrically

What you will not find

- ❌ A configuration that always attracts
- ❌ A configuration that produces net motion without reaction
- ❌ A bias favoring attraction over repulsion
- ❌ A way to extra ↓ ork cyclically by re-orienting magnets

What you will not find

- ❌ A configuration that always attracts
- ❌ A configuration that produces net motion without reaction
- ❌ A bias favoring attraction over repulsion
- ❌ A way to extract work cyclically by re-orienting magnets

If any such asymmetry existed, permanent magnets would already be power sources. They are not.

One-sentence answer (as requested)

> **All 64 configurations reduce to symmetric attra ↓ n–repulsion pairs; magnetism shows no net**

One-sentence answer (as requested)

> **All 64 configurations reduce to symmetric attraction–repulsion pairs; magnetism shows no net asymmetry or energy bias across orientations.**

If you want, next we can:

- Explicitly map the 64 cases into equivalence classes
- Write the interaction energy $U = -\mathbf{m}_1 \cdot \mathbf{B}_2$
- Or explain why visual "ratchet" magnet tricks always fail when cycled

But the outcome itself really is that simple.

VIVO VPN 13:59 94%

I'll make two more very simple questions about that same simple configuration.
First— If this configuration equal repulsion, then, if I rotate the magnet in my hand 180 degrees (i.e., if one face was "1", then, after rotating, it would be "2"), it will continue to repel OR will it attract?
Second — if this configur ↓ n equal

+ Ask anything

Second — if this configuration equal repulsion, then, rotating the magnet through its body (i.e., keeping the same face and changing the position of "3", "4", "5" or "6" — e.g., changing "3" to "4", tilting it sideways), will it keep repelling or will it attract?
Ps: remember, this is very simple and replicable, so theory should meet reality — think twice so that you won't have to change opinions/ theories post hoc, ok?

Good — this really **is** simple. I'll answer **both questions directly, without hedging**.

Good — this really **is** simple. I'll answer **both questions directly, without hedging**.

Setup (explicit assumption)

You have two **identical rectangular neodymium magnets**.
In the shown configuration, they are **repelling**.

That means:

- The face of the magnet in your hand presents the **same magnetic pole** toward the other magnet as the facing pole of the stationary one.

Everything below follows deterministically from that.

↓

Everything below follows deterministically from that.

Question 1

> If I rotate the magnet in my hand **180°**, swapping face "1" with face "2", will it still repel or will it attract?

Answer: it will ATTRACT.

Why (briefly):

- Faces "1" and "2" are opposite ends of the magnet's magnetization axis.
- Rotating 180° flips **north ↔ south**.
- Like poles → repulsion
- Unlike poles → attraction

Why (briefly):

- Faces "1" and "2" are opposite ends of the magnet's magnetization axis.
- Rotating 180° flips **north ↔ south**.
- Like poles → repulsion
- Unlike poles → attraction

So:

- Repulsion → **attraction**

This is guaranteed. No exceptions.

Question 2

> If instead I rotate the magnet **through its body** (keeping the same face toward the other magnet, but rotating so that "3", "4", "5", or "6 ↓ anges), will it still

VIVO VPN 14:00 94%

Question 2

> If instead I rotate the magnet **through its body** (keeping the same face toward the other magnet, but rotating so that "3", "4", "5", or "6" changes), will it still repel or will it attract?

Answer: it will KEEP REPELLING.

Why (briefly):

- You did **not** change which magnetic pole is facing the other magnet
- You only rotated around the magnetization axis
- North is still north (or south is still south)

So:

- Repulsion → **repulsion**

Ask anything

So:

- Repulsion → **repulsion**

The force magnitude may change slightly due to geometry, but **the sign does not change**.

One-line summary (no wiggle room)

- **Flip end-to-end (1 ↔ 2) → repulsion becomes attraction**
- **Rotate sideways (3–6) → repulsion stays repulsion**

This is **fully symmetric, fully reproducible, and experimentally trivial**.

If you want, next w ↓ ı:

This is **fully symmetric, fully reproducible, and experimentally trivial.**

If you want, next we can:

- Enumerate all orientations formally
- Address why some videos *appear* asymmetric
- Or connect this directly to why magnetic "ratchets" and motors fail

But on these two questions: the answers above will not change.

Disproving GR.mp4
MPEG-4 movie

Disproving General Relativity Gr...
PDF