# Gravity as the Large-Scale Emergence of Dual Attractive Forces: 3D Magnetism and Thermal Gradients

Dr. André Guzzon (MD)
Physician — UFRGS/HCPA (Brazil) — Independent Researcher
Compiled: January 2026

## Abstract

This experimental physics paper refutes General Relativity (GR) through a hierarchical analysis, demonstrating that its foundational dependency, Maxwell's Equations, fails in three-dimensional systems. Furthermore, by unequivocally demonstrating that heat is a vectorial attractive force, this work proposes a new cosmological framework for the post-Einsteinian era. Our experiments reveal gravity as the macroscopic manifestation of two attractive forces: (1) Threedimensional magnetic alignment, where stable repulsion is geometrically impossible in spherical systems, and (2) Thermal attraction, empirically demonstrated through antigravitational lipid and ice/water flow toward heat sources. Quantum Mechanics remains valid as it operates in effectively two-dimensional regimes where Maxwell's symmetric framework holds. The incompatibility between QM and GR is resolved by recognizing that QM describes reality, while GR extends a broken 3D electromagnetic framework.

## 1. Introduction: The Hierarchical Structure of Modern Physics

Modern physics is hierarchical, with each theory built upon the framework beneath it:

## Maxwell (1865) → Special Relativity (1905) → General Relativity (1915).

Einstein acknowledged that Special Relativity owes its origins to Maxwell's equations. Consequently, if Maxwell's framework fails empirically in three-dimensional systems, the justification for relativity evaporates. This work demonstrates that failure.

### **2.** Maxwell's Framework and Einstein's Dependency

Maxwell's Equations treat magnetic attraction and repulsion as perfectly symmetric:

$$\nabla \times \mathbf{B} = \mu_0 \mathbf{J} + \mu_0 \epsilon_0 \frac{\partial \mathbf{E}}{\partial t}$$

The curl operator predicts a 1:1 ratio between attraction and repulsion in free systems. Einstein abandoned absolute time and space (SR) specifically to preserve this framework when faced with contradictions in Newtonian mechanics. If Maxwell fails, the hierarchical tower of SR and GR collapses.

**3.** Experiment 1: Rectangular Magnets and the 7:1 Asymmetry

Testing two N52 neodymium magnets in 64 configurations revealed a fundamental asymmetry:

| Outcome | Maxwell Prediction | Observed |
|---|---|---|
| **Direct Attraction** | 32 (50%) | 16 (25%) |
| **Rotational Attraction** | 0 (0%) | 40 (62.5%) |
| **Sustained Repulsion** | 32 (50%) | 8 (12.5%) |

## Ratio: Attraction : Repulsion = 7 : 1.

Repulsion exists only as a transient corrective mechanism (torque: $\tau = m \times B$) inducing rotation toward attraction.

**4.** Experiment 2: Spherical Magnets

In spherical systems with full 3D rotational freedom, stable repulsion is geometrically impossible (Video S1). Spheres oscillate until they snap into attraction. Cosmic bodies, being spherical and frictionless, must resolve every magnetic interaction into attraction or orbital equilibrium.

**5.** The Dimensional Distinction

**Quantum Mechanics (2D):** Operates in planar/constrained regimes (orbitals, detector planes) where full 3D torque cannot operate, allowing Maxwell's symmetry to hold.

**General Relativity (3D):** Attempts to apply the broken Maxwellian symmetry to volumetric 3D reality, requiring the "fictional" geometrization of spacetime to compensate.

**6.** Thermal Attraction and the Post-Einsteinian Reality

While magnetism accounts for solid aggregation, heat accounts for fluid/gas attraction.

6.1 Lipid and Ice/Water Demonstrations

Experiments using an inclined plane and a heat source beneath it (Video S2, S3) show matter (butter and ice/water) climbing upward against gravity toward the heat source. This confirms that an active thermal gradient creates a directional attractive force.

6.1.1 Micro-Attraction in Solid and Fluid Saliva Samples (Video S4, S5)

Further evidence of thermal attraction as a fundamental force is observed at the microscopic level. Using infrared light (150 W) as a heat source, both fluid and dried saliva samples demonstrate immediate directional movement toward the thermal gradient. The observation of **dried saliva** (solid state) responding to the gradient confirms that thermal attraction is a vectorial field force that operates independently of fluid dynamics, acting as a supplementary attractive force even in non-fluid matter

### 6.2 Leidenfrost Orbits and Cosmic Mimicry

As water droplets reach the peak gradient, they enter stable orbital patterns. This mimics planetary and galactic motion, where orbits are maintained by the balance between thermal attraction (inward) and repulsive torque (distance maintenance).

### 6.3 Unified Framework: Dual Attractive Forces

| Phase | Magnetic Contribution | Thermal Contribution |
|---|---|---|
| **Solids** | **Dominant**: Intense structural alignment | Supplementary |
| **Liquids** | Moderate | **Moderate**: Convection and orbital dynamics |
| **Gases** | Negligible | **Dominant**: Atmospheric retention via core gradients |

## 7. Conclusion: Hierarchical Collapse

The logic is irrefutable:

1. **Maxwell fails in 3D**, making spherical repulsion impossible.

2. **Special Relativity** loses its justification as it was built to save Maxwell.

3. **General Relativity collapses** as it is a geometric extension of SR.

4. **Heat is an attractive field force —** it holds Earth's atmosphere and contributes to cosmic orbits.

The universe requires no deep imaginative "spacetime curvature," "dark matter," or "dark energy". It requires only magnetic alignment, thermal attraction, and rotational freedom.