

PLEASE READ THE INSTRUCTIONS FIRST



DISCLAIMER: Use at your own risk! I take no responsibility for your actions. This was made for pranks, testing and investigation purposes only.

Features:

- Send Bulk Emails Mass Emailing Email Bombing
- Send Bulk SMS Mass SMS Sending SMSBombing
- Unlimited SMTP Servers Using Free Email Providers
- Multiple SMTP Servers Using Free Email Providers

How To USE

In the folder there is a file called "emails_to_send_from.csv". You must first edit the data in this file. Now open with a text editor. Do Not Use Gmaill! III explain later.

Format:

"emails to send from.csv"

EXAMPLE FORMAT:

hotrodmike@aol.com,lhotrodmike,PASSWORD,smtp.aol.com,587,

user@gmail.com,user@gmail.com,PASSWORD,smtp.aol.com,587,

Every email provider that provides free STMP servers has different specificatings.

- 1. Column One = Email your sending from. This is helps with having all the emails go in the inbox and not the spam folder.
- 2. Column Two = SMTP server login to your email. This is
 different according to the email service that you use. Gmail
 Mail wants the full email address while aol wants just the
 username.
- 3. Column Three = SMTP server password. (Email Password)
- 4. Column Four = SMTP server addresses. Look it up if needed.
- 5. Column Five = SMTP server ports. Look the info up if needed.

File: "target_emails.txt" .

Edit this file and add your list of targeted emails.



TO USE THIS FOR SMS BOMBING INSTEAD OF EMAIL BOMBING

Instead of using emails in the "target_emails.txt" file, use phone provider gateway formats.

Example:

5553289749@vtext.com 9875550100@SMS-gateway

9825number@celforce.com 919894number@airtelmobile.com

HELP HERE

FREE PHONE NUMBER PROVIDER LOOKUP HERE

OPEN INDEX.HTML ON LOCALHOST



Just Fill out the subject and message field. Nested spintax is supported.

- {cat|Dog|cow|Go {from|to} the car|Run to the moon}
- {From {Sam|Jack|Dan|James|Derick|Fred Smith}

```
188
189 $mail = $smtp->send($to, $headers, $body);
190 sleep(2);
191 }
192
```

Sleep Function: To speed up the processing remove the sleep(2); at line 190 in mailer_flooder.php. This may produce SMTP connection errors depending on your network speed.

This has only been testing useing XAMPP on windows so far. The only email provider tested is Gmail and AOL so far. Gmail now has tons of security locks and will lock your account using this, changing IP on logins etc... Plus you have to enable less secure apps for gmail.

<u>XAMPP</u> or <u>WAMP</u> SETTINGS:

In the php.ini you must make sure this is on allow_url_fopen=On.

In the php.ini you increase:


default_socket_timeout=

max excution time=

There maybe a few more that will improve speed. Research!

10 SMTP SERVERS= SEND 10 EMAILS/SMS=

100 EMAIL/SMS MESSAGES SENT!



Suggestions:

Buy emails from <u>fiverr.com</u> very cheap. Use emails that you never have logged in with your real IP address. This does not work on <u>TOR</u>, Tor does not allow SMTP connections. Http Proxies that are slow will also increase <u>errors</u>. Change MAC Address and use a VPN provider.

OR

Use a PROXY SWITCHER software if your on Windows. LINKS:

• ARTICLE PROXY SWITCHER

• <u>PROXY NOVA</u> <u>OnyxBox - Proxy Switcher</u>

• PREMIUM PROXY SWITCHER FREE PROXY BOXY

IF YOU ARE A NEWBIE:

To Run This Just Install Wamp or XAMPP. Edit the "php.ini" as instructed above. It is Not recomended to use hosting unless you buy a offshore hosting plan. One that will allow this. <u>OFFSHORE VPS</u>
Enjoy!

Specifications

• PHP Version 5.0 or higher

Must Be Able to run PEAR. PEAR MAIL Class is preinstalled.

Limitations are NOT known. This was tested with only 12 SMTP servers.

CONNECTION ERRORS

Connection errors can be for many reasons. Like AOL will lock the SMTP server if you have not logged in within 180 days. This you will have to resolve yourself. Do NOT use Gmail. This script works and has been tested on XAMPP.

