Hermes-Lite 2.0beta4 BOM

Standard Build - September 23, 2017

| Reference | Spec | Part No. | Supplier | SKU | Price | Qty | Total |
|----------------------|-------------------------|--------------------|----------|-----------------|-------|-----|-------|
| B1,B2,B3,B4,B5,B6, | 0.1uF 0603≥X5R≥50V≤20% | C0603C104M5RACTU | Mouser | 80-C0603C104M5R | 0.01 | 108 | 1.19 |
| B7,B8,B9,B10,B11, | | | | | | | |
| B12,B13,B14,B15,B16, | | | | | | | |
| B17,B18,B19,B20,B21, | | | | | | | |
| B22,B23,B24,B25,B26, | | | | | | | |
| B27,B28,B29,B30,B31, | | | | | | | |
| B32,B33,B34,B35,B36, | | | | | | | |
| B37,B38,B39,B40,B41, | | | | | | | |
| B42,B43,B44,B45,B46, | | | | | | | |
| B47,B48,B49,B50,B51, | | | | | | | |
| B52,B53,B54,B56,B57, | | | | | | | |
| B59,B60,B61,B62,B63, | | | | | | | |
| B64,B66,B68,B69,B70, | | | | | | | |
| B71,B72,B73,B74,B75, | | | | | | | |
| B76,B77,B78,B79,B80, | | | | | | | |
| B81,B83,B84,B85,B86, | | | | | | | |
| B87,B88,B89,B90,B91, | | | | | | | |
| B92,B94,B97,B98,B99, | | | | | | | |
| B100,B101,B102,B103, | | | | | | | |
| B105,B106,B108,B109, | | | | | | | |
| B111,B113,B114,B115, | | | | | | | |
| B116,B118,B119,B120, | | | | | | | |
| B122 | | | | | | | |
| C1,C2,C3,C4,C6,C7, | 10uF 0603≥X5R≥6.3V≤20% | GRM188R60J106ME47D | Digi-Key | 490-3896-1-ND | 0.12 | 21 | 2.58 |
| C8,C9,C12,C25,C35, | | | | | | | |
| C38,C39,C40,C41,C44, | | | | | | | |
| C45,C62,C64,C66,C70 | | | | | | | |
| C5,C16,C22 | 100uF 1206≥X5R≥6.3V≤20% | GRM31CR60J107ME39K | Digi-Key | 490-7217-1-ND | 0.62 | 3 | 1.86 |
| C13,C19,C27,C90,C91 | 4.7nF 0603≥X5R≥25V≤20% | CL10B472KB8NNNC | Digi-Key | 1276-1098-1-ND | 0.10 | 5 | 0.50 |
| C14,C15,C20,C21,C28, | 22uF 0805≥X5R≥16V≤20% | CL21A226MOCLRNC | Digi-Key | 1276-6780-1-ND | 0.18 | 10 | 1.76 |
| C29,C30,C31,C32,C92 | | | | | | | |
| C17,C23,C33,C43,C48, | 10uF 1206≥X5R≥25V≤20% | CL31A106KAHNNNE | Digi-Key | 1276-1075-1-ND | 0.24 | 7 | 1.68 |
| C86,C88 | | | | | | | |
| C18,C24,C34 | 4.7uF 0805≥X5R≥25V≤20% | GRM21BR61E475KA12L | Digi-Key | 490-3335-1-ND | 0.16 | 3 | 0.48 |

| Reference | Spec | Part No. | Supplier | SKU | Price | Qty | Total |
|-----------------------|----------------------------|---------------------|------------|----------------------|-------|-----|-------|
| C26,C60,C61,C63,C65, | 1uF 0603≥X5R≥6.3V≤20% | GRM188R61C105KA93D | Digi-Key | 490-1536-1-ND | 0.08 | 12 | 1.01 |
| C67,C68,C69,C71,C72, | | | | | | | |
| C73,C74 | | | | | | | |
| C36,C37 | 15pF 0603NP0≥6.3V≤5% | CC0603JRNPO9BN150 | Digi-Key | 311-1060-1-ND | 0.10 | 2 | 0.20 |
| C46,C89,C144,C145, | 1uF 0805≥X5R≥25V≤20% | CL21B105KAFNNNE | Digi-Key | 1276-1066-1-ND | 0.11 | 6 | 0.66 |
| C146,C147 | | | | | | | |
| C49 | 75pF 0805NP0≥50V≤5% | 08051A750JAT2A | Mouser | 581-08051A750J | 0.26 | 1 | 0.26 |
| C50 | 150pF 0805NP0≥50V≤5% | CC0805JRNPO0BN151 | Digi-Key | 311-1839-1-ND | 0.14 | 1 | 0.14 |
| C51 | 160pF 0805NP0≥50V≤5% | GRM2165C2A161JA01D | Mouser | 81-GRM2165C2A161JA1D | 0.16 | 1 | 0.16 |
| C52,C57,C81 | 100pF 0805NP0≥50V≤5% | CL21C101JCANNNC | Digi-Key | 1276-1261-1-ND | 0.10 | 3 | 0.30 |
| C53 | 10pF 0805NP0≥50V≤5% | CC0805JRNPO9BN100 | Digi-Key | 311-1099-1-ND | 0.10 | 1 | 0.10 |
| C56 | 180pF 0805NP0≥50V≤5% | CC0805JRNPO0BN181 | Mouser | 603-CC805JRNPO0BN181 | 0.23 | 1 | 0.23 |
| C84 | 270pF 0805NP0≥50V≤5% | CL21C271JCANNNC | Digi-Key | 1276-2627-1-ND | 0.14 | 1 | 0.14 |
| C87 | 8.2pF 0805NP0\ge25V\leq5\% | CL21C8R2DBANNNC | Digi-Key | 1276-2697-1-ND | 0.10 | 1 | 0.10 |
| CN1 | 2x5 M 0.1in | 67997-410HLF | Digi-Key | 609-3243-ND | 0.26 | 1 | 0.26 |
| CN2 | Power | 1377g2-bk | Mouser | 879-1377G2-BK | 0.71 | 1 | 0.71 |
| CN3 | Eth MagJack | L829-1J1T-43 | Mouser | 530-L829-1J1T-43 | 5.72 | 1 | 5.72 |
| CN4 | 4x2 M 0.1in HDR RA | 61300821021 | Mouser | 710-61300821021 | 0.74 | 1 | 0.74 |
| D1 | TVS Diode | CDSOD323-T05LC | Mouser | 652-CDSOD323-T05LC | 0.80 | 1 | 0.80 |
| D2,D3,D4,D5 | LED RA | LTST-S220KFKT | Digi-Key | 160-2031-1-ND | 0.25 | 4 | 1.00 |
| D12 | TVS Diode | SMBJ18CA | Digi-Key | SMBJ18CAFSCT-ND | 0.43 | 1 | 0.43 |
| EN1 | 55x106x100 raw aluminum | Aluminum 100x100x50 | AliExpress | AliExpress | 16.78 | 1 | 16.78 |
| F1 | FUSE PTC 3.0A 24V | MF-LSMF300/24X-2 | Mouser | 652-MF-LSMF300/24X-2 | 0.47 | 1 | 0.47 |
| FB1,FB2,FB3,FB4,FB5, | FB 0603 ≥600R@100MHz | MPZ1608S601ATA00 | Digi-Key | 445-2205-1-ND | 0.07 | 28 | 2.00 |
| FB6,FB7,FB8,FB9,FB10, | ≤200mOhm@DC 1A ≤25% | | | | | | |
| FB11,FB12,FB13,FB14, | | | | | | | |
| FB15,FB16,FB17,FB18, | | | | | | | |
| FB19,FB20,FB21,FB22, | | | | | | | |
| FB23,FB24,FB25,FB26, | | | | | | | |
| FB28,FB30 | | | | | | | |
| J1,J2,J9,J10,J11, | 0Ohm 0603≤5%≥1/10W | RC0603JR-070RL | Mouser | 603-RC0603JR-070RL | 0.01 | 15 | 0.12 |
| J14,J15,J19,J21,J22, | | | | | | | |
| J30,J31,J32,L33,L34 | | | | | | | |
| K2 | Relay | EC2-3NU | Digi-Key | 399-11042-5-ND | 1.73 | 1 | 1.73 |
| L1,L3 | 3.3uH ≥2.4A | SRN5020-3R3M | Digi-Key | SRN5020-3R3MCT-ND | 0.39 | 2 | 0.78 |
| L2 | 2.2uH ≥2.4A | SRN5020-2R2Y | Mouser | 652-SRN5020-2R2Y | 0.36 | 1 | 0.36 |
| L4,L7 | 240nH | LQW2BASR24J00L | Mouser | 81-LQW2BASR24J00L | 0.24 | 2 | 0.48 |
| L5,L6,L8,L9 | 270nH | LQW2BASR27J00L | Digi-Key | 490-5671-1-ND | 0.24 | 4 | 0.96 |

| Reference | Spec | Part No. | Supplier | SKU | Price | Qty | Total |
|-----------------------|---|--------------------------|----------|---------------------|-------|-----|-------|
| L10,L11 | 330nH | LQW2BASR33J00L | Digi-Key | 490-5672-1-ND | 0.24 | 2 | 0.48 |
| PB1 | PCB | PCB | Tindie | Tindie | 18.00 | 1 | 18.00 |
| PG1 | Programmer | USB Blaster | EBay | EBay | 3.00 | 1 | 3.00 |
| Q1 | MOSFET P-CH 30V | DMP3099L-7 | Mouser | 621-DMP3099L-7 | 0.34 | 1 | 0.34 |
| Q2,Q5 | Inductive Load Driver | NUD3124LT1G | Digi-Key | NUD3124LT1GOSCT-ND | 0.50 | 2 | 1.00 |
| Q3,Q4 | RF LDMOS | AFT05MS003NT1 | Mouser | 841-AFT05MS003NT1 | 1.69 | 2 | 3.38 |
| Q6 | Thermal Sensor | $ m MCP9700T	ext{-}E/TT$ | Mouser | 579-MCP9700T-E/TT | 0.26 | 1 | 0.26 |
| R1,R42,R50,R64 | 33 0603≤1%≥1/10W | RC0603FR-0733RL | Digi-Key | 311-33.0HRCT-ND | 0.10 | 4 | 0.40 |
| R2,R3,R4,R5,R6,R7, | 10K 0603≤5%≥1/10W | RC0603FR-0710KL | Mouser | 603-RC0603FR-0710KL | 0.01 | 17 | 0.15 |
| R14,R21,R22,R23,R24, | | | | | | | |
| R25,R27,R28,R29,R131, | | | | | | | |
| R132 | | | | | | | |
| R10 | $2.2~0603 \le 5\% \ge 1/10W$ | RC0603FR-072R2L | Digi-Key | 311-2.2HRCT-ND | 0.10 | 1 | 0.10 |
| R11 | 35.7K 0603≤1%≥1/10W | RC0603FR-0735K7L | Digi-Key | 311-35.7KHRCT-ND | 0.10 | 1 | 0.10 |
| R12,R91 | 11.5K 0603≤1%≥1/10W | RC0603FR-0711K5L | Digi-Key | 311-11.5KHRCT-ND | 0.10 | 2 | 0.20 |
| R15 | 20K 0603≤1%≥1/10W | RC0603FR-0720KL | Digi-Key | 311-20.0KHRCT-ND | 0.10 | 1 | 0.10 |
| R19 | 16.2K 0603≤1%≥1/10W | RC0603FR-0716K2L | Digi-Key | 311-16.2KHRCT-ND | 0.10 | 1 | 0.10 |
| R20,R26,R49,R65,R75, | $2.2 \text{K} \ 0603 \le 5\% \ge 1/10 \text{W}$ | RC0603FR-072K2L | Digi-Key | 311-2.20KHRCT-ND | 0.10 | 8 | 0.80 |
| R76,R79,R80 | | | | | | | |
| R34 | 12.1K 0603≤1%≥1/10W | RC0603FR-0712K1L | Digi-Key | 311-12.1KHRCT-ND | 0.10 | 1 | 0.10 |
| R43,R44,R48,R53,R95, | 4.7K 0603≤5%≥1/10W | RC0603FR-074K7L | Mouser | 603-RC0603FR-074K7L | 0.01 | 12 | 0.11 |
| R101,R106,R107,R124, | | | | | | | |
| R125,R126,R130 | | | | | | | |
| R46 | 1.8K 0603≤1%≥1/10W | RC0603FR-071K8L | Digi-Key | 311-1.80KHRCT-ND | 0.10 | 1 | 0.10 |
| R47,R66 | 9.1K 0603≤1%≥1/10W | RC0603FR-079K1L | Digi-Key | 311-9.10KHRCT-ND | 0.10 | 2 | 0.20 |
| R51,R63 | 22 0603≤5%≥1/10W | RC0603FR-0722RL | Digi-Key | 311-22.0HRCT-ND | 0.10 | 2 | 0.20 |
| R52,R54,R61,R62,R94, | 12 0805≤5%≥1/8W | RC0805FR-0712RL | Digi-Key | 311-12.0CRCT-ND | 0.10 | 6 | 0.60 |
| R100 | | | | | | | |
| R55 | 120 0603≤1%≥1/10W | RC0603FR-07120RL | Digi-Key | 311-120HRCT-ND | 0.10 | 1 | 0.10 |
| R56,R59 | 330 0603≤1%≥1/10W | RC0603FR-07330RL | Digi-Key | 311-330HRCT-ND | 0.10 | 2 | 0.20 |
| R57,R58,R67,R68,R71, | 1K 0603≤5%≥1/10W | RC0603FR-071KL | Digi-Key | 311-1.00KHRCT-ND | 0.10 | 9 | 0.90 |
| R72,R73,R74,R109 | | | | | | | |
| R69,R102 | 1.6K 0603≤5%≥1/10W | RC0603FR-071K6L | Digi-Key | 311-1.60KHRCT-ND | 0.10 | 2 | 0.20 |
| R70,R127 | 27K 0603≤1%≥1/10W | RC0603FR-0727KL | Digi-Key | 311-27.0KHRCT-ND | 0.10 | 2 | 0.20 |
| R77,R78,R81,R82,R120, | 100 0603≤1%≥1/10W | RC0603FR-07100RL | Digi-Key | 311-100HRCT-ND | 0.10 | 7 | 0.70 |
| R121,R122 | | | | | | | |
| R92,R99,R108,R133, | 270 0603≤5%≥1/10W | RC0603FR-07270RL | Digi-Key | 311-270HRCT-ND | 0.10 | 5 | 0.50 |
| R134 | | | | | | | |

| Reference | Spec | Part No. | Supplier | SKU | Price | Qty | Total |
|-----------|------------------------|--|----------|----------------------|-------|-----|-------|
| R123 | 0.04 1206≤1%≥1/4W | RL1206FR-070R04L | Digi-Key | 31104LWCT-ND | 0.60 | 1 | 0.60 |
| RF1,RF2 | SMA Straight | 5-1814832-1 | Mouser | 571-5-1814832-1 | 1.58 | 2 | 3.16 |
| T1 | 1:1 RF Transformer | MABAES0060 | Mouser | 937-MABAES0060 | 2.35 | 1 | 2.35 |
| T2 | 8:1 RF Transformer | MABA-010143-FLUX18 | Mouser | 937-MABA010143FLUX18 | 3.15 | 1 | 3.15 |
| ТЗ | 4:1 RF Transformer | B62152A4X30 | Mouser | 871-B62152A4X30 | 1.04 | 1 | 1.04 |
| U1 | EEPROM 2Mx8bit >40MHz | W25Q16JVSNIQ | Digi-Key | W25Q16JVSNIQ-ND | 0.48 | 1 | 0.48 |
| U2 | FPGA | EP4CE22E22C8N | Digi-Key | 544-3193-ND | 35.52 | 1 | 35.52 |
| U3,U8,U16 | Switching Regulator | ST1S10PHR | Mouser | 511-ST1S10PHR | 1.63 | 3 | 4.89 |
| U4 | Gigabit EthPhy | KSZ9031RNXCC | Mouser | 998-KSZ9031RNXCC | 3.38 | 1 | 3.38 |
| U6 | Clock Generator | 5P49V5923B000NLGI | Digi-Key | 800-3404-ND | 2.80 | 1 | 2.80 |
| U7 | RF ADC DAC | AD9866BCPZ | Mouser | 584-AD9866BCPZ | 35.62 | 1 | 35.62 |
| U9 | RF Preamp OpAmp | OPA2677IDDA | Digi-Key | OPA2677IDDA | 3.90 | 1 | 3.90 |
| U10,U11 | RF Switch | 4259-63 | Digi-Key | 1046-1011-1-ND | 0.65 | 2 | 1.30 |
| U12 | LDO Regulator | AP2204MP-ADJTRG1 | Mouser | 621-AP2204MP-ADJTRG1 | 0.51 | 1 | 0.51 |
| U13 | Slow ADC | MAX11613EUA | Mouser | 700-MAX11613EUA | 1.75 | 1 | 1.75 |
| U14 | Current Sense AMP | INA199A1DC | Mouser | INA199A1DC | 0.84 | 1 | 0.84 |
| U15 | Digital Rheostat 5K | $\mathrm{MCP4662}\text{-}502\mathrm{E/UN}$ | Digi-Key | MCP4662-502E/UN-ND | 1.32 | 1 | 1.32 |
| U17 | LDO Regulator | TPS73025DBVR | Mouser | 595-TPS73025DBVR | 0.69 | 1 | 0.69 |
| U19 | LDO 10V 150mA | LP2985-10DBVR | Mouser | 595-LP2985-10DBVR | 0.58 | 1 | 0.58 |
| X1 | 25MHz XTAL | NX3225SA-25.000M-STD-CSR-3 | Digi-Key | 644-1267-1-ND | 0.76 | 1 | 0.76 |
| X2 | 38.4MHz Osc 3.3V≤10ppm | ASTXR-12-38.400MHZ-514054-T | Digi-Key | 535-13192-1-ND | 2.18 | 1 | 2.18 |

Total Price: \$186.03

Line Items: SMT:73 Assembled TH:5 Manual TH:5 Total:83 Parts: SMT:363 Assembled TH:5 Manual TH:6 Total:374 Pins: SMT:1082 Assembled TH:48 Manual TH:14 Total:1144

Do Not Include: B55 B58 B65 B67 B82 B96 B104 B107 B112 B117 B121 C10 C11 C42 C47 C54 C55 C58 C59 C75 C76 C77 C78 C79 C80 C82 C83 C85 C148 C149 CL1 CL2 CL3 CL4 CN5 CN6 CN7 CN8 CN9 CN10 CN11 CN12 D6 D7 D8 D9 D10 D11 D13 D14 DB1 DB2 DB3 DB4 DB5 DB6 DB7 DB8 DB9 DB10 DB11 DB12 DB14 DB16 DB17 DB19 DB20 DB22 DB23 DB24 DB26 DB27 FB27 FB29 J3 J4 J5 J6 J7 J8 J12 J13 J16 J17 J18 J20 J23 Q7 R8 R9 R13 R16 R17 R18 R30 R31 R32 R33 R35 R36 R37 R38 R39 R40 R41 R45 R60 R83 R84 R85 R86 R87 R88 R89 R90 R93 R96 R97 R98 R103 R104 R112 R113 R114 R115 R116 R117 R118 R119 R128 R129 R135 RF3 U5 U18 X3