Hermes-Lite 2.0build9 BOM

DIY Hand Build - August 15, 2019

| Reference | Spec | Part No. | Supplier | SKU | Price | Qty | Total |
|----------------------|---|--------------------|----------|---------------------|-------|-----|-------|
| B1,B2,B3,B4,B5,B6, | $0.1 \text{uF } 0603 \ge \text{X5R} \ge 25 \text{V} \le 20\%$ | C0603C104M5RACTU | Digi-Key | 399-7845-1-ND | 0.02 | 104 | 1.97 |
| B7,B8,B9,B10,B11, | | | | | | | |
| B12,B13,B14,B15,B16, | | | | | | | |
| B17,B18,B19,B20,B21, | | | | | | | |
| B22,B23,B24,B25,B26, | | | | | | | |
| B27,B28,B29,B30,B31, | | | | | | | |
| B32,B33,B34,B35,B36, | | | | | | | |
| B37,B38,B39,B40,B41, | | | | | | | |
| B42,B43,B44,B45,B46, | | | | | | | |
| B47,B48,B49,B50,B51, | | | | | | | |
| B52,B53,B54,B56,B57, | | | | | | | |
| B59,B60,B61,B62,B63, | | | | | | | |
| B64,B66,B68,B70,B72, | | | | | | | |
| B73,B74,B75,B77,B78, | | | | | | | |
| B80,B81,B83,B84,B85, | | | | | | | |
| B86,B87,B88,B89,B90, | | | | | | | |
| B91,B92,B94,B97,B98, | | | | | | | |
| B99,B100,B101,B102, | | | | | | | |
| B103,B105,B106,B108, | | | | | | | |
| B109,B111,B113,B114, | | | | | | | |
| B115,B116,B118,B119, | | | | | | | |
| B120,B122 | | | | | | | |
| C1,C2,C3,C4,C6,C7, | $10 \text{uF } 0603 \ge \text{X5R} \ge 6.3 \text{V} \le 20\%$ | GRM188R60J106KE47D | Digi-Key | 490-12538-1-ND | 0.12 | 21 | 2.48 |
| C8,C9,C12,C25,C35, | | | | | | | |
| C38,C39,C40,C41,C44, | | | | | | | |
| C45,C62,C64,C66,C70 | | | | | | | |
| C5,C16,C22 | 100uF 1206≥X5R≥6.3V≤20% | GRM31CR60J107ME39K | Digi-Key | 490-7217-1-ND | 0.98 | 3 | 2.94 |
| C13,C19,C27,C90,C91 | 4.7nF 0603\ge X5R\ge 25V\le 20\% | CL10B472KB8NNNC | Digi-Key | 1276-1098-1-ND | 0.10 | 5 | 0.50 |
| C14,C15,C20,C21,C28, | 22uF 0805≥X5R≥16V≤20% | CL21A226MOCLRNC | Digi-Key | 1276-6780-1-ND | 0.21 | 10 | 2.11 |
| C29,C30,C31,C32,C92 | | | | | | | |
| C17,C23,C33,C43,C48, | 10uF 1206≥X5R≥25V≤20% | CL31A106KAHNNNE | Digi-Key | 1276-1075-1-ND | 0.22 | 7 | 1.54 |
| C86,C88 | | | 1 | | | | |
| C18,C24,C34 | 4.7uF 0805\(\ge X5R\ge 25V\le 20\%\) | TMK212BJ475KG-T | Mouser | 963-TMK212BJ475KG-T | 0.28 | 3 | 0.84 |
| C26,C60,C61,C63,C65, | 1uF 0603≥X5R≥6.3V≤20% | LMK107B7105KA-T | Mouser | 963-LMK107B7105KA-T | 0.04 | 10 | 0.38 |
| C67,C68,C69,C71,C72 | | | | | | | |

| Reference | Spec | Part No. | Supplier | SKU | Price | Qty | Total |
|-----------------------|---|------------------------|------------|----------------------|-------|-----|-------|
| C36,C37 | 15pF 0603NP0≥6.3V≤5% | CC0603JRNPO9BN150 | Digi-Key | 311-1060-1-ND | 0.10 | 2 | 0.20 |
| C46,C89,C144,C145, | 1uF 0805≥X5R≥25V≤20% | CL21B105KAFNNNE | Digi-Key | 1276-1066-1-ND | 0.11 | 6 | 0.66 |
| C146,C147 | | | | | | | |
| C49 | 75pF 0805NP0≥50V≤5% | 08051A750JAT2A | Digi-Key | 478-3743-1-ND | 0.27 | 1 | 0.27 |
| C50 | $150 pF 0805 NP0 \ge 50 V \le 5\%$ | CL21C151JCANNNC | Digi-Key | 1276-2591-1-ND | 0.17 | 1 | 0.17 |
| C51 | $160 pF 0805 NP0 \ge 50 V \le 5\%$ | GRM2165C2A161JA01D | Digi-Key | 490-1604-1-ND | 0.18 | 1 | 0.18 |
| C52,C57,C81 | $100 \text{pF} \ 0805 \text{NP0} \ge 50 \text{V} \le 5\%$ | CL21C101JCANNNC | Digi-Key | 1276-1261-1-ND | 0.11 | 3 | 0.33 |
| C53 | $10 \text{pF} \ 0805 \text{NP0} \ge 50 \text{V} \le 5\%$ | CC0805JRNPO9BN100 | Digi-Key | 311-1099-1-ND | 0.11 | 1 | 0.11 |
| C56 | $180 \text{pF} \ 0805 \text{NPO} \ge 50 \text{V} \le 5\%$ | CC0805JRNPO0BN181 | Digi-Key | 311-4220-1-ND | 0.18 | 1 | 0.18 |
| C84 | $390 pF 0805 NP0 \ge 50 V \le 5\%$ | CL21C391JBANNNC | Digi-Key | 1276-1303-1-ND | 0.12 | 1 | 0.12 |
| C87 | $8.2 pF 0805 NP0 \ge 25V \le 5\%$ | CL21C8R2DBANNNC | Digi-Key | 1276-2697-1-ND | 0.10 | 1 | 0.10 |
| CN1 | 2x5 M 0.1in | 67997-410HLF | Digi-Key | 609-3243-ND | 0.27 | 1 | 0.27 |
| CN2 | Power | PJ-102AH | Mouser | 490-PJ-102AH | 0.76 | 1 | 0.76 |
| CN3 | Eth MagJack | L829-1J1T-43 | Mouser | 530-L829-1J1T-43 | 6.48 | 1 | 6.48 |
| CN4 | CW Jack | SJ1-3525N | Digi-Key | CP1-3525N-ND | 0.76 | 1 | 0.76 |
| D1 | TVS Diode | CDSOD323-T05LC | Mouser | 652-CDSOD323-T05LC | 0.78 | 1 | 0.78 |
| D2,D3,D4,D5 | LED RA | LTST-S220KFKT | Mouser | 859-LTST-S220KFKT | 0.23 | 4 | 0.92 |
| D8 | TVS Diode | SM05.TCT | Mouser | 947-SM05.TCT | 0.62 | 1 | 0.62 |
| D12 | TVS Diode | SMBJ18CA | Digi-Key | SMBJ18CABCT-ND | 0.42 | 1 | 0.42 |
| DB7 | 20 Pin Single Row 0.1in | PRPC040SAAN-RC | Digi-Key | S1011EC-40-ND | 0.66 | 1 | 0.66 |
| F1 | FUSE PTC 3.0A 24V | MF-LSMF300/24X-2 | Mouser | 652-MF-LSMF300/24X-2 | 0.80 | 1 | 0.80 |
| FB1,FB2,FB3,FB4,FB5, | FB 0603 ≥600R@100MHz | MPZ1608S601ATA00 | Digi-Key | 445-2205-1-ND | 0.07 | 28 | 2.00 |
| FB6,FB7,FB8,FB9,FB10, | ≤200mOhm@DC 1A ≤25% | | | | | | |
| FB11,FB12,FB13,FB14, | | | | | | | |
| FB15,FB16,FB17,FB18, | | | | | | | |
| FB19,FB20,FB21,FB22, | | | | | | | |
| FB23,FB24,FB25,FB26, | | | | | | | |
| FB28,FB30 | | | | | | | |
| HS2 | 14X14mm Raspberry Pi Heatsink | Raspberry Pi Heat Sink | AliExpress | AliExpress | 0.25 | 1 | 0.25 |
| HS7 | 9X9mm Raspberry Pi | Raspberry Pi Heat Sink | AliExpress | AliExpress | 0.25 | 1 | 0.25 |
| H31 | Heatsink | · | AllExpress | AllExpress | 0.20 | 1 | 0.20 |
| J1,J2,J5,J9,J10,J11, | 0Ohm 0603≤5%≥1/10W | CR0603-J/-000ELF | Mouser | 652-CR0603-J/-000ELF | 0.01 | 25 | 0.20 |
| J13,J15,J17,J18,J19, | | | | | | | |
| J21,J22,J23,J24,J25, | | | | | | | |
| J26,J27,J28,J29,J30, | | | | | | | |
| J31,J32,L33,L34 | | | | | | | |
| K2 | Relay | EC2-3NU | Digi-Key | 399-11042-5-ND | 1.73 | 1 | 1.73 |

| Reference | Spec | Part No. | Supplier | SKU | Price | Qty | Total |
|----------------------|--|--------------------------|----------|----------------------|-------|-----|-------|
| L1,L3 | $3.3 \mathrm{uH} \ge 2.4 \mathrm{A}$ | SRR4528A-3R3Y | Mouser | 652-SRR4528A-3R3Y | 0.67 | 2 | 1.34 |
| L2 | 2.2uH ≥2.4A | SRR4528A-2R2Y | Mouser | 652-SRR4528A-2R2Y | 0.67 | 1 | 0.67 |
| L4,L7 | 240nH | LQW2BASR24J00L | Digi-Key | 490-5670-1-ND | 0.24 | 2 | 0.48 |
| L5,L6,L8,L9 | 270nH | LQW2BASR27J00L | Digi-Key | 490-5671-1-ND | 0.24 | 4 | 0.96 |
| L10,L11 | 330nH | LQW2BASR33J00L | Digi-Key | 490-5672-1-ND | 0.24 | 2 | 0.48 |
| Q1 | MOSFET P-CH 30V | DMP3099L-7 | Mouser | 621-DMP3099L-7 | 0.33 | 1 | 0.33 |
| Q2,Q5 | Inductive Load Driver | NUD3124LT1G | Mouser | 863-NUD3124LT1G | 0.43 | 2 | 0.86 |
| Q3,Q4 | RF LDMOS | AFT05MS003NT1 | Mouser | 841-AFT05MS003NT1 | 3.30 | 2 | 6.60 |
| Q6 | Thermal Sensor | $ m MCP9700T	ext{-}E/TT$ | Mouser | 579-MCP9700T-E/TT | 0.25 | 1 | 0.25 |
| R1,R41,R42,R45,R50, | 33 0603≤1%≥1/10W | RC0603FR-0733RL | Digi-Key | 311-33.0HRCT-ND | 0.10 | 6 | 0.60 |
| R64 | · | | | | | | |
| R2,R3,R4,R5,R6,R7, | 10K 0603≤5%≥1/10W | RC0603FR-0710KL | Mouser | 603-RC0603FR-0710KL | 0.02 | 19 | 0.34 |
| R13,R14,R16,R21,R22, | | | | | | | |
| R23,R24,R25,R27,R28, | | | | | | | |
| R29,R131,R132 | | | | | | | |
| R10 | $2.2~0603 \le 5\% \ge 1/10W$ | RC0603FR-072R2L | Digi-Key | 311-2.2HRCT-ND | 0.10 | 1 | 0.10 |
| R11 | $35.7 \text{K} \ 0603 \le 1\% \ge 1/10 \text{W}$ | RC0603FR-0735K7L | Digi-Key | 311-35.7KHRCT-ND | 0.10 | 1 | 0.10 |
| R12,R91 | $11.5 \text{K} \ 0603 \le 1\% \ge 1/10 \text{W}$ | RC0603FR-0711K5L | Digi-Key | 311-11.5KHRCT-ND | 0.10 | 2 | 0.20 |
| R15 | 20K 0603≤1%≥1/10W | RC0603FR-0720KL | Digi-Key | 311-20.0KHRCT-ND | 0.10 | 1 | 0.10 |
| R19 | 16.2K 0603≤1%≥1/10W | RC0603FR-0716K2L | Digi-Key | 311-16.2KHRCT-ND | 0.10 | 1 | 0.10 |
| R20,R26,R49,R65,R75, | $2.2 \text{K} \ 0603 \le 5\% \ge 1/10 \text{W}$ | RC0603FR-072K2L | Digi-Key | 311-2.20KHRCT-ND | 0.10 | 6 | 0.60 |
| R76 | | | | | | | |
| R34 | $12.1 \text{K} \ 0603 \le 1\% \ge 1/10 \text{W}$ | RC0603FR-0712K1L | Digi-Key | 311-12.1KHRCT-ND | 0.10 | 1 | 0.10 |
| R39 | 130 0603≤1%≥1/10W | RC0603FR-07130RL | Digi-Key | 311-130HRCT-ND | 0.10 | 1 | 0.10 |
| R40 | 75 0603≤5%≥1/10W | RC0603FR-0775RL | Digi-Key | 311-75.0HRCT-ND | 0.10 | 1 | 0.10 |
| R43,R44,R48,R53,R95, | 4.7K 0603≤5%≥1/10W | CR0603-FX-4701ELF | Mouser | 652-CR0603FX-4701ELF | 0.01 | 15 | 0.15 |
| R101,R106,R107,R117, | | | | | | | |
| R118,R119,R124,R125, | | | | | | | |
| R126,R130 | | | | | | | |
| R46 | 1.8K 0603≤1%≥1/10W | RC0603FR-071K8L | Digi-Key | 311-1.80KHRCT-ND | 0.10 | 1 | 0.10 |
| R47,R66 | $9.1 \text{K} \ 0603 \le 1\% \ge 1/10 \text{W}$ | RC0603FR-079K1L | Digi-Key | 311-9.10KHRCT-ND | 0.10 | 2 | 0.20 |
| R51,R63 | $22~0603{\le}5\%{\ge}1/10W$ | RC0603FR-0722RL | Digi-Key | 311-22.0HRCT-ND | 0.10 | 2 | 0.20 |
| R52,R54,R61,R62,R94, | $12~0805 \le 5\% \ge 1/8W$ | RC0805FR-0712RL | Digi-Key | 311-12.0CRCT-ND | 0.10 | 6 | 0.60 |
| R100 | | | | | | | |
| R55 | $120~0603 \le 1\% \ge 1/10W$ | RC0603FR-07120RL | Digi-Key | 311-120HRCT-ND | 0.10 | 1 | 0.10 |
| R56,R59 | $330~0603 \le 1\% \ge 1/10W$ | RC0603FR-07330RL | Digi-Key | 311-330HRCT-ND | 0.10 | 2 | 0.20 |
| R57,R58,R67,R68,R71, | $1 \text{K } 0603 \le 5\% \ge 1/10 \text{W}$ | RC0603FR-071KL | Digi-Key | 311-1.00KHRCT-ND | 0.10 | 9 | 0.90 |
| R72,R73,R74,R109 | | | | | | | |

| Reference | Spec | Part No. | Supplier | SKU | Price | Qty | Total |
|--------------------|---|-----------------------------|----------|-----------------------------------|-------|-----|-------|
| R69,R102 | $1.6 \text{K} \ 0603 \le 5\% \ge 1/10 \text{W}$ | RC0603FR-071K6L | Digi-Key | 311-1.60KHRCT-ND | 0.10 | 2 | 0.20 |
| R70,R127 | $27 \text{K} \ 0603 \le 1\% \ge 1/10 \text{W}$ | RC0603FR-0727KL | Digi-Key | 311-27.0KHRCT-ND | 0.10 | 2 | 0.20 |
| R77,R78 | 100 0603≤1%≥1/10W | RC0603FR-07100RL | Digi-Key | 311-100HRCT-ND | 0.10 | 2 | 0.20 |
| R92,R99,R108,R133, | $270~0603 \le 5\% \ge 1/10W$ | RC0603FR-07270RL | Digi-Key | 311-270HRCT-ND | 0.10 | 5 | 0.50 |
| R134 | | | | | | | |
| R123 | $0.04\ 1206 \le 1\% \ge 1/4W$ | RL1206FR-070R04L | Digi-Key | 31104LWCT-ND | 0.55 | 1 | 0.55 |
| T1 | 1:1 RF Transformer | MABAES0060 | Mouser | 937-MABAES0060 | 2.35 | 1 | 2.35 |
| T2 | 8:1 RF Transformer | MABA-010143-FLUX18 | Mouser | 937-MABA010143FLUX18 | 3.15 | 1 | 3.15 |
| T3 | 4:1 RF Transformer | B62152A4X30 | Mouser | 871-B62152A4X30 | 1.04 | 1 | 1.04 |
| U1 | EEPROM 2Mx8bit >40MHz | W25Q16JVSNIQ | Digi-Key | W25Q16JVSNIQ-ND | 0.49 | 1 | 0.49 |
| U2 | FPGA | EP4CE22E22C8N | Digi-Key | 544-3193-ND | 35.52 | 1 | 35.52 |
| U3,U8,U16 | Switching Regulator | ST1S10PHR | Mouser | 511-ST1S10PHR | 1.76 | 3 | 5.28 |
| U4 | Gigabit EthPhy | KSZ9031RNXCC | Mouser | 998-KSZ9031RNXCC | 2.89 | 1 | 2.89 |
| U6 | Clock Generator | 5P49V5923B000NLGI | Digi-Key | 800-3404-ND | 2.80 | 1 | 2.80 |
| U7 | RF ADC DAC | AD9866BCPZ | Mouser | 584-AD9866BCPZ | 35.62 | 1 | 35.62 |
| U9 | RF Preamp OpAmp | OPA2677IDDA | Digi-Key | 296-33472-5-ND | 5.12 | 1 | 5.12 |
| U10,U11 | RF Switch | 4259-63 | Digi-Key | 1046-1011-1-ND | 0.65 | 2 | 1.30 |
| U12 | LDO Regulator | AP2204MP-ADJTRG1 | Mouser | 621-AP2204MP-ADJTRG1 | 0.51 | 1 | 0.51 |
| U13 | Slow ADC | MAX11613EUA | Mouser | 700-MAX11613EUA | 1.93 | 1 | 1.93 |
| U14 | Current Sense AMP | INA199A1DCKR | Mouser | 595-INA199A1DCKR | 0.83 | 1 | 0.83 |
| U15 | Digital Rheostat 5K | m MCP4662-502E/UN | Mouser | $579	ext{-}MCP4662	ext{-}502E/UN$ | 1.29 | 1 | 1.29 |
| U17 | LDO Regulator | TPS73025DBVR | Mouser | 595-TPS73025DBVR | 0.69 | 1 | 0.69 |
| U19 | LDO 10V 150mA | LP2985-10DBVR | Digi-Key | 296-24263-1-ND | 0.60 | 1 | 0.60 |
| W1 | 21cm PFTE silver plated | 400R0111-24-9 | Mouser | 400R0111-24-9 | 0.50 | 1 | 0.50 |
| | 24to30AWG wire | | | | | | |
| X1 | 25MHz XTAL | NX3225SA-25.000M-STD-CSR-3 | Mouser | 344-NX3225SA25MCSR3 | 1.08 | 1 | 1.08 |
| X2 | 38.4MHz Osc 3.3V≤10ppm | ASTXR-12-38.400MHZ-514054-T | Digi-Key | 535-13192-1-ND | 2.25 | 1 | 2.25 |

Total Price: \$155.73

Line Items: SMT:76 TH:10 Total:86 Parts: SMT:370 TH:10 Total:380 Pins: SMT:1097 TH:71 Total:1168

Do Not Include: B55 B104 B107 C42 C47 C54 C55 C58 C59 C79 C80 C82 C83 C85 C148 C149 CL1 CL2 CL3 CL4 CL5 CL6 CL7 CL8 CL10 CN7 CN8 CN9 CN10 D6 D7 DB1 DB2 DB3 DB6 DB8 DB9 DB11 DB12 DB13 DB14 DB15 DB17 DB20 DB23 DB27 J3 J4 J6 J7 J8 J12 J14 J16 J20 R8 R9 R17 R36 R38 R60 R93 R96 R97 R98 R104 R112 R115 R128 R129 R135 RF1 RF2 RF3 RF4 RF5 RF6 RF7 X3