
高通硬件基带技术期刊2016-4-5

QUALCOMM°

Qualcomm Technologies, Inc.

Confidential and Proprietary – Qualcomm Technologies, Inc. 机密和专有信息——高通技术股份有限公司



Confidential and Proprietary – Qualcomm Technologies, Inc.

Confidential and Proprietary – Qualcomm Technologies, Inc.

NO PUBLIC DISCLOSURE PERMITTED: Please report postings of this document on public servers or web sites to: DocCtrlAgent@qualcomm.com. 禁 **止公开**:如在公共服务器或网站上发现本文档,请报告至: DocCtrlAgent@qualcomm.com.

Restricted Distribution: Not to be distributed to anyone who is not an employee of either Qualcomm or its affiliated without the express approval of Qualcomm's Configuration Management. 限制分发:未经高通配置管理部门的明示批准,不得发布给任何非高通或高通附属及关联公司员工的人。 Not to be used, copied, reproduced, or modified in whole or in part, nor its contents revealed in any manner to others without the express written permission of Qualcomm Technologies, Inc. 未经高通技术股份有限公司明示的书面允许,不得使用、复印、 复制、或修改全部或部分文档,不得以任何 形式向他人透露其内容。

The user of this documentation acknowledges and agrees that any Chinese text and/or translation herein shall be for reference purposes only and that in the event of any conflict between the English text and/or version and the Chinese text and/or version, the English text and/or version shall be controlling. 本文档的用户知悉并同意中文文本和/或翻译仅供参考之目的,如英文 文本和/或版本和中文文本和/或版本之间存在冲突,以英文文本和/或版本为准。 This document contains confidential and proprietary information and must be shredded when discarded. 未经高通明示的书面允许,不得使用、复印、 复制全部或部分文档,不得以任何形式向他人透露其内容。本文档含有高通机密和专有信息,丢弃时必须粉碎销毁。

Qualcomm reserves the right to make changes to the product(s) or information contained herein without notice. No liability is assumed for any damages arising directly or indirectly by their use or application. The information provided in this document is provided on an "as is" basis. 高通保留未经通知即修 改本文档中提及的产品或信息的权利。本公司对使用或应用本文档所产生的直接或间接损失概不负责。本文档中的信息为基于现状所提供,使用风险由用 户白行承担。

Qualcomm is a trademark of QUALCOMM Incorporated, registered in the United States and other countries. All QUALCOMM Incorporated trademarks are used with permission. Other product and brand names may be trademarks or registered trademarks of their respective owners. Qualcomm是高通公 司在美国及其它国家注册的商标。所有高通公司的商标皆获得使用许可。 其它产品和品牌名称可能为其各自所有者的商标或注册商标。

This technical data may be subject to U.S. and international export, re-export, or transfer ("export") laws. Diversion contrary to U.S. and international law is strictly prohibited. 本文档及所含技术资料可能受美国和国际出口、再出口或转移出口法律的限制。严禁违反或偏离美国和国际的相关法律。

> Qualcomm Technologies, Inc. 5775 Morehouse Drive San Diego, CA 92121 U.S.A. 高通技术股份有限公司,美国加利福尼亚州圣地亚哥市莫豪斯路 5775 号,邮编 92121

Revision History


Revision	Date	Description
Α	Apr 2016	Initial release

Note: There is no Rev. I, O, Q, S, X, or Z per Mil. standards.

Contents

- Baseband
- audio
- PMIC and SMB

Baseband




DDR 仿真


- 适用平台:所有做仿真的平台
- 问题描述:由于DDR仿真需要和memory vendor索取相关的资料(IBIS, DDR package),请客户务必在实际仿真需求前(至 少提前10天)和高通确认仿真工具是否ok,不然也许会影响到仿真的进度,以及项目的风险/进度。
- 确认方法:
 - 建议直接提仿真的相关case
 - 或者发邮件给wshen@qti.qualcomm.com

MSM8937/MSM8917/MSM8940

- 适用平台: MSM8937/MSM8917/MSM8940
- 问题描述:在MSM8937/MSM8914/MSM8940平台上,需要在PM PON RESET N信号上加10nF电容, 此信号与MSM8937, PM8937以及PMI8937都有连接,如果摆放位置不正确,就不会发挥应有的作用。
- 推荐:由于对于PM_PON_RESET_N的干扰源尚不明确,而受干扰的是MSM端的RESIN_N pin,因此建 议将此电容靠近MSM的RESIN_N pin摆放。




Audio




PM8952/PM8956/PM8953 boost pin damage

- 适用平台:PM8952/PM8956/PM8937
- 问题描述: 当PM的内部5v boost不用,但需使用speaker PA时,推荐把BOOST_SNS, VREG_BOOST, VSW_BOOST, and VDD_SPKR_PA 接到VPH_PWR或者外部的boost电源。但是,如果软件没有把内部 boost 关掉,则会出现概率性的喇叭无声或输出异常情况,BOOST_SNS/VREG_BOOST/VSW_BOOST pin被损坏
- 推荐: 在软件中disable internal boost

Disable BOOST on SW is by mixer control <ctl name="Speaker Boost" value="DISABLE" />



PMIC



PMIC –SMB CSIR for different platform(1)

- SMB1351和SMB1357有不同的版本。不同的PMIC芯片需要配合相应版本的SMB芯片才能工作。
- 其中,芯片丝印的第三行最后两个数字PID对应Ordering PN末两位数字;第五行最后两个数字RR对应 Ordering PN倒数第四、五两位数字

Platform	SMB Product	Default CSIR	Ordering PN
PMI8994 (parallel charging) (MSM8992/4)	SMB1357	2144	SMB-1357-0-30CWLCSP-TR- 05-0-07
PMI8996 (parallel charging) (MSM8992/4/6)	SMB1351 r2.0	2352	SMB-1351-0-49CWLNSP-TR- 01-0-05
PMI8996 (parallel charging) (MSM8992/4/6)	SMB1351 r2.1	2363	SMB-1351-0-49CWLNSP-TR- 02-0-00
PMI8996 (parallel charging) (MSM8992/4/6)	SMB1350 r2.0	2346	SMB-1350-0-49CWLNSP-TR- 01-0-00
PMI8996 (parallel charging) (MSM8992/4/6)	SMB1350 r2.1	2362	SMB-1350-0-49CWLNSP-TR- 02-0-00
PMI8952 (parallel charging) (MSM8937/8953)	SMB1358	2265	SMB-1358-0-30CWLCSP-TR- 05-0-05
PMI8952 (parallel charging) (MSM8937/8952/8953/8956/8976)	SMB1351 r2.0	2352	SMB-1351-0-49CWLNSP-TR- 01-0-05
PMI8952 (parallel charging) (MSM8937/8952/8953/8956/8976)	SMB1351 r2.1	2363	SMB-1351-0-49CWLNSP-TR- 02-0-00
PMI8952 (parallel charging) (MSM8937/8952/8953/8956/8976)	SMB1350 r2.0	2346	SMB-1350-0-49CWLNSP-TR- 01-0-00
PMI8952 (parallel charging) (MSM8937/8952/8953/8956/8976)	SMB1350 r2.1	2362	SMB-1350-0-49CWLNSP-TR- 02-0-00

PMIC –SMB CSIR for different platform(2)

□ 对于SMB1357 , 请见下表:

□ 其中,芯片丝印的第三行最后两个数字列在chip mark列中

Platform	SMB Product	Default CSIR	Ordering PN
PM8916 (MSM8916/29/39)	SMB1360	2289 (4.35V Generic)	SMB-1360-0-30DWLNSP-TR- 03-0-15
PM8916 (MSM8916/29/39)	SMB1360	2337(4.2V Generic)	SMB-1360-0-30DWLNSP-TR- 03-0-29
PM8916 (MSM8916/29/39)	SMB1360	2334(4.4V Generic)	SMB-1360-0-30DWLNSP-TR- 03-0-28
PM8916 (MSM8916/29/39)	SMB1357	2266	SMB-1357-0-30CWLCSP-TR- 05-0-10
PM8916 (MSM8916/29/39)	SMB1358	2278	SMB-1358-0-30CWLCSP-TR- 05-0-06
PM8916 (MSM8916/29/39)	SMB358	2166	SMB358SET-2166Y
PM8916 (MSM8939)	SMB1351 r2.1	2413	SMB-1351-0-49CWLNSP-TR- 01-0-15
PM8916 (MSM8939)	SMB1350 r2.1	2414	SMB-1350-0-49CWLNSP-TR- 02-0-02
PM8909 (MSM8909)	SMB358	2166	SMB358SET-2166Y
PM8909 (MSM8909W)	SMB231	2412	SMB231ET-2412Y
PM8909 (MSM8909)	SMB1351 r2.1	2413	SMB-1351-0-49CWLNSP-TR- 01-0-15
PM8909 (MSM8909)	SMB1350 r2.1	2414	SMB-1350-0-49CWLNSP-TR- 02-0-02

关于电池特性测试的说明

- □ 建议新的case时的第一项:<case record type>应该选择"Battery Characterization"。 注意不是<case Type>。
- □ 把电池的spec上传到case中,必须标明"国防检测电压门限值","容量"以及"恒压充电电压"。
- □ 邮寄电池时,请在电池或包装盒上标准对应的case#,只要完整的保护电路板的电池包,不需要手机,也不要只快递锂电芯。
- □ 每种电池快递3块,测试两块去平均值,另外一块备用。
- □ 由于目前实验室测试设备有限,以及每种电池测试时间大概在2周左右,排队时间为2-3周,请提前做好规划,提case,快递电池。
- □ 另外不要使用到付费方式,否则直接退回。
- 参考文档: 80-VT310-24