
高通协议技术期刊 -2015/02/12

QIIALCONN®

Qualcomm Technologies, Inc.

Confidential and Proprietary – Qualcomm Technologies, Inc. 机密和专有信息——高通技术股份有限公司



Confidential and Proprietary – Qualcomm Technologies, Inc.

Confidential and Proprietary - Qualcomm Technologies, Inc.

NO PUBLIC DISCLOSURE PERMITTED: Please report postings of this document on public servers or web sites to: DocCtrlAgent@qualcomm.com. 禁止公开:如在公共服务器或网站上发现本文档,请报告至:DocCtrlAgent@qualcomm.com.

Restricted Distribution: Not to be distributed to anyone who is not an employee of either Qualcomm or its affiliated without the express approval of Qualcomm's Configuration Management. 限制分发:未经高通配置管理部门的明示批准,不得发布给任何非高通或高通附属及关联公司员工的人。 Not to be used, copied, reproduced, or modified in whole or in part, nor its contents revealed in any manner to others without the express written permission of Qualcomm Technologies, Inc. 未经高通技术股份有限公司明示的书面允许,不得使用、复印、 复制、或修改全部或部分文档,不得以任何形式向他人透露其内容。

The user of this documentation acknowledges and agrees that any Chinese text and/or translation herein shall be for reference purposes only and that in the event of any conflict between the English text and/or version and the Chinese text and/or version, the English text and/or version shall be controlling. 本文档的用户知悉并同意中文文本和/或翻译仅供参考之目的,如英文 文本和/或版本和中文文本和/或版本之间存在冲突,以英文文本和/或版本为准。 This document contains confidential and proprietary information and must be shredded when discarded. 未经高通明示的书面允许,不得使用、复印、复制全部或部分文档,不得以任何形式向他人透露其内容。本文档含有高通机密和专有信息,丢弃时必须粉碎销毁。

Qualcomm reserves the right to make changes to the product(s) or information contained herein without notice. No liability is assumed for any damages arising directly or indirectly by their use or application. The information provided in this document is provided on an "as is" basis. 高通保留未经通知即修改本文档中提及的产品或信息的权利。本公司对使用或应用本文档所产生的直接或间接损失概不负责。本文档中的信息为基于现状所提供,使用风险由用户自行承担。

Qualcomm is a trademark of QUALCOMM Incorporated, registered in the United States and other countries. All QUALCOMM Incorporated trademarks are used with permission. Other product and brand names may be trademarks or registered trademarks of their respective owners. Qualcomm是高通公司在美国及其它国家注册的商标。所有高通公司的商标皆获得使用许可。 其它产品和品牌名称可能为其各自所有者的商标或注册商标。

This technical data may be subject to U.S. and international export, re-export, or transfer ("export") laws. Diversion contrary to U.S. and international law is strictly prohibited. 本文档及所含技术资料可能受美国和国际出口、再出口或转移出口法律的 限制。严禁违反或偏离美国和国际的相关法律。

Qualcomm Technologies, Inc. 5775 Morehouse Drive San Diego, CA 92121 U.S.A. 高通技术股份有限公司,美国加利福尼亚州圣地亚哥市莫豪斯路 5775 号,邮编 92121

Revision History

Revision	Date	Description	
А	Feb 2015	Initial release	

Note: There is no Rev. I, O, Q, S, X, or Z per Mil. standards.

Contents

- 8916/8939/9x30系统解决方案
- MBN solution number
- CMCC PA New Policy and Qualcomm Pre-Cert support plan
- UE掉网问题分析指导书
- Withdrawal of EPC profile support on MSM8994, MSM8909 and MDM9x35 modems
- Voice call disconnecting issue while PS is on another SUB

8916/8936/9x30系统解决方案Solution

- 为了直观,便于检索,我们在Saleforce系统上编写了系统解决方案。包含各个技术领域,便 于大家查找。
- 8916系统解决方案
- Solution Number: 00029134
- 链接: https://qualcomm-cdmatech-support.my.salesforce.com/50130000000VfUZ?srPos=0&srKp=501
- 8939系统解决方案
- Solution Number: 00029333
- 链接: https://qualcomm-cdmatech-support.my.salesforce.com/50130000000Vg5B
- MDM9x30/9x35系统解决方案
- Solution Number 00029678
- https://qualcomm-cdmatech-support.my.salesforce.com/50130000000ViGQ

MBN介绍

- MBN的设计需求,文档,实现方法,请参阅Solution number:00029357.
- https://qualcomm-cdmatechsupport.my.salesforce.com/5013000000VgDA?srPos=0&srKp=501
- 因为客户量产的版本可能不是高通最新的版本,但是MBN却随着软件版本不断的更新,所以推荐将高通最新软件版本的MBN,合入客户的版本中。

CMCC PA New Policy

Background:

Regular meeting with CMDC test group to exchange the info on PA test cases and process optimization, CMCC introduced their new policy for PA.

New strict strategy enforced by CMCC for PA processing:

Terminate the official PA test if any of below 2 cases happen:


- CMCC only allows 15 issues claiming from self-test, and if additional 15 NEW KEY issues found during official PA, they will terminate the test and return the phone to vendor
- If find >=5 issues from lab conformance test (protocol, RRM, RF, USIM, NS-IOT), they will terminate the test and return the phone to vendor

Recommendation by QC:

Before CMCC lab entry:

- Strengthen the effort of pre-testing on both APSS and MPSS
 - Self-testing in your own lab
 - Pre-testing in 3rd party lab
- Come to QC lab for pre-certification testing
 - QC Beijing lab

Pre-certification Services Process



QC PoC for Pre-Certification



Pre-Cert Hotline: +86-13911303769

Pre-Cert Email: ce.services@qti.qualcomm.com

Contact us through your assigned TAM or DRI

Visit us at http://support.cdmatech.com

About New CMCC PA Test Plan

Highlight:

Major change is reflected in below 2 areas:

- Application and user experience test
 - Enforce MTBF test
 - Power consumption, the WeiChat will be added as one key application for power test
 - Add hardware Thermal test
- Radio communication test
 - LTE conformance
 - ✓ Delete: Duplicated cases/TTCN degradation cases/R8 only cases
 - Add: VoLTE, CA, mFBI, 3/4 G handover, Fake Node-B checking related cases
 - TD-SCDMA conformance
 - Reduce mandatory cases for PA testing
 - International roaming
 - Add international roaming cases during PA testing

UE掉网问题分析指导书

80-NV076-1EC UE掉网问题分析指导书 is published at D&D, it has English and Chinese version.

Main contents is as below.

- 1) LTE 掉网分析
- 2) WCDMA掉网分析
- 3) GSM 掉网分析
- 4) TDSCDMA 掉网分析
- 5) C2K 掉网分析
- 6) NAS 掉网分析
- 7) RF 掉网分析

Withdrawal of EPC profile support on MSM8994, MSM8909 and MDM9x35 modems

- On MSM8994, MSM8909 and MDM9x35 MPSS releases, as a part data profile refactoring, Qualcomm introduced new profile tech type called EPC. Due to the below mentioned limitations, Qualcomm is recommending that customers NOT use EPC profiles effective immediately.
- EPC profile is not fully supported by standard 3GPP AT commands. This may cause conformance issues during carrier/3rd party lab certification testing.
- Qualcomm testing has not completely verified and tested functional module such as IMS/UIM/GPS etc using EPC profiles.
- Also there is high chance that OEMs may mix the profile configuration between 3GPP/3GPP2/EPC which may uncover unexpected scenario and side-effects that are not covered by Qualcomm internal testing
- Please refer to application note 80-NV271-1_A for details.
- Please also open a case to modem data if you have any concern or question on this matter.
- PA1 Modem Software
- PA2: LTE
- PA3: Modem Data (ATCOP/Call Ctrl/eMBMS/Soft AP/IPA/ePGD)

Voice call disconnecting issue while PS is on another SUB

[Issue description]

- 1. PS is enabled on one SUB, then make a voice call on another SUB;
- 2. After a while, we see LPM/ONLINE requests from AP, which makes voice call disconnected.

[Reason]

- 1. This is due to Android data stall alarm mechanism. This feature is designed by Google but not Qualcomm;
- 2. With this feature, ATEL checks PS Tx and Rx statistics periodically. Once it finds Tx number increasing but RX number not, Google thinks there is something wrong with modem, then it sets LPM then ONLINE;
- 3. In DSDS product, RF resource is occupied by voice SUB, thus there is not any DL data on PS SUB, this is why data stall alarm is triggered in this scenario;
- 4. So in theory, this bug exists in all the Android DSDS products.

[CR]

 CR781407. Change is simple, we just need to check if there is voice call before triggering data stall alarm.

References

Ref.	Document			
Qualcomm Technologies				
Q1	Application Note: Software Glossary for Customers	CL93-V3077-1		
Standards				
S1	Title	Standard Number (June 2002)		
Resources				
R1				

Questions?

https://support.cdmatech.com

