
Intents and slots

Dialog Worksheet



Topic



EXAMPLE UTTERANCE

-enter what the user says to receive this response-

SITUATION

-enter details about the context of the situation-

REQUEST NOTES

- What request type is it
- Intent, slots, etc are used
- What logic is used to determine the situation
- If you're using the SDK, this card represents a handler and the top half of the card is a canHandle.

CHANGES

-describe any changes to the context

RESPONSE


-enter the prompt in the response that drives the conversation forward-


PROMPT

-enter the prompt in the response that drives the conversation forward-

RESPONSE NOTES

- -enter how to respond to the user's utterance, with placeholders for any dynamic slot values and required SSML
- enter the prompt in the response that drives the conversation forward, with placeholders for any dynamic slot values and required SSML-
- If you're using the SDK, this top half of the card is the handle.





SCREEN NOTES

- Describe any notes about how your APL document works

Topic



EXAMPLE UTTERANCE

-enter what the user says to receive this response-

SITUATION

-enter details about the context of the situation-

REQUEST NOTES

- What request type is it
- Intent, slots, etc are used
- What logic is used to determine the situation
- If you're using the SDK, this card represents a handler and the top half of the card is a canHandle.

CHANGES

-describe any changes to the context

RESPONSE

-enter the prompt in the response that drives the conversation forward-

PROMPT



-enter the prompt in the response that drives the conversation forward-

RESPONSE NOTES

- -enter how to respond to the user's utterance, with placeholders for any dynamic slot values and required SSML
- enter the prompt in the response that drives the conversation forward, with placeholders for any dynamic slot values and required SSML-
- If you're using the SDK, this top half of the card is the handle.

Topic



EXAMPLE UTTERANCE

-enter what the user says to receive this response-

SITUATION

-enter details about the context of the situation-

CHANGES

-describe any changes to the context

RESPONSE

-enter the prompt in the response that drives the conversation forward-

PROMPT



-enter the prompt in the response that drives the conversation forward-

Intent

Utterances -	
SlotTypes -	
Dynamic entities -	