

Firefox tunnel

Using firefox to make remote communication



Illustration by Anthony S Waters

CoolerVoid - coolerlair@gmail.com - Dezember 21, 2017

CoolerVoid just another computer programmer and infosec guy.

Introduction

Motivations:

Introduction

Motivations:

- it's different technique, you can not find in msfvenom, veil...

Introduction

Motivations:

- it's different technique, you can not find in msfvenom, veil...
- RedTeam operations.

Introduction

Motivations:


- it's different technique, you can not find in msfvenom, veil...
- RedTeam operations.
- Improve the work.

Introduction


Motivations:

- it's different technique, you can not find in msfvenom, veil...
- RedTeam operations.
- Improve the work.
- Bypass any firewall.


The Justify




The Justify




The Justify



The Justify



The Justify



How too - Part 1

The recipe part 1 the web client:

How too - Part 1

The recipe part 1 the web client:

- Up in your remote host with httpd the directory `firefox_shell`

How too - Part 1

The recipe part 1 the web client:

- Up in your remote host with httpd the directory `firefox_shell`
- Put that directory in root dir of server example:
`/var/www/html`

How too - Part 1

The recipe part 1 the web client:

- Up in your remote host with httpd the directory `firefox_shell`
- Put that directory in root dir of server example:
`/var/www/html`
- Set permissions to write and read in all files of dir... with `chmod` command...

How too - Part 1

The recipe part 1 the web client:

- Up in your remote host with httpd the directory `firefox_shell`
- Put that directory in root dir of server example:
`/var/www/html`
- Set permissions to write and read in all files of dir... with `chmod` command...
- if you enter in
`http://machine/firefox_shell/firefox_cmd_tunnel.php?input=1`
you can control remote server.

How too - Part 2

The recipe part 2 - the firefox tunnel server:

How too - Part 2

The recipe part 2 - the firefox tunnel server:

- You need mingw32, gcc, c++ and make to build.

How too - Part 2

The recipe part 2 - the firefox tunnel server:

- You need mingw32, gcc, c++ and make to build.
- At file `firefox_tunnel.cpp` change line 20 in var domain, replace it to your remote machine IP or DNS.

How too - Part 2

The recipe part 2 - the firefox tunnel server:

- You need mingw32, gcc, c++ and make to build.
- At file `firefox_tunnel.cpp` change line 20 in var `domain`, replace it to your remote machine IP or DNS.
- compile in root dir of server with command "`mingw32-make`", take exe file in directory `bin`

How too - Part 2

The recipe part 2 - the firefox tunnel server:

- You need mingw32, gcc, c++ and make to build.
- At file `firefox_tunnel.cpp` change line 20 in var domain, replace it to your remote machine IP or DNS.
- compile in root dir of server with command "mingw32-make", take exe file in directory bin
- Execute the file, control him using the PHP client.

How too - Part 2

The recipe part 2 - the firefox tunnel server:

- You need mingw32, gcc, c++ and make to build.
- At file `firefox_tunnel.cpp` change line 20 in var domain, replace it to your remote machine IP or DNS.
- compile in root dir of server with command "mingw32-make", take exe file in directory bin
- Execute the file, control him using the PHP client.
- if you enter in `http://machine/firefox_shell/firefox_cmd_tunnel.php?input=1` you can control remote server.

Demo

- At YouTube
- Look that following:
- <https://www.youtube.com/watch?v=C23N4yDRkjU>

Credits

- Thank you
- Any doubt ? talk to me coolerlair@gmail.com
- Twitter: @Cooler_freenode
- Github: <https://github.com/CoolerVoid/>