jjprojects Documentation

Release 1.0.0

jj

Nov 05, 2019

CONTENTS

setting up a python environment apt-get install python3

> apt-get install python3-pip

setting up sphinx apt-get install python3-sphinx http://www.sphinx-doc.org/en/master/usage/quickstart.html

> apt-get install nginx (in case you need a webserver)

setting up for pdf generation apt-get install latexmk

> apt-get install texlive-fonts-recommended texlive-latex-recommended texlive-latex-extra

ONE

HOWTO GENERATE DOCUMENTS

1.1 generate pdf

make latexpdf LATEXMKOPTS="-silent"

the result can be found under _build/latex sphinx-build -b latexpdf . builddir/ (this one does not work for some reason. . . .)

1.2 generate html

sphinx-build -b html . builddir/

1.3 generate epub

sphinx-build -b epub . builddir/

HOWTO REMOTE COPY

apt-get install ssh-client (the command scp is contained) scp -P 9988 doc.gz orange@78.20.183.74:/~

HOW TO GENERATE PYTHON DOC

sphinx-apidoc -f -o source ./mycode edit conf.py `uncomment import modules etc`

Normaal gezien kan je de *nadruk* leggen met italics. Ook **vette tekst** behoort tot de mogelijkheden.

de referentie naar een http://www.google.be website zou ook automatisch kunnen verlopen.

DE TITEL KAN ALS VOLGT:

4.1 Ook een ondertitel kan :

het opsommen van feiten =

> - dit is feit1
>
> - dit is feit2

en nu eens benieuwd hoe dit er in html uitziet

Note that if a paragraph consists only of ": :", then it's removed from the output:

```
This is preformatted text, and the
last "::" paragraph is removed
```

```
This is preformatted text, and the
last "::" paragraph is removed
```

4.1.1 Body Elements

Grid table:

colored paragraph

Paragraphs are flush-left, separated by blank lines. Block quotes are indented. `>>> print 'Doctest block'` `Doctest block`	Literal block, preceded by "::": `Indented` or: `> Quoted`
Line blocks preserve line breaks & indents. [new in 0.3.6] Useful for addresses, verse, and adornment-free lists; long lines can be wrapped with continuation lines.	