Topics	grep
6-step Incident Handling Process 504.1-15	$\verb"id" \dots \dots$
1) Preparation	$\texttt{ifconfig} \ \dots $
2) Identification	504.3–6, 74
3) Containment	info
4) Eradication	jobs $504.1-253$
5) Recovery	killall
6) Lessons Learned 504.1–125-128	504.2–117
,	$\dots \dots $
Incident Tips504.1–134-182	less $504.1-246, 259, 280$
•	$\texttt{locate} \dots \dots \dots \dots \dots \dots \dots \dots \dots $
Law, Crime, and Evidence504.1–183-203	lsof504.1-57, 259, 273, 276, 278, 286-289504.2-117
5-step Attack Process	ls
1) Reconnaissance	$\dots \dots $
2) Scanning	$\verb make \dots \dots$
3) Exploit Systems	$\verb man \dots \dots$
- Gaining Access 504.3-4-221	$\verb mkdir \dots \dots$
$\dots \dots $	$\verb mknod \dots \dots$
– Web App Attacks504.4–85-145	mount
– Denial of Service 504.4–146-211	
4) Keeping Access	$\verb"nc"$
5) Covering the Tracks504.5–119-233	$\dots \dots $
	$\mathtt{netstat} \ \dots $
Putting It All Together	
Conclusions and References 504.5–235-285	nohup
Hacker Tools Workshop	passwd
	ping
Categories	
CateSories	ps
Commands 4	pwd
PATH	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
apropos	rpm
arp504.1-278	schred
504.3–75, 86	service
bg $504.1 – 252$	
cat	shutdown
cd $\dots \dots \dots$	sort
$\verb chkconfig $	source 504.3-197
$\dots \dots $	$\mathtt{ssh} \hspace{0.1cm} \dots \hspace{0.1cm} 504.5 \hspace{-0.08cm} -142$
$\verb chmod \dots \dots$	$\mathtt{su} \ \dots $
$\dots \dots $	$\mathtt{tar} \ \dots $
$\verb"cp" \dots \dots$	$\verb tcpdump $
$\verb crontab $	$\dots \dots $
$\texttt{df} \dots \dots \dots \dots \dots \dots \dots \dots \dots $	$\texttt{telinit} \hspace{0.1cm} \dots \hspace{0.1cm} 504.1 – 233$
echo $504.1-248$	top $\dots \dots \dots$
	top
504.5–77	$\verb"unlink" \dots \dots$
$\verb"eject" \dots \dots$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccc} \text{unlink} & & & 504.1-288 \\ \text{unname} & & & 504.5-139 \\ \text{updatedb} & & & 504.1-243 \\ \end{array}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} \text{unlink} & & 504.1-288 \\ \text{unname} & & 504.5-139 \\ \text{updatedb} & & 504.1-243 \\ \text{uptime} & & 504.1-283 \\ \end{array}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	unlink 504.1-288 unname 504.5-139 updatedb 504.1-243 uptime 504.1-283 useradd 504.1-230, 290
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	unlink 504.1-288 unname 504.5-139 updatedb 504.1-243 uptime 504.1-283 useradd 504.1-230, 290 504.4-44
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	unlink 504.1-288 unname 504.5-139 updatedb 504.1-243 uptime 504.1-283 useradd 504.1-230, 290

704.4.40	N (C) 11
	NetStumbler
wget	Nmap
whatis	Null Session
which	Samba Client
whoami	Shell History File Analysis504.5–133-143
Commands 2	Volatility to Analyze Attack №504.5–39-58 Windows Cheat Sheet504.1–79-91
arp	Windows Format String504.3–186
control	
$\verb"cp" \dots \dots$	Legal Terms
hostname	Arrest 504.1–186
ipconfig	Blocking access
more $\dots \dots \dots$	Communication equipment504.1–191
$\mathtt{nbstat} \dots \dots \dots \dots \dots \dots \dots \dots \dots $	Data alteration
$\verb"nc"$	Facilitation 504.1–193
$\dots \dots $	Impairment
$\mathtt{netsh} \hspace{0.1cm} \dots \hspace{0.1cm} 504.1 - 72$	Interception
$\dots \dots $	Modification
$\dots \dots $	Monitoring 504.1–191
${\tt netstat}$	Sabotage 504.1–196
$\dots \dots $	Stored information
$\dots \dots $	Unauthorized access 504.1–192-193, 197-199
$\dots \dots $	Unauthorized use
$\mathtt{net} \ \dots $	
$\dots \dots $	Microsoft Management Console
$\verb notepad \dots \dots$	$\verb"eventvwr.msc" \dots \dots$
$\verb nslookup 504.2-27$	$\dots \dots $
	${\tt gpmc.msc} \qquad \dots \qquad $
$\texttt{ping} \dots \dots \dots \dots \dots \dots \dots \dots \dots $	lusrmgr.msc
reg query $\dots \dots \dots$	
$\verb"regedit" \dots \dots$	$\verb secpol.msc $
$\verb"runas" \dots \dots$	$\dots \dots $
schtasks 504.1-73, 87	
sc	services.msc
	$\dots \dots $
	D 11
sort	Readings
tasklist	CloudBurst – VMware Escape History 504.4–83
	Detecting Hydan Steganography 504.5–228
type	DNS Amplification Attacks
wmic	Don't Get Burned by Flame
504.2 - 116 $504.4 - 150$	Drive-By Pharming (XSS)
	Format String Attacks
	Google Hacking
Exercises	Hardening Guide for VMware ESX504.4–84
Alternate Data Streams 🤻 504.5–159-163	ICMP Attacks Illustrated
ARP and MAC Analysis	Introduction to Virtualization Security 504.4–83
Covert_TCP File Transfer504.5–180-184	OWASP Guide for Secure Web Apps504.4–107
DoS Attack Evaluation	OWASP Testing Guide
Enum	Phrack 56 – Bypassing StackGuard 504.3–145
InSSIDer	Secure Programming Howto 4 504.3–147
John the Ripper △	Smashing the Stack for Fun and Profit . 504.3–115
John the Ripper *	Static Kernel Patching
Linux Cheat Sheet	Taking Back Netcat
Metasploit Attack and Analysis 504.3–188-221	Top Speed of Flash Worms
Nessus	Warhol Worms: Fast Internet Plagues 504.4–64
Netcat 8 \(\Delta \)	Writing Secure Code W
1,00000 - 01-10	Titoling Secure Code

	firesheep5	04.3 - 72
Specialized Linux Distributions	FragRoute	
Grsecurity 504.3–143	fragrouter 50	
Immunix504.3–143	ISR-Evilgrade 5	
Offline 🥙 Pwd&Reg Editor Bootdisk504.5–151	Karmetasploit (Wifi) $\star\star$	
P. Nordahl's Free Bootable Linux CD $\dots 504.4-30$	Loki25	
PaX504.3-143	Modified SAMBA code 🌢 🗟5	04.4 - 55
	Pass-the-Hash Toolkit 🤻	04.4 - 55
Summaries	Reverse WWW Shell ***50	4.5 - 167
Account Harvesting504.4–93	SADoor (Backdoor)	4.5 - 198
App-Level Trojan Horse Backdoors504.5–26	Smurf 5	04.2 - 94
Covert Channel with ICMP Tunnel 504.5–169	sslstrip 5	
Covert Channel with Rev www Shell $\dots 504.5-169$	Windows Credentials Editor 🤻 5	04.4 - 55
CpuHog	XSS Shell	4.4 - 120
Distributed DoS	Code Analysis	
DNS Cache Poisoning504.3–113	Coverity Static Analysis 50	4.3 - 148
DNS Recon	Flawfinder50	
DoS Suite	Fortify Source Code Analyzer50	
Editing Unix Accounting Entries504.5–132	GrammaTech's CodeSonar50	4.3 - 148
Editing Unix Log Files504.5–128	Klocwork Insight Pro50	
Firewalk	RATS50	
Format String Attacks	Veracode Suite	4.3 - 148
Fragmentation for IDS Evasion504.2–149	Data Extraction	
FU and FUToRootkits504.5–109	Enum **50	
Hiding Files by using dot names 504.5–123	Winfingerprint50	4.2 - 192
IP Address Spoofing	DDoS Dectection	
KBeast 504.5–95	Arbor Network's Peakflow 50	
Kernel Intrusion System 504.5–102	Cisco Guard DDoS Mitigation50	
Linux Rootkit Family504.5–68	Riverbed Cascade	4.4 - 192
Netcat	Detection	
Network Mapping	Blacklight50	
NTFS Alternate Data Streams504.5–148	Chkrootkit50	
Null Session		
OS Fingerprinting	Icesword	
Parser Vulnerabilities	McAfee Rootkit Detective 🥙50	
Port Scanning	OSSEC Rootcheck 🦸 🔵 50	
Session Hijacking	Rootkit Hunter50	
Slowloris	Rootkit Revealer 🧗50	
Smurf	Sophos Anti-Rootkit 🧗50	4.5 - 115
Sniffing	Forensics	
Solaris LKM Rootkit	AIDE	
SQL Injection		
SYN Flood	Autopsy5	
Vulnerability Scanners	Bastille50	
War Dialing	dd504.1-	
War Driving	EnCase5	
Web App State Maintenance	50	
Web Application Command Injection 504.4–98	fastdump	
Web Site Searches	Forensics Toolkit	
Web/CGI Scanning	GFI LANguard Syst Integrity Mon 50	
Whois Reconnaissance	Ionx Data Sentinel50	
Windows Log Editing504.5–156	LADS * *	
m 1	Log2timeline	
Tools	Mandiant Memorize50	
Attack		
Abel	mdd	
BeEF	nCircle File Integrity Monitor •5	
Cdoor (Backdoor)	OSSEC 🥬 💿	18, 110

Responder • 504.5–34	VMcat504.4-83
Solidcore FIM •	Network & Port Mapping
Streams 🧗	Cheops
Streams Shell Extension 🧗 504.5–147	Firewalk
The Sleuth Kit	Firewalk **
$\dots \dots $	Layer Four Traceroute504.2–130
Tripwire	Nmap
Volatility Framework *** 504.1–41, 107	Port Reporter
	QueSO
win32dd	
	tcptraceroute
IDS / IPS	XProbe (OS fingerprinting) 504.2–94, 111
Cisco IPS	Zenmap (Nmap GUI) ***
Cisco Secure IDS	Packer
ForeScout	ASPack
SecureLogix	Exe32pack
Snort	EXEStealth
$\dots \dots $	ExPressor
Sourcefire504.5–117	EZIP
Tipping Point	PackMan
TopLayer	PEBundle •
Imaging	PECompact •
ncat	PeTite
Netcat	SPEC
SafeBack	Themida
Keylogger	Thinstall •
Actual key-logger *	UPX **
MyHook №	Yoda
Real Free Keylogger *	Packet Crafting
REFOG #504.3-79	Bit-Twist
Revealer 🤻 504.3–79	Hping504.3–6
TTYSnoop	Nemesis 504.3–6
TTYSpy △ 504.3–79	NetDude504.3-6
Log Wiper	Scapy
cloak.c	Penetration Testing
logwedit.c 🙆 📓504.5–131	Metasploit ♣ ★★★
marry.c 🛕 🖥504.5–131	$\dots \dots $
remove.c 🌢 📓	OWASP ***
WinZapper 🥙 504.5–153	Protection
wtmped.c \triangle \blacksquare	Blackhole
wzap.c 4 a504.5–131	IP Personality
Manipulation Proxy	IPlog
Burp Proxy	OSfuscate
Fiddler *	Stealth Patch
	Password Recovery
Odysseus / Telemachus 🐉 504.4-137	v
w3af (MitM proxy)	Cain & Abel **
WebScarab	fgdump
Zed Attack Proxy 504.4–101, 137-138	hashdump (Meterpreter)504.4–30, 32
Multi-Purpose	John the Ripper $^{\mbox{\tiny ℓ}} \Delta \star \star \star \star \ldots \ldots 504.2-194$
Cain	$\dots \dots $
$\dots \dots $	pwdump
Cryptcat 504.3–17	SnadBoy \$
Dnscat 504.3–17	THC Hydra504.4–8
Ettercap $^{\triangle}$ ***	Remote Administration
Linkcat	BO2K504.5–10
Ncat504.3–17	Dameware
Netcat ***	NetBus
Socat	Sub7

VNC 504 5 10	Nuchu 504 5 196
VNC	Nushu *
Dig504.2–26	Ptunnel & & *
GHDB scanning tool (SecApp)504.2–25	Utilities *
Maltego **	Active Ports *
SearchDiggity	Active Forts 4
SiteDigger	Burndump
	Burneye
Wikto	EtherApe *
AFX Windows Rootkit 2504.5–72-76	EtherApe *
FU 8	!exploitable \$\mathbb{8}\$
FUTo *	gedit \(\delta \)
KBeast ∴	Kiwi's Syslog •
KIS &	md5deep
LRK6 4	md5sum
SInAr *	Msyslog
SubVirt	Nmap Scripting Engine
SUCKit 4	Password Guard
Vitriol	SL4NT •
Sniffer	Snare Agent and Log Server • 504.5–157
Drifnet	Systrace 4
Dsniff ***	TCPView (Sysinternals) * 504.5–24, 194
Fl0p	wget № 🕹
Kismet (Wifi)	XOR Payloads & Encoder 504.4–67
NetMon	VM Environment
netstat 504.1–56	BOCHS
Niksun 504.3–62	Qemu
Omnipeek (Wifi)504.2–70	User-Mode Linux
P0F	VirtualPC 504.4–81, 83
Sniffit	VMware504.1–205-225
tcpdump 504.1–55	504.4–81, 83
$\dots \dots $	Xen
$\dots \dots $	Vulnerability Scanner
VOMIT504.1–53	BeyondTrust Retina
Wireshark **	Burp Suite 504.4–101
$\dots \dots $	Nessus $\star\star\star$
$\dots \dots $	
Sniffer Detector	OpenVAS
ARPWatch	Rapid7 NeXpose
Promqry 🧗504.3–74	SAINT
Sentinel	SATAN504.2–151
$\dots \dots $	
Steganography	Sqlmap
Hydan ***	War Dialing
Invisible Secrets	Phonesweep
Jsteg	THC Scan
MP3Stego	WarVOX
S-Mail	War Driving
S-Tools **	InSSIDer
Stash	NetStumbler
Stegdetect	Wellenreiter
Tracking	Web Application Firewall
Orion Live CD	Cisco's ACE WAF
RTIR	Citrix Netscaler App FW
Tunneler Covert TCP 504 5 175	F5 App Security Manager
Covert_TCP ★★	Free OWASP Stinger
ICMPCmd ₩	
толяг энен ⊌	aglimpse504.2–177

AWstats	.504.2 – 177
campas	.504.2 – 177
cgiscan	.504.2 – 177
Jikto	. 504.4–119
LibWhisker	.504.2-178
Nikto **	
phf	
-	
phpBB	
showcode.asp	
Whisker	. 504.2–181
Wifi Cracking	
Aircrack-ng (WEP)	
ASLEAP (LEAP)	504.2-70
CoWPAtty (WPA)	504.2-70
IKE Crack	504.2 - 77
WEPCrack (WEP)	
Wrapper	
AFX File Lace	504 5-28
EliteWrap	
SaranWrap	
Trojan Man	504.5–28
XX7 1 */	
Websites	
Anti-Phishing	.504.1–149
Arbor Networks' Peakflow	
bugtraq	
Center for Internet Security $\star\star$	
CIS Hardening Guidelines	.504.1 - 284
Cisco Guard DDoS Mitigation	. 504.4–192
Cybercrime Law	. 504.1–197
DNS Stuffs	
ECTF	
Exploit Database	
Forensics Wiki	
Free Rainbow Tables	
HTCIA	
IANA	
InfraGard	
Internet Storm Center	
IPSECS	
JigSaw	
Koders (Code Search Engine)	
McAfee's Foundscan	.504.2 – 152
MD5 Crack Project	504.4 - 22
Moss tingrett (Legal framework)	. 504.1–189
Mykonos Web Security	
Network-Tools	
Nmap OS detection defeat tools	
Packet Storm Security ***504	
Phrack Magazine *	
I mack magazine ★	
Pipl	
PLXpatrol	
Project Rainbow Crack	504.4–22

Qualys (Vulnerability Scan)504.2–152
Riverbed Cascade
Security Focus
Security Space
Shodan
Skull Security
Sysinternals
Tenable Network Security504.2–153
Traceroute
XSS Encoding Technique 504.4–112

${f A}$	Blackhole
A1 1	O .
Abel	Blaster
Account Harvesting	Blowfish
Defense	
ACK Scanning	BO2K
ACK Storms	BOCHS
Active Directory	Boot Sector
$\dots \dots $	Bot
Active Ports 🌯 504.5–24, 194	Communication Channels
ActiveX 504.4–114, 138, 150	Defense
Actual key-logger 🌯	Distribution
ADMutate	Fast Flux
AFX File Lace	Functionality
AFX Windows Rootkit 504.5–72-76	Botnets
aglimpse 504.2–177	Broadcast Address
AIDE	Browser Exploit Attack504.4–72
	Browser Exploitation Framework 504.4–121
Aircrack-ng (WEP)	Brute Force Approach
Alternate Data Streams	
Amplification Factor	Buffer Overflow
Anti-Reverse Engineering	Cram Input
Anti-neverse Engineering	Defense
	Exploit Creation
Apache	Burndump
API Hooking	Burneye
Arbor Network's Peakflow	v
ARP	Defense
Cache	Burp Proxy
Cache Poisoning 504.3–57, 59, 82, 94	Burp Suite
Security504.3–73	\mathbf{C}
Security	${f C}$
Security .504.3–73 Spoofing .504.3–82 Table Hardcoding .504.3–73, 85	Coin 504.4.25, 28.20, 504.1.52
Security .504.3–73 Spoofing .504.3–82 Table Hardcoding .504.3–73, 85 Arpspoof .504.3–58	Cain
Security .504.3–73 Spoofing .504.3–82 Table Hardcoding .504.3–73, 85 Arpspoof .504.3–58 ARPWatch .504.3–75, 86	$\dots \dots $
Security .504.3–73 Spoofing .504.3–82 Table Hardcoding .504.3–73, 85 Arpspoof .504.3–58 ARPWatch .504.3–75, 86 Artifacts .504.1–124	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Security .504.3–73 Spoofing .504.3–82 Table Hardcoding .504.3–73, 85 Arpspoof .504.3–58 ARPWatch .504.3–75, 86 Artifacts .504.1–124 ASLEAP (LEAP) .504.2–70	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
Security .504.3–73 Spoofing .504.3–82 Table Hardcoding .504.3–73, 85 Arpspoof .504.3–58 ARPWatch .504.3–75, 86 Artifacts .504.1–124 ASLEAP (LEAP) .504.2–70 ASP .504.2–175	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
Security .504.3–73 Spoofing .504.3–82 Table Hardcoding .504.3–73, 85 Arpspoof .504.3–58 ARPWatch .504.3–75, 86 Artifacts .504.1–124 ASLEAP (LEAP) .504.2–70 ASP .504.2–175 ASPack .504.5–31	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Security .504.3–73 Spoofing .504.3–82 Table Hardcoding .504.3–73, 85 Arpspoof .504.3–58 ARPWatch .504.3–75, 86 Artifacts .504.1–124 ASLEAP (LEAP) .504.2–70 ASP .504.2–175 ASPack .504.5–31 Assessment Questions .504.1–93-94	$\begin{array}{llllllllllllllllllllllllllllllllllll$
Security .504.3–73 Spoofing .504.3–82 Table Hardcoding .504.3–73, 85 Arpspoof .504.3–58 ARPWatch .504.3–75, 86 Artifacts .504.1–124 ASLEAP (LEAP) .504.2–70 ASP .504.2–175 ASPack .504.5–31 Assessment Questions .504.1–93-94 Autopsy .504.1–40	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Security .504.3–73 Spoofing .504.3–82 Table Hardcoding .504.3–73, 85 Arpspoof .504.3–58 ARPWatch .504.3–75, 86 Artifacts .504.1–124 ASLEAP (LEAP) .504.2–70 ASP .504.2–175 ASPack .504.5–31 Assessment Questions .504.1–93-94	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Security .504.3–73 Spoofing .504.3–82 Table Hardcoding .504.3–73, 85 Arpspoof .504.3–58 ARPWatch .504.3–75, 86 Artifacts .504.1–124 ASLEAP (LEAP) .504.2–70 ASP .504.2–175 ASPack .504.5–31 Assessment Questions .504.1–93-94 Autopsy .504.1–40	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Security .504.3–73 Spoofing .504.3–82 Table Hardcoding .504.3–73, 85 Arpspoof .504.3–58 ARPWatch .504.3–75, 86 Artifacts .504.1–124 ASLEAP (LEAP) .504.2–70 ASP .504.2–175 ASPack .504.5–31 Assessment Questions .504.1–93-94 Autopsy .504.1–40 AWstats .504.2–177	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Security .504.3–73 Spoofing .504.3–82 Table Hardcoding .504.3–73, 85 Arpspoof .504.3–58 ARPWatch .504.3–75, 86 Artifacts .504.1–124 ASLEAP (LEAP) .504.2–70 ASP .504.2–175 ASPack .504.5–31 Assessment Questions .504.1–93-94 Autopsy .504.1–40	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Security .504.3–73 Spoofing .504.3–82 Table Hardcoding .504.3–73, 85 Arpspoof .504.3–58 ARPWatch .504.3–75, 86 Artifacts .504.1–124 ASLEAP (LEAP) .504.2–70 ASP .504.2–175 ASPack .504.5–31 Assessment Questions .504.1–93-94 Autopsy .504.1–40 AWstats .504.2–177	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Security .504.3–73 Spoofing .504.3–82 Table Hardcoding .504.3–73, 85 Arpspoof .504.3–58 ARPWatch .504.3–75, 86 Artifacts .504.1–124 ASLEAP (LEAP) .504.2–70 ASP .504.2–175 ASPack .504.5–31 Assessment Questions .504.1–93-94 Autopsy .504.1–40 AWstats .504.2–177 Backdoor 504.3–25, 31	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Security .504.3–73 Spoofing .504.3–82 Table Hardcoding .504.3–73, 85 Arpspoof .504.3–58 ARPWatch .504.3–75, 86 Artifacts .504.1–124 ASLEAP (LEAP) .504.2–70 ASP .504.2–175 ASPack .504.5–31 Assessment Questions .504.1–93-94 Autopsy .504.1–40 AWstats .504.2–177 B Backdoor .504.3–25, 31 .504.4–71	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Security .504.3-73 Spoofing .504.3-82 Table Hardcoding .504.3-73, 85 Arpspoof .504.3-58 ARPWatch .504.3-75, 86 Artifacts .504.1-124 ASLEAP (LEAP) .504.2-70 ASP .504.2-175 ASPack .504.5-31 Assessment Questions .504.1-93-94 Autopsy .504.1-40 AWstats .504.2-177 B Backdoor .504.3-25, 31 .504.4-71 .504.5-6, 194	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Security .504.3-73 Spoofing .504.3-82 Table Hardcoding .504.3-73, 85 Arpspoof .504.3-58 ARPWatch .504.3-75, 86 Artifacts .504.1-124 ASLEAP (LEAP) .504.2-70 ASP .504.2-175 ASPack .504.5-31 Assessment Questions .504.1-93-94 Autopsy .504.1-40 AWstats .504.2-177 B Backdoor .504.3-25, 31 .504.4-71 .504.5-6, 194 Alternate Names .504.5-20	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Security .504.3-73 Spoofing .504.3-82 Table Hardcoding .504.3-73, 85 Arpspoof .504.3-58 ARPWatch .504.3-75, 86 Artifacts .504.1-124 ASLEAP (LEAP) .504.2-70 ASP .504.2-175 ASPack .504.5-31 Assessment Questions .504.1-93-94 Autopsy .504.1-40 AWstats .504.2-177 B Backdoor .504.3-25, 31 .504.5-6, 194 Alternate Names .504.5-20 XSS .504.4-120	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Security .504.3–73 Spoofing .504.3–82 Table Hardcoding .504.3–73, 85 Arpspoof .504.3–58 ARPWatch .504.3–75, 86 Artifacts .504.1–124 ASLEAP (LEAP) .504.2–70 ASP .504.2–175 ASPack .504.5–31 Assessment Questions .504.1–93-94 Autopsy .504.1–40 AWstats .504.2–177 B Backdoor .504.5–25, 31 .504.5–6, 194 .504.5–6, 194 Alternate Names .504.5–20 XSS .504.4–120 Bash History Δ .504.5–126	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Security .504.3–73 Spoofing .504.3–82 Table Hardcoding .504.3–73, 85 Arpspoof .504.3–58 ARPWatch .504.3–75, 86 Artifacts .504.1–124 ASLEAP (LEAP) .504.2–70 ASP .504.2–175 ASPack .504.5–31 Assessment Questions .504.1–93-94 Autopsy .504.1–40 AWstats .504.2–177 B Backdoor .504.5–25, 31 .504.5–6, 194 .504.5–6, 194 Alternate Names .504.5–20 XSS .504.4–120 Bash History △ .504.5–126 Bastille .504.1–284	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Security 504.3-73 Spoofing 504.3-82 Table Hardcoding 504.3-73, 85 Arpspoof 504.3-58 ARPWatch 504.3-75, 86 Artifacts 504.1-124 ASLEAP (LEAP) 504.2-70 ASP 504.2-175 ASPack 504.5-31 Assessment Questions 504.1-93-94 Autopsy 504.1-40 AWstats 504.2-177 B Backdoor 504.3-25, 31 504.4-71 504.5-6, 194 Alternate Names 504.5-20 XSS 504.4-120 Bash History 504.5-126 Bastille 504.1-284 BEAST-style Attack 504.3-73	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Security .504.3–73 Spoofing .504.3–82 Table Hardcoding .504.3–73, 85 Arpspoof .504.3–58 ARPWatch .504.3–75, 86 Artifacts .504.1–124 ASLEAP (LEAP) .504.2–70 ASP .504.2–175 ASPack .504.5–31 Assessment Questions .504.1–93-94 Autopsy .504.1–40 AWstats .504.2–177 B Backdoor .504.5–25, 31 .504.5–6, 194 .504.5–6, 194 Alternate Names .504.5–20 XSS .504.4–120 Bash History △ .504.5–126 Bastille .504.1–284	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Security 504.3-73 Spoofing 504.3-82 Table Hardcoding 504.3-73, 85 Arpspoof 504.3-58 ARPWatch 504.3-75, 86 Artifacts 504.1-124 ASLEAP (LEAP) 504.2-70 ASP 504.2-175 ASPack 504.5-31 Assessment Questions 504.1-93-94 Autopsy 504.1-40 AWstats 504.2-177 B Backdoor 504.3-25, 31 504.4-71 504.5-6, 194 Alternate Names 504.5-20 XSS 504.4-120 Bash History 504.5-126 Bastille 504.1-284 BEAST-style Attack 504.3-73	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Security 504.3-73 Spoofing 504.3-82 Table Hardcoding 504.3-73, 85 Arpspoof 504.3-58 ARPWatch 504.3-75, 86 Artifacts 504.1-124 ASLEAP (LEAP) 504.2-70 ASP 504.2-175 ASPack 504.5-31 Assessment Questions 504.1-93-94 Autopsy 504.1-40 AWstats 504.2-177 B Backdoor 504.5-20, 31 XS 504.5-20 XSS Alternate Names 504.5-20 XSS Sash History A 504.5-126 Bastille 504.1-284 BEAST-style Attack 504.3-73 BeEF 504.4-121 BeyondTrust Retina 504.2-152 BIND 504.3-99	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Security 504.3-73 Spoofing 504.3-82 Table Hardcoding 504.3-73, 85 Arpspoof 504.3-58 ARPWatch 504.3-75, 86 Artifacts 504.1-124 ASLEAP (LEAP) 504.2-70 ASP 504.2-175 ASPack 504.5-31 Assessment Questions 504.1-93-94 Autopsy 504.1-40 AWstats 504.2-177 B 504.2-177 Backdoor 504.5-6, 194 Alternate Names 504.5-20 XSS 504.5-20 XSS 504.5-126 Bash History	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Security 504.3-73 Spoofing 504.3-82 Table Hardcoding 504.3-73, 85 Arpspoof 504.3-58 ARPWatch 504.3-75, 86 Artifacts 504.1-124 ASLEAP (LEAP) 504.2-70 ASP 504.2-175 ASPack 504.5-31 Assessment Questions 504.1-93-94 Autopsy 504.1-40 AWstats 504.2-177 B Backdoor 504.5-20, 31 XS 504.5-20 XSS Alternate Names 504.5-20 XSS Sash History A 504.5-126 Bastille 504.1-284 BEAST-style Attack 504.3-73 BeEF 504.4-121 BeyondTrust Retina 504.2-152 BIND 504.3-99	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

Citrix Netscaler App FW504.4–143	DNS504.1–104, 202
Clearev	504.2–22
cloak.c 🛕 🖥	$\dots \dots $
CloudBurst	Amplification Attack 504.4–166-169
Code Search Engine	Defense504.4–170
Cold Fusion	Attack
Command Injection	Cache Check 504.3–75, 86, 112
Defense	Cache Poisoning
Cone of Silence	Defense
Conficker 💆	Kaminsky's variation $\star\star$ 504.3–105-107
Connextion Queue	Overview
Containment subphases	Query ID
Cookie	Recon
SYN	Defense
Copyright	Record
Covering Tracks	Recursive Lookup
Defense	Round-Robin
Coverity Static Analysis	TTL
Covert Channel	Zone Transfer
Defense	Dnscat
Covert_TCP **	DNSSpoof
CoWPAtty (WPA)	Domain Controller
CPU	DoS Attack
CpuHog	DoS Suite
Defense	
	Defense
Cross-Site Scripting	Double-Flux Technique
Defense	Drifnet
Overview	Drive Duplicator
Possibilities	Drive-By Download
Walkthrough 504.4–114-116	Drive-By Pharming504.4–119
· ·	
Cryptcat	Dsniff
Cryptcat	Dsniff
Cryptcat .504.3-17 Cryptography .504.5-204-207 CURL .504.4-89	Dsniff
Cryptcat	Dsniff
Cryptcat .504.3-17 Cryptography .504.5-204-207 CURL .504.4-89	Dsniff $504.3-53-54$, $58-59$ Dsniff $504.3-53$ Dynamic ARP Inspection $504.3-73$, 85
Cryptcat .504.3-17 Cryptography .504.5-204-207 CURL .504.4-89	Dsniff
Cryptcat .504.3-17 Cryptography .504.5-204-207 CURL .504.4-89	Dsniff $504.3-53-54$, $58-59$ Dsniff $504.3-53$ Dynamic ARP Inspection $504.3-73$, 85
Cryptcat .504.3-17 Cryptography .504.5-204-207 CURL .504.4-89	Dsniff
Cryptcat .504.3–17 Cryptography .504.5–204-207 CURL .504.4–89 Cyber Crime Laws .504.1–189-199 D	Dsniff
Cryptcat 504.3–17 Cryptography 504.5–204-207 CURL 504.4–89 Cyber Crime Laws 504.1–189-199 D Dameware 504.5–10	Dsniff
Cryptcat 504.3–17 Cryptography 504.5–204-207 CURL 504.4–89 Cyber Crime Laws 504.1–189-199 D Dameware 504.5–10 Data Encryption 504.4–79	Dsniff
Cryptcat 504.3–17 Cryptography 504.5–204-207 CURL 504.4–89 Cyber Crime Laws 504.1–189-199 D Dameware 504.5–10 Data Encryption 504.4–79 Data Execution Prevention 504.3–144	Dsniff
Cryptcat 504.3–17 Cryptography 504.5–204-207 CURL 504.4–89 Cyber Crime Laws 504.1–189-199 D Dameware 504.5–10 Data Encryption 504.4–79 Data Execution Prevention 504.3–144 Database Manipulation 504.4–102	Dsniff
Cryptcat 504.3–17 Cryptography 504.5–204-207 CURL 504.4–89 Cyber Crime Laws 504.1–189-199 D Dameware 504.5–10 Data Encryption 504.4–79 Data Execution Prevention 504.3–144 Database Manipulation 504.4–102 dd 504.1–40, 107	Dsniff
Cryptcat 504.3–17 Cryptography 504.5–204-207 CURL 504.4–89 Cyber Crime Laws 504.1–189-199 D Dameware 504.5–10 Data Encryption 504.4–79 Data Execution Prevention 504.3–144 Database Manipulation 504.4–102 dd 504.1–40, 107 Deadly Sins 504.1–129	Dsniff .504.3–53-54, 58-59 Dsniff ★★★ .504.3–53 Dynamic ARP Inspection .504.3–73, 85 EDNS .504.4–167 ELF .504.5–29 EliteWrap .504.5–28 Emergency Comm Plan ((Identification) .504.1–32 EnCase .504.1–40 .504.3–154 Encryption .504.2–77
Cryptcat 504.3–17 Cryptography 504.5–204-207 CURL 504.4–89 Cyber Crime Laws 504.1–189-199 D Dameware 504.5–10 Data Encryption 504.4–79 Data Execution Prevention 504.3–144 Database Manipulation 504.4–102 dd 504.1–40, 107 Deadly Sins 504.1–129 Denial of Service 504.3–9, 81	Dsniff .504.3–53-54, 58-59 Dsniff ★★★ .504.3–53 Dynamic ARP Inspection .504.3–73, 85 E EDNS ELF .504.5–29 EliteWrap .504.5–28 Emergency Comm Plan ((Identification) .504.1–32 EnCase .504.1–40 . .504.3–154 Encryption .504.2–77 Enum .504.2–193-196
Cryptcat 504.3–17 Cryptography 504.5–204-207 CURL 504.4–89 Cyber Crime Laws 504.1–189-199 D Dameware 504.5–10 Data Encryption 504.4–79 Data Execution Prevention 504.3–144 Database Manipulation 504.4–102 dd .504.1–40, 107 Deadly Sins 504.1–129 Denial of Service .504.3–9, 81 .504.4–71, 147	Dsniff 504.3-53-54, 58-59 Dsniff ★★★ 504.3-53 Dynamic ARP Inspection 504.3-73, 85 EDNS 504.4-167 ELF 504.5-29 EliteWrap 504.5-28 Emergency Comm Plan ((Identification) 504.1-32 EnCase 504.1-40 504.3-154 Encryption 504.2-77 Enum 504.2-193-196 Exercise 504.2-210
Cryptcat 504.3–17 Cryptography 504.5–204-207 CURL 504.4–89 Cyber Crime Laws 504.1–189-199 D 504.5–10 Data Encryption 504.4–79 Data Execution Prevention 504.3–144 Database Manipulation 504.4–102 dd 504.1–40, 107 Deadly Sins 504.1–129 Denial of Service 504.3–9, 81 504.4–71, 147 Distributed 504.4–184-190	Dsniff 504.3-53-54, 58-59 Dsniff ★★★ 504.3-53 Dynamic ARP Inspection 504.3-73, 85 EDNS 504.4-167 ELF 504.5-29 EliteWrap 504.5-28 Emergency Comm Plan ((Identification) 504.1-32 EnCase 504.1-40 504.3-154 Encryption 504.2-77 Enum 504.2-193-196 Exercise 504.2-210 Enum \$504.2-192
Cryptcat 504.3–17 Cryptography 504.5–204-207 CURL 504.4–89 Cyber Crime Laws 504.1–189-199 D 504.5–10 Data Encryption 504.4–79 Data Execution Prevention 504.3–144 Database Manipulation 504.4–102 dd 504.1–40, 107 Deadly Sins 504.1–129 Denial of Service 504.3–9, 81 504.4–71, 147 Distributed 504.4–191 Defense 504.4–191	Dsniff 504.3-53-54, 58-59 Dsniff ★★★ 504.3-53 Dynamic ARP Inspection 504.3-73, 85 EDNS 504.4-167 ELF 504.5-29 EliteWrap 504.5-28 Emergency Comm Plan ((Identification) 504.1-32 EnCase 504.1-40 . 504.3-154 Encryption 504.2-77 Enum 504.2-193-196 Exercise 504.2-210 Enum \$64.2-192 Espionage 504.1-136
Cryptcat 504.3–17 Cryptography 504.5–204-207 CURL 504.4–89 Cyber Crime Laws 504.1–189-199 D 504.5–10 Data Encryption 504.4–79 Data Execution Prevention 504.3–144 Database Manipulation 504.4–102 dd 504.1–40, 107 Deadly Sins 504.1–129 Denial of Service 504.3–9, 81 .504.4–71, 147 Distributed 504.4–184-190 Defense .504.4–191 Types .504.4–148	Dsniff 504.3-53-54, 58-59 Dsniff ★★★ 504.3-53 Dynamic ARP Inspection 504.3-73, 85 EDNS 504.4-167 ELF 504.5-29 EliteWrap 504.5-28 Emergency Comm Plan ((Identification) 504.1-32 EnCase 504.1-40 504.3-154 Encryption 504.2-77 Enum 504.2-193-196 Exercise 504.2-210 Enum ★★ 504.2-192 Espionage 504.1-136 EtherApe ★ 504.5-117
Cryptcat 504.3–17 Cryptography 504.5–204-207 CURL 504.4–89 Cyber Crime Laws 504.1–189-199 D 504.5–10 Data Encryption 504.4–79 Data Execution Prevention 504.3–144 Database Manipulation 504.4–102 dd .504.1–40, 107 Deadly Sins 504.1–129 Denial of Service .504.3–9, 81 .504.4–71, 147 Distributed .504.4–191 Types .504.4–148 DES .504.4–41	Dsniff 504.3-53-54, 58-59 Dsniff ★★★ 504.3-53 Dynamic ARP Inspection 504.3-73, 85 EDNS 504.4-167 ELF 504.5-29 EliteWrap 504.5-28 Emergency Comm Plan ((Identification) 504.1-32 EnCase 504.1-40 . 504.3-154 Encryption 504.2-77 Enum 504.2-193-196 Exercise 504.2-210 Enum ★★ 504.2-192 Espionage 504.1-136 EtherApe ★ 504.5-117 EtherARP 504.3-74
Cryptcat 504.3-17 Cryptography 504.5-204-207 CURL 504.4-89 Cyber Crime Laws 504.1-189-199 D 504.5-10 Data Encryption 504.4-79 Data Execution Prevention 504.3-144 Database Manipulation 504.4-102 dd 504.1-40, 107 Deadly Sins 504.1-129 Denial of Service 504.3-9, 81 .504.4-71, 147 Distributed 504.4-184-190 Defense .504.4-191 Types .504.4-148 DES .504.4-14 Device Drivers .504.5-87	Dsniff 504.3-53-54, 58-59 Dsniff ★★★ 504.3-53 Dynamic ARP Inspection 504.3-73, 85 E EDNS 504.4-167 ELF 504.5-29 EliteWrap 504.5-28 Emergency Comm Plan ((Identification) 504.1-32 EnCase 504.1-40 . 504.3-154 Encryption 504.2-77 Enum 504.2-193-196 Exercise 504.2-210 Enum ★★ 504.2-192 Espionage 504.1-136 EtherApe ★ 504.5-117 EtherARP 504.3-74 Etherping 504.3-74
Cryptcat 504.3-17 Cryptography 504.5-204-207 CURL 504.4-89 Cyber Crime Laws 504.1-189-199 D 504.5-10 Data Encryption 504.4-79 Data Execution Prevention 504.3-144 Database Manipulation 504.4-102 dd 504.1-40, 107 Deadly Sins 504.1-129 Denial of Service 504.3-9, 81 504.4-71, 147 Distributed 504.4-184-190 Defense 504.4-191 Types 504.4-148 DES 504.4-148 Detection Zones 504.1-54 Device Drivers 504.5-87 DHCP Snooping 504.3-73, 85	Dsniff 504.3-53-54, 58-59 Dsniff ★★★ 504.3-53 Dynamic ARP Inspection 504.3-73, 85 E EDNS 504.4-167 ELF 504.5-29 EliteWrap 504.5-28 Emergency Comm Plan ((Identification) 504.1-32 EnCase 504.1-40 . 504.3-154 Encryption 504.2-77 Enum 504.2-193-196 Exercise 504.2-210 Enum ★★ 504.2-192 Espionage 504.1-136 EtherApe ★ 504.5-117 EtherARP 504.3-74 Ethical Worm 504.4-70
Cryptcat 504.3-17 Cryptography 504.5-204-207 CURL 504.4-89 Cyber Crime Laws 504.1-189-199 D 504.5-10 Data Encryption 504.4-79 Data Execution Prevention 504.3-144 Database Manipulation 504.4-102 dd 504.1-40, 107 Deadly Sins 504.1-129 Denial of Service 504.3-9, 81 504.4-71, 147 Distributed 504.4-184-190 Defense 504.4-191 Types 504.4-148 DES 504.4-148 Detection Zones 504.1-54 Device Drivers 504.5-87 DHCP Snooping 504.3-73, 85 Dictionary Attack 504.2-194	Dsniff 504.3-53-54, 58-59 Dsniff ★★★ 504.3-53 Dynamic ARP Inspection 504.3-73, 85 EDNS 504.4-167 ELF 504.5-29 EliteWrap 504.5-28 Emergency Comm Plan ((Identification)) 504.1-32 EnCase 504.1-40 . 504.3-154 Encryption 504.2-77 Enum 504.2-193-196 Exercise 504.2-192 Espionage 504.1-136 EtherApe ★ 504.5-117 EtherARP 504.3-74 Etherping 504.3-74 Ethical Worm 504.4-70 Ettercap ★★★
Cryptcat 504.3-17 Cryptography 504.5-204-207 CURL 504.4-89 Cyber Crime Laws 504.1-189-199 D Dameware 504.5-10 Data Encryption 504.4-79 Data Execution Prevention 504.3-144 Database Manipulation 504.4-102 dd 504.1-40, 107 Deadly Sins 504.1-129 Denial of Service 504.3-9, 81 504.4-71, 147 Distributed 504.4-184-190 Defense 504.4-191 Types 504.4-148 DES 504.4-14 Detection Zones 504.1-54 Device Drivers 504.5-87 DHCP Snooping 504.3-73, 85 Dictionary Attack 504.2-194 Dig 504.2-26	Dsniff 504.3-53-54, 58-59 Dsniff ★★★ 504.3-53 Dynamic ARP Inspection 504.3-73, 85 EDNS 504.4-167 ELF 504.5-29 EliteWrap 504.5-28 Emergency Comm Plan ((Identification)) 504.1-32 EnCase 504.1-40 504.3-154 Encryption 504.2-77 Enum 504.2-77 Enum 504.2-193-196 Exercise 504.2-210 Enum ★★ 504.2-192 Espionage 504.1-136 EtherApe ★ 504.5-117 EtherARP 504.3-74 Etherping 504.3-74 Ethical Worm 504.4-70 Ettercap
Cryptcat 504.3-17 Cryptography 504.5-204-207 CURL .504.4-89 Cyber Crime Laws 504.1-189-199 D Dameware 504.5-10 Data Encryption 504.4-79 Data Execution Prevention 504.3-144 Database Manipulation 504.4-102 dd 504.1-40, 107 Deadly Sins 504.1-129 Denial of Service 504.3-9, 81 504.4-71, 147 Distributed 504.4-71, 147 Distributed 504.4-184-190 Defense 504.4-191 Types 504.4-148 DES 504.4-14 Detection Zones 504.1-54 Device Drivers 504.5-87 DHCP Snooping 504.5-87 Dictionary Attack 504.2-194 Dig 504.2-26 Directed Broadcast Attack 504.4-158	Dsniff .504.3–53-54, 58-59 Dsniff .*** .504.3–53 Dynamic ARP Inspection .504.3–73, 85 E EDNS .504.4–167 ELF .504.5–29 EliteWrap .504.5–28 Emergency Comm Plan ((Identification) .504.1–32 EnCase .504.1–40 .504.3–154 Encryption .504.2–77 Enum .504.2–193-196 Exercise .504.2–193-196 Exercise .504.2–192 Espionage .504.1–136 EtherApe * .504.5–117 EtherARP .504.3–74 Ethical Worm .504.4–70 Ettercap Δ *** .504.3–83-84 Event .504.1–9 Evidence .504.1–200-202 EVT File Format ** .504.5–150
Cryptcat 504.3-17 Cryptography 504.5-204-207 CURL .504.4-89 Cyber Crime Laws 504.1-189-199 D Dameware .504.5-10 Data Encryption .504.4-79 Data Execution Prevention .504.3-144 Database Manipulation .504.1-40, 107 Deadly Sins .504.1-129 Denial of Service .504.3-9, 81 .504.4-71, 147 Distributed .504.4-184-190 Defense .504.4-191 Types .504.4-18 DES .504.4-14 Detection Zones .504.1-54 Device Drivers .504.5-87 DHCP Snooping .504.3-73, 85 Dictionary Attack .504.2-194 Dig .504.2-26 Directed Broadcast Attack .504.5-70, 152	Dsniff ★★★ 504.3-53-54, 58-59 Dsniff ★★★ 504.3-73, 85 E EDNS 504.4-167 ELF 504.5-29 EliteWrap 504.5-28 Emergency Comm Plan ((Identification)) 504.1-32 EnCase 504.1-40 504.3-154 Encryption 504.2-77 Enum 504.2-77 Enum 504.2-193-196 Exercise 504.2-210 Enum ★★ 504.2-192 Espionage 504.1-136 EtherApe ★ 504.5-117 EtherARP 504.3-74 Ethical Worm 504.4-70 Ettercap
Cryptcat 504.3-17 Cryptography 504.5-204-207 CURL .504.4-89 Cyber Crime Laws 504.1-189-199 D Dameware 504.5-10 Data Encryption 504.4-79 Data Execution Prevention 504.3-144 Database Manipulation 504.4-102 dd 504.1-40, 107 Deadly Sins 504.1-129 Denial of Service 504.3-9, 81 504.4-71, 147 Distributed 504.4-71, 147 Distributed 504.4-184-190 Defense 504.4-191 Types 504.4-148 DES 504.4-14 Detection Zones 504.1-54 Device Drivers 504.5-87 DHCP Snooping 504.5-87 Dictionary Attack 504.2-194 Dig 504.2-26 Directed Broadcast Attack 504.4-158	Dsniff .504.3–53-54, 58-59 Dsniff .*** .504.3–53 Dynamic ARP Inspection .504.3–73, 85 E EDNS .504.4–167 ELF .504.5–29 EliteWrap .504.5–28 Emergency Comm Plan ((Identification) .504.1–32 EnCase .504.1–40 .504.3–154 Encryption .504.2–77 Enum .504.2–193-196 Exercise .504.2–193-196 Exercise .504.2–192 Espionage .504.1–136 EtherApe * .504.5–117 EtherARP .504.3–74 Ethical Worm .504.4–70 Ettercap Δ *** .504.3–83-84 Event .504.1–9 Evidence .504.1–200-202 EVT File Format ** .504.5–150

EXEStealth	Freak88 504.4–184
Exploit504.3–127-128, 132-133	Free OWASP Stinger 504.4–143
!exploitable 🎉	FTP
ExPressor	504.3-79
EZIP504.5–31	504.4–77, 124
	Bounce Capability
Б	Control Connection
${f F}$	Data Connection
	FTP Bounce Scanning
F5 App Security Manager 504.4–143	
Facebook	FU 🐉
	FUTo
Fast Flux Technique	FUTo 🧗504.5–108
fastdump	
fgdump504.4–30, 32	${f G}$
Fiddler *	G
File Integrity Check	GECOS504.4–38, 40
	,
File Parser	gedit <u>∆</u>
Defense	GFI LANguard Syst Integrity Mon 504.5–116
File Sharing	GHDB scanning tool (SecApp) 504.2–45
$\dots \dots $	Google
File System	Cache
FileMaker	Hacking Database
	· ·
filesnarf	Maps
Filtering Language	Recon
Firefox Extensions	Defense
Add N Edit Cookies	Search Directives
Firebug504.4–134	Wayback
NoScript	Google API
Tamper Data *	GPO
-	
firesheep	GPS504.2–65
Firewalk 504.2–94, 504.2–130-135	GrammaTech's CodeSonar504.3–148
Defense	GRE
Firewalk **	Grsecurity
Firewall	V
Directed Broadcast	TT
	${ m H}$
Disable	
Host	Hacker Manifesto
Port Scanning	Hacktivism
Rules	TT 1 TO
	Hash Dumper
Web Application	
Web Application	hashdump (Meterpreter) 📦
Fl0p504.2–127	hashdump (Meterpreter) \blacksquare
Fl0p	$\begin{array}{llllllllllllllllllllllllllllllllllll$
Fl0p .504.2–127 Flame .504.4–59 Flash .504.4–64	hashdump (Meterpreter) ■ 504.4–30, 32 Hidden Form Element 504.4–130 Hiding Files in NTFS 504.5–145 Hijack 504.3–83
Fl0p 504.2–127 Flame 504.4–59 Flash 504.4–64 Flawfinder 504.3–148	hashdump (Meterpreter) 504.4–30, 32 Hidden Form Element 504.4–130 Hiding Files in NTFS 504.5–145 Hijack 504.3–83 API 504.3–83
Fl0p 504.2–127 Flame 504.4–59 Flash 504.4–64 Flawfinder 504.3–148 Forensics Imaging 504.1–107	hashdump (Meterpreter) ■ 504.4–30, 32 Hidden Form Element 504.4–130 Hiding Files in NTFS 504.5–145 Hijack 504.3–83
Fl0p 504.2–127 Flame 504.4–59 Flash 504.4–64 Flawfinder 504.3–148	hashdump (Meterpreter) 504.4–30, 32 Hidden Form Element 504.4–130 Hiding Files in NTFS 504.5–145 Hijack 504.3–83 API 504.3–83
Fl0p 504.2–127 Flame 504.4–59 Flash 504.4–64 Flawfinder 504.3–148 Forensics Imaging 504.1–107 Forensics Toolkit 504.1–40	hashdump (Meterpreter) ■ 504.4–30, 32 Hidden Form Element 504.4–130 Hiding Files in NTFS 504.5–145 Hijack 504.3–83 API 504.3–83 HOIC 504.4–190 Honeypot 504.4–81
Fl0p .504.2–127 Flame .504.4–59 Flash .504.4–64 Flawfinder .504.3–148 Forensics Imaging .504.1–107 Forensics Toolkit .504.1–40 ForeScout .504.5–117	hashdump (Meterpreter) 504.4–30, 32 Hidden Form Element 504.4–130 Hiding Files in NTFS 504.5–145 Hijack 504.3–83 API 504.3–83 HOIC 504.4–190 Honeypot 504.4–81 Host Perimeter 504.1–56
Fl0p 504.2–127 Flame 504.4–59 Flash 504.4–64 Flawfinder 504.3–148 Forensics Imaging 504.1–107 Forensics Toolkit 504.1–40 ForeScout 504.5–117 Format String Attack 504.3–158-186	hashdump (Meterpreter) 504.4–30, 32 Hidden Form Element 504.4–130 Hiding Files in NTFS 504.5–145 Hijack 504.3–83 API 504.3–83 HOIC 504.4–190 Honeypot 504.4–81 Host Perimeter 504.1–56 Hping 504.3–6
Fl0p 504.2–127 Flame 504.4–59 Flash 504.4–64 Flawfinder 504.3–148 Forensics Imaging 504.1–107 Forensics Toolkit 504.1–40 ForeScout 504.5–117 Format String Attack 504.3–158-186 Defense 504.3–183	hashdump (Meterpreter) 504.4–30, 32 Hidden Form Element 504.4–130 Hiding Files in NTFS 504.5–145 Hijack 504.3–83 API 504.3–83 HOIC 504.4–190 Honeypot 504.4–81 Host Perimeter 504.1–56 Hping 504.3–6 HTML 504.1–149
Fl0p 504.2–127 Flame 504.4–59 Flash 504.4–64 Flawfinder 504.3–148 Forensics Imaging 504.1–107 Forensics Toolkit 504.1–40 ForeScout 504.5–117 Format String Attack 504.3–158-186 Defense 504.3–183 Stack View 504.3–168-179	hashdump (Meterpreter) 504.4–30, 32 Hidden Form Element 504.4–130 Hiding Files in NTFS 504.5–145 Hijack 504.3–83 API 504.3–83 HOIC 504.4–190 Honeypot 504.4–81 Host Perimeter 504.1–56 Hping 504.3–6 HTML 504.1–149 504.4–113, 130
Fl0p 504.2–127 Flame 504.4–59 Flash 504.4–64 Flawfinder 504.3–148 Forensics Imaging 504.1–107 Forensics Toolkit 504.1–40 ForeScout 504.5–117 Format String Attack 504.3–158-186 Defense 504.3–183 Stack View 504.3–168-179 Vulnerable Code 504.3–163	hashdump (Meterpreter) 504.4–30, 32 Hidden Form Element 504.4–130 Hiding Files in NTFS 504.5–145 Hijack 504.3–83 API 504.3–83 HOIC 504.4–190 Honeypot 504.4–81 Host Perimeter 504.1–56 Hping 504.3–6 HTML 504.1–149 504.4–113, 130 HTTP 504.1–164
Fl0p 504.2–127 Flame 504.4–59 Flash 504.4–64 Flawfinder 504.3–148 Forensics Imaging 504.1–107 Forescout 504.1–40 ForeScout 504.5–117 Format String Attack 504.3–158-186 Defense 504.3–183 Stack View 504.3–168-179 Vulnerable Code 504.3–163 Windows Sort 504.3–165	hashdump (Meterpreter) 504.4-30, 32 Hidden Form Element 504.4-130 Hiding Files in NTFS 504.5-145 Hijack 504.3-83 API 504.3-83 HOIC 504.4-190 Honeypot 504.4-81 Host Perimeter 504.1-56 Hping 504.3-6 HTML 504.1-149 . 504.4-113, 130 HTTP 504.1-164 . 504.4-124, 130
Fl0p 504.2–127 Flame 504.4–59 Flash 504.4–64 Flawfinder 504.3–148 Forensics Imaging 504.1–107 Forescout 504.1–40 ForeScout 504.5–117 Format String Attack 504.3–158-186 Defense 504.3–183 Stack View 504.3–168-179 Vulnerable Code 504.3–163 Windows Sort 504.3–165 Exercise 504.3–186	hashdump (Meterpreter) 504.4–30, 32 Hidden Form Element 504.4–130 Hiding Files in NTFS 504.5–145 Hijack 504.3–83 API 504.3–83 HOIC 504.4–190 Honeypot 504.4–81 Host Perimeter 504.1–56 Hping 504.3–6 HTML 504.1–149 504.4–113, 130 HTTP 504.1–164
Fl0p 504.2–127 Flame 504.4–59 Flash 504.4–64 Flawfinder 504.3–148 Forensics Imaging 504.1–107 Forescout 504.1–40 ForeScout 504.5–117 Format String Attack 504.3–158-186 Defense 504.3–183 Stack View 504.3–168-179 Vulnerable Code 504.3–163 Windows Sort 504.3–165 Exercise 504.3–186	hashdump (Meterpreter) 504.4-30, 32 Hidden Form Element 504.4-130 Hiding Files in NTFS 504.5-145 Hijack 504.3-83 API 504.3-83 HOIC 504.4-190 Honeypot 504.4-81 Host Perimeter 504.1-56 Hping 504.3-6 HTML 504.1-149 . 504.4-113, 130 HTTP 504.1-164 . 504.4-124, 130
Flop 504.2–127 Flame 504.4–59 Flash 504.4–64 Flawfinder 504.3–148 Forensics Imaging 504.1–107 Forensics Toolkit 504.1–40 ForeScout 504.5–117 Format String Attack 504.3–158-186 Defense 504.3–183 Stack View 504.3–168-179 Vulnerable Code 504.3–163 Windows Sort 504.3–165 Exercise 504.3–186 Fortify Source Code Analyzer 504.3–148	hashdump (Meterpreter) 504.4-30, 32 Hidden Form Element 504.4-130 Hiding Files in NTFS 504.5-145 Hijack 504.3-83 API 504.3-83 HOIC 504.4-190 Honeypot 504.4-81 Host Perimeter 504.1-56 Hping 504.3-6 HTML 504.1-149 ∴ 504.4-113, 130 HTTP 504.1-164 ∴ 504.4-124, 130 Proxy 504.4-71, 78 HTTPS 504.3-72
Flop .504.2–127 Flame .504.4–59 Flash .504.3–148 Forensics Imaging .504.1–107 Forensics Toolkit .504.1–40 ForeScout .504.5–117 Format String Attack .504.3–158-186 Defense .504.3–183 Stack View .504.3–168-179 Vulnerable Code .504.3–163 Windows Sort .504.3–165 Exercise .504.3–186 Fortify Source Code Analyzer .504.3–148 Fraggle .504.4–158	hashdump (Meterpreter) 504.4-30, 32 Hidden Form Element 504.4-130 Hiding Files in NTFS 504.5-145 Hijack 504.3-83 API 504.3-83 HOIC 504.4-190 Honeypot 504.4-81 Host Perimeter 504.1-56 Hping 504.3-6 HTML 504.1-149 ∴ 504.4-113, 130 HTTP 504.1-164 ∴ 504.4-124, 130 Proxy 504.3-72 HTTPS 504.3-72 504.4-124
Fl0p 504.2–127 Flame 504.4–59 Flash 504.3–148 Forensics Imaging 504.1–107 Forensics Toolkit 504.1–40 ForeScout 504.5–117 Format String Attack 504.3–158-186 Defense 504.3–183 Stack View 504.3–168-179 Vulnerable Code 504.3–163 Windows Sort 504.3–165 Exercise 504.3–186 Fortify Source Code Analyzer 504.3–148 Fraggle 504.4–158 Fragment Overlap Attack 504.2–144	hashdump (Meterpreter) 504.4-30, 32 Hidden Form Element 504.4-130 Hiding Files in NTFS 504.5-145 Hijack 504.3-83 API 504.3-83 HOIC 504.4-190 Honeypot 504.4-81 Host Perimeter 504.1-56 Hping 504.3-6 HTML 504.1-149 ∴ 504.4-113, 130 HTTP 504.1-164 ∴ 504.4-124, 130 Proxy 504.3-72 ∴ 504.3-72 504.5-22
Fl0p 504.2–127 Flame 504.4–59 Flash 504.4–64 Flawfinder 504.3–148 Forensics Imaging 504.1–107 ForeScout 504.5–117 Format String Attack 504.3–158-186 Defense 504.3–183 Stack View 504.3–168-179 Vulnerable Code 504.3–163 Windows Sort 504.3–165 Exercise 504.3–186 Fortify Source Code Analyzer 504.3–148 Fraggle 504.4–158 Fragment Overlap Attack 504.2–144 Frag Route 504.2–147	hashdump (Meterpreter) $504.4-30, 32$ Hidden Form Element $504.4-130$ Hiding Files in NTFS $504.5-145$ Hijack $504.3-83$ API $504.3-83$ HOIC $504.4-190$ Honeypot $504.4-81$ Host Perimeter $504.1-56$ Hping $504.3-6$ HTML $504.1-149$ $504.4-113, 130$ HTTP $504.1-164$ $504.4-124, 130$ $504.4-124, 130$ Proxy $504.4-71, 78$ HTTPS $504.3-72$ $504.4-124$ $504.5-22$ HUP Signal $504.3-182$
Fl0p 504.2–127 Flame 504.4–59 Flash 504.4–64 Flawfinder 504.3–148 Forensics Imaging 504.1–107 ForeScout 504.5–117 Format String Attack 504.3–158-186 Defense 504.3–183 Stack View 504.3–168-179 Vulnerable Code 504.3–163 Windows Sort 504.3–165 Exercise 504.3–186 Fortify Source Code Analyzer 504.3–148 Fraggle 504.4–158 Fragment Overlap Attack 504.2–144 FragRoute 504.2–147 fragrouter 504.2–146	hashdump (Meterpreter) 504.4-30, 32 Hidden Form Element 504.4-130 Hiding Files in NTFS 504.5-145 Hijack 504.3-83 API 504.3-83 HOIC 504.4-190 Honeypot 504.4-81 Host Perimeter 504.1-56 Hping 504.3-6 HTML 504.1-149 ∴ 504.4-113, 130 HTTP 504.1-164 ∴ 504.4-124, 130 Proxy 504.3-72 ∴ 504.5-22 HUP Signal 504.5-223-228 Hydan ★★★ 504.5-223-228
Fl0p 504.2–127 Flame 504.4–59 Flash 504.4–64 Flawfinder 504.3–148 Forensics Imaging 504.1–107 ForeScout 504.5–117 Format String Attack 504.3–158-186 Defense 504.3–183 Stack View 504.3–168-179 Vulnerable Code 504.3–163 Windows Sort 504.3–165 Exercise 504.3–186 Fortify Source Code Analyzer 504.3–148 Fraggle 504.4–158 Fragment Overlap Attack 504.2–144 Frag Route 504.2–147	hashdump (Meterpreter) $504.4-30, 32$ Hidden Form Element $504.4-130$ Hiding Files in NTFS $504.5-145$ Hijack $504.3-83$ API $504.3-83$ HOIC $504.4-190$ Honeypot $504.4-81$ Host Perimeter $504.1-56$ Hping $504.3-6$ HTML $504.1-149$ $504.4-113, 130$ HTTP $504.1-164$ $504.4-124, 130$ $504.4-124, 130$ Proxy $504.4-71, 78$ HTTPS $504.3-72$ $504.4-124$ $504.5-22$ HUP Signal $504.3-182$

I	Jikto 504.4–119 John the Ripper 504.2–194
ANA	$\dots \dots $
cesword 504.5–108	unshadow $504.4-37$
CMP504.2–87, 92, 94, 113, 134	Cracking Modes
	John the Ripper 🂆 🗴 ***
$\dots \dots $	$\dots \dots $
Tunnel504.5–171	JSP504.2–175
CMPCmd №504.5–171	Jsteg504.5–223
CMPShell <u>\(\lambda \)</u>	Jump Bag504.1–39
DS504.1–164, 178	
$\dots \dots $	T/
504.4–127, 181	\mathbf{K}
Evasion Techniques 504.2–143-144, 182-185	V1-:+ (W:6)
Signature Matching504.2–141	Karmetasploit (Wifi) **
IS/Sadmind	KBeast
KÉ Crack 504.2–77	KBeast 4
mmunix	Kerberos
ncident	Kernel
Characteristics	File
Handling Team	Intrusion System
Response Capability	Memory Map
Tracking	Kernel-Mode Rootkit
Insider Threat	Defense
	Types504.5-86-91
Casual	KIS △504.5–91
Intentional	Kismet (Wifi)
nSSIDer	Kiwi's Syslog •
nstruction Pointer	Klez
ntegrity Check	Klocwork Insight Pro
nvisible Secrets	O
onx Data Sentinel 504.5–116	T
P504.2–96	${f L}$
	T 1 D 0 10
$ \dots \dots$	LADS № ★
Address Spoofing	LAN Manager
	LANMAN (LM) 504.4–16-18, 25, 32-33, 36, 41, 51
Defense	Authentication
Forwarding 504.3–59	Challenge/Response 504.4–31, 33, 53
Fragmentation Attack 504.2–138, 142, 146	Lastlog 4
Defense	Law Enforcement
Header504.2–86, 139	Layer Four Traceroute
$\dots \dots $	LDAP504.4-36
Identification Field	Level, Application- or System 504.1–54
Identification Scanning504.2–108	LibWhisker
P Identification (Idle) Scan 504.2–104-108	Linkcat
P Personality	Linux
Plog504.2–119	Accounting Entries
PS	File System Structure504.1–235
PSec504.3–73	Hiding Files
RC	Hosts File
SN	Kernel Mode
	Log Files
	Monolithic
SP	Network Configuration504.1–255-258
	Password File
	Passwords File
SR-Evilgrade	1 abbwordb 1 110
	Shadow File 504 4_20
	Shadow File
J	Shadow File 504.4–39 Shell History 504.5–126-127 Specialized Versions 504.3–143

Standard Shell Redirects	504.3-20	User Interfaces	504 3_134
Supporting Tools		Meterpreter 504.3–137-1	
Listening Ports		hashdump	
Local check on Linux		migrate	
Local check on Windows		shell	
Load Balancing		Modified SAMBA code 💩 📓	
Loadable Kernel Modules		Monitoring	
Log		Morphing Engine	
Editing 4		Morto 🦉	
Editing 🎉		MP3Stego	
LOG File Format 🎳		Msfelfscan	
Log Wiper		Msfpescan	
Log2timeline		Msgsnarf	
logwedit.c 4 🗎		Mstream	
LOIC		Msyslog	
Loki2		MyHook №	
Long-term actions		<u>-</u>	
LRK			
Backdoor Components		$\mathbf N$	
LRK6 &			
		NASL	504.2 - 156
7. 6		NAT	504.1–202
${f M}$		Ncat	504.3–17
		ncat	
MAC	,	nCircle File Integrity Monitor •	$\dots 504.5 - 78$
		Nemesis	
Cisco Router ARP Cache		Nessus	
Virtual Machine			
Macof		Exercise	
Mail Relay		NetBIOS 504.2–1	
mailsnarf		NetBus	
Maltego **		Netcat	
Malware			
Examples **		BackPipe Relay504.3-2	
Man In The Middle Attack	,	Client-to-Client Relay	
Mandiant Memorize		Command Switches	
A 📾		Defense	
marry.c 4 🗟		Exercise	
McAfee Rootkit Detective 🥙		Modes	
md5deep	,	Persistent	
md5sum		Uses	
md5sum		Netcat ***	
mdd		NetDude	
Mebromi	,	netstat	
Meeting		NetStumbler	
Memory Analysis		Network Forensics	
Metasploit ***		Network Mapping	
wetaspion ***		Defense	
Metasploit Framework		Network Neighborhood	
wetaspion tranework		Network Perimeter	
msfconsole		Niksun	
msfelfscan		Nikto	
msfpescan		Nimda 🤻	
Arsenal		NIST	
Exploits		Nmap	
Payloads			
psexec			,
psexec		Exercise50	
r		00	

OS Fingerprinting Techniques (Gn 1) $504.2-111$	Formats
OS Fingerprinting Techniques (Gn 2) $\dots 504.2-113$	Guessing
Scan Types	Policy
Nmap Scripting Engine 🖥	Shadowed
NOP	Spraying 504.4–7
Nslookup504.2–26	Password Collector
NSRL	Password Guard
NT504.4–19, 25, 36, 41	Patent 504.1–170
NTLM504.4–26, 31-33, 36, 41, 53	PaX504.3–143
Null Session	Payload 504.3–132-133, 200
Defense504.2–199-201	$\dots \dots $
Exercise	PEBundle •
Nushu	PECompact •
	Permission Memo
_	PeTite504.5–31
O	PGP 504.1–32
	$\dots \dots $
Odysseus / Telemachus 🤻	$\dots \dots $
OLE 504.5–22	phf504.2–177
Ollydbg504.5–32	Phishing
Omnipeek (Wifi)	$\dots \dots $
Open Source	Phonesweep
OpenIOC (Mandiant)	PHP
OpenSSH504.3-69	phpBB504.2–177
OpenVAS	PID
Orion Live CD	Ping of Death
OS504.1–164	Ping Sweep
	PingChat
Fingerprinting (Active) $\dots 504.2-111-112$	Pivoting
Defense	PKI
Fingerprinting (Passive) $\dots \dots 504.2-126-127$	Points of Contact
504.3–83	Poison Ivy
Defense	Configuration
OSfuscate	Port Reporter
OSSEC	Port Scanning
OSSEC Rootcheck •	Defense
OWASP504.4–87	Useful Ports
	Port-level Security
P	Privilege Escalation Attack
1	Promiscuous Mode
P0F504.2–127	
Packer	504.4-25 $504.5-100$
Defense	Promgry *
Packet Fragmentation	Protection Techniques
PackMan	Protocol Layers
PAM	Protocol Parser
PapaSmurf	Defense
Pass-the-Hash Attack	Proxy
Defense	Web App Attack
Pass-the-Hash Toolkit 💆	Web App Manipulation
Password	Psexec Exploit
Complexity 504.4–34	
Cracking	Ptunnel 🂆 🚨 *
Brute Force Attack504.4–12, 18, 40	pwdump
Defense	1
Dictionary Attack	
Hybrid Attack	
Dumping504.4–30, 32	\mathbf{Q}

0	CATTAN 5040 151
Qemu	SATAN
QueSO	
	Scan Types
D	FTP as Source Port504.2–110
${f R}$	Scapy
	Script Kiddie Approach 504.3–121
RADIUS	SearchDiggity
Rainbow Tables	SEC's Edgar database
Ramen 🌢	Secure Shell
Rapid7 NeXpose	
RATS504.3–148	SecureLogix
RDP504.2–43	Sentinel
Real Free Keylogger №	
Referral	Session Hijacking
Reflective DLL Injection	Defense
REFOG *	Session Tracking
Registrar 504.2–20	Defense
Registration Attack	Information
Registration Authority	Setiri
Remote Control Backdoor Capabilities * 504.5–16-19	SHA-x
remove.c 4 =	Shaft
Reporting	Shell
Responder •	Listening
Response Strategies	Login
	Remote Command
Response Time	
Restore	Reverse
Return Pointer	
Revealer *	Reverse WWW
Reverse Engineering	Shoveling
	XSS
Reverse WWW Shell ***	Short-term actions
RIPEMD-160	showcode.asp
Riverbed Cascade	SIFT kit
RLogin	SInAr ≠
robots.txt	SiteDigger
Rootkit	SL4NT •
504.5–7, 504.5–59-62	SlashDot
Kernel-Mode	Slowloris Attack
Linux	Defense
User-Mode	SMB
Rootkit Hunter	$\dots \dots $
Rootkit Revealer 🎉	smbclient
RTIR 504.1–102	
${f S}$	Smurf
S	Amplifier
0.15.11	Attack
S-Mail	Defense
S-Tools **	SnadBoy \$
SADoor (Backdoor)	Snare Agent and Log Server • 504.5–157
SafeBack	Snarfing **
SAINT504.2–152	Sniffers
Salt	Sniffing Backdoor 504.5–195-200
SAM Database	Defense
$\dots \dots $	Sniffit
	SNMP
Santy504.2–43	Snort
SaranWrap	$\dots \dots $
Sasser 💆 504.4–62-63	

Const. 504.2.17	I:hmann: 504 E 92 9E
Socat	Library
50ciai Engineering504.2–19	· -
504.5 - 71 $504.5 - 260 - 261$	System Rebuild
Social Networking	
Solidcore FIM •	System-Level Processes
	System-Level Flocesses
Sophos Anti-Rootkit №	Systrace 4
Sourcefire	
SPEC	${f T}$
Speed Guide	±
Spike	Targa 504.4–180
Split DNS	TCP
SQL Injection	3-Way Handshake
Defense	
Example	
Standard DB Logic Elements	$\dots \dots $
Useful Entities	Header
Sqlmap	504.5–176
SSH	Redirector
504.5–165	Scans
SSHmitm	Sequence Number
SSID	TCP/IP Stack
Cloaking	
SSL	tcpdump 504.1–55
	504.2–27, 70, 123, 140, 166
Certificate	
Connection	tcpkill
Dodging Browser Warnings 504.3–70-71	tcpnice
Sniffing	tcptraceroute
sslstrip	TCPView (Sysinternals) 🥙 504.5–24, 194
Stacheldraht	TearDrop
Stack	Telnet
Stash	THC Hydra 504.4–8
Stealth Patch	THC Scan
Steganography 504.5–203-230	The Sleuth Kit
Defense	
File Generation	Themida 504.5–31
Injection504.5–210-211	Thinstall •
Substitution	Tini (backdoor)
Stegdetect	Tiny Fragment Attack
Storm	Tipping Point
Streams 🤻 504.5–147	TLS504.3–138
Streams Shell Extension 🤻 504.5–147	Tmp File Format Δ
Stuxnet504.4–59, 61-63	Toast
$\dots \dots $	TopLayer
Sub7 504.5–10, 504.5–16	Traceroute
SubVirt	
SUCKit 4	Trade Secret
Symbolic Link (attack)	Trademark
SYN Floods	Transaction ID Number
Defense	Tribe Flood Network
SYN-ACK	Trin00
Syscall Table	Tripwire
SYSKEY	
Syslog	Trojan Horse
System	504.2-13
Call504.5–82, 85	504.4-68
	$\dots \dots $

Backdoor	Analysis
Defense	Scanners
Trojan Man	Defense
TTL504.2–86, 113, 126-127, 134	Vulnerable Systems
Shenanigan	$\dots \dots $
TTYSnoop	
TTYSpy 4	XX 7
Tunneling	${f W}$
Twitter 504.3–72	0.0/25/25
	w3af (MitM proxy)
	WAF
ŢJ	War Dialing
O	War Driving
UDP504.2-96-97	
Header 504.2–100	Defense
Unauthorized Use	Warhol
Unusual Items	Warhol/Flash Technique
Accounts	Warning Banner
Files 504.1–69, 83, 275-277, 287-288	WarVOX
Log entries	Waste (Peer-2-Peer)
Network Usage 504.1–85, 278, 289	Weak Functions
Processes	gets
Registry keys	printf
Scheduled Tasks504.1–86-87, 279	snprintf
Services	strcpy
UPX **504.5–31	Web Application 504.4–141 Defense 504.4–141-144
URL504.4–90-91, 95, 111-113	Pen Test
URLsnarf504.3-61	Web Scanners
User Input Validation	Defense
User-Mode Linux	Web Site Searches
User-Mode Rootkit	WebGoat
Defense	Webmitm
	WebScarab
${f V}$	Webspy
•	Wellenreiter
Vbootkit	WEP
Veracode Suite	WEPCrack (WEP)
ViewFrame Google Recon Technique504.2–43	wget 🌯 🐧
Virtual Machine	Whisker
Detection	White List Approach
Environment	Whois
Escape	Databases
VirtualPC	Defense
Vitriol	Reconnaissance
VMcat	Wikto
VMware 504.1–205-225	win32dd
	Windows Credentials Editor *
VNC	Windows Event Log Files504.5–150
Client	Editing
VoIP	Winfingerprint
Volatility Framework	WinNuke
Volatility Framework ***	WinTrin00
	WinVNC
VOMIT	WinZapper ₩
VPN	Wireshark
504.2-77	WMI
	Worm 504.4–13 Worm 504.4–58.70
Vulnerability	Worm

Defense 504.4–70, 79 Fast-Spreading 504.4–64, 70 History & Evolution 504.4–59-60 Metamorphic 504.4–69 Multi-Exploit 504.4–61	Xen .504.4–81, 83 XOR Payloads & Encoder .504.4–67 XProbe (OS fingerprinting) .504.2–94, 111 XSS Attack .504.4–115-117, 123, 127 XSS Shell .504.4–120
Multi-Platform 504.4–62 Polymorphic 504.4–66-67 Purpose 504.4–68 Segment 504.4–58, 65-66 Zero-Day Exploit 504.4–63 WPA 66-67, 71 Wrapper 504.5–28 wtmped.c 504.5–131	Y Yoda 504.5–31 Z
wzap.c ▲ ■	Zed Attack Proxy 504.4–101, 137-138 Zenmap (Nmap GUI) *** 504.2–121 Zero-Day Exploit 504.3–121 504.4–63 Zombie 504.4–186-187 Zotob 504.4–59, 63