1 Example

1.1 Service Enumeration

Example	
Type	Open ports
TCP	1,2,3
UDP	23,42
Linux OS Soft XP	42.42.42.42

Table 1: Service enumeration Example

1.2 Remote Access Exploitation

Vulnerability Exploited: CVE-123-42 "Stupid Idiot User"

Vulnerability Explanation: BLA BLA WRITE SOMETHING HERE BLA BLA

Severity: Critical

Proof of Concept: Modifications to the existing exploit was needed and is highlighted in red.

```
1 SELECT * FROM login WHERE id = 1 or 1=1 AND user LIKE "\%root\%"
In the code section :
3 Green Text
Red Text
5 Blue Text
```

Listing 1: Exploitation of Example

Exploit execution

Quote:"The execution of the exploit. This can be a URL that is browsed to, running a python script, executing a Metasploit module, etc. You do not need to screenshot every step, just the last step you took when sending your low privilege exploit."

Figure 1: Exploitation of Example

Screenshot:

Proof:

hostname && id && ifconfig && cat local.txt

Listing 2: Proof of local shell on Example

Low Priv Shell "Local"

Quote: "The output of the successful low privilege exploit from #1, the output of "ifconfig/ipconfig", and the contents of the local.txt file. "

Figure 2: Local shell of Example

1.3 Privilege Escalation

Vulnerability Exploited: CVE-123-43 "Very Stupid Idiot User Again"

Vulnerability Explanation: BLA BLA WRITE SOMETHING HERE BLA BLA

Severity: Critical

Proof of Concept: Modifications to the existing exploit was needed and is highlighted in red.

```
1 SELECT * FROM login WHERE id = 1 or 1=1 AND user LIKE "\%root\%"
In the code section :
3 Green Text
Red Text
5 Blue Text
```

Listing 3: Exploitation of Example

Priv esc exploit

Quote: "The execution of the privilege escalation exploit. This can be a URL that is browsed to, running a Python script, executing a Metasploit module, etc. You do not need to screenshot every step, just the last step you took when sending your privilege escalation exploit."

Figure 3: Priv escalation exploit of Example

Screenshot:

Proof:

hostname && id && ifconfig && cat proof.txt

Listing 4: Post exploitation of Example

Proof

Quote: (for non Priv esc) "The output of the successful exploit from #1, the output of "ifconfig/ipconfig", and the contents of the proof.txt file"

Quote: "The output of the successful privilege escalation exploit from #3, the output of "ifconfig/ipconfig", and the contents of the proof.txt file"

Figure 4: Proof of Example

2 DeepThought

2.1 Service Enumeration

DeepThought	
Type	Open ports
TCP	1,2,3
UDP	23,42
Earth	42.42.42.23

Table 2: Service enumeration DeepThought

2.2 Remote Access Exploitation

Vulnerability Exploited: Vogons

Vulnerability Explanation: BLA BLA WRITE SOMETHING HERE

Severity: Critical

Proof of Concept:

```
Modifications in the exploit
PANIC PANIC PANIC
Running the exploit
Escaping the low priv shell:
```

Listing 5: Exploitation of DeepThought




Figure 5: Exploitation of DeepThought

2.2.1 Privilege Escalation



Figure 6: Local shell of DeepThought



Figure 7: Priv escalation exploit of DeepThought

2.2.2 Proof and Post escalation

Post exploitation commands run:

Listing 6: Post exploitation of DeepThought




Figure 8: Proof of DeepThought