Offensive Security

Penetration Test Report for Internal Lab and Exam

John Doe

john@doe.com

OSID: OS-11111

Contents

1	Example					
	1.1	Service Enumeration	3			
	1.2	Remote Access Exploitation	3			
	1.3	Privilege Escalation	4			
2	DeepThought					
	2.1	Service Enumeration	7			
	2.2	Remote Access Exploitation	7			
		2.2.1 Privilege Escalation	9			
		2.2.2 Proof and Post escalation	10			

1 Example

1.1 Service Enumeration

Example		
Type	Open ports	
TCP	1,2,3	
UDP	23,42	
Linux OS Soft XP	42.42.42.42	

Table 1: Service enumeration Example

1.2 Remote Access Exploitation

Vulnerability Exploited: CVE-123-42 "Stupid Idiot User"

Vulnerability Explanation: Human is vulnerable to a remote code execution. Attackers can use this vulnerability to access the system from a remote location. When performing the penetration test, John Doe noticed an outdated version of Human running from the service enumeration phase. A public exploit was available and could be used without modification. A targeted attack was performed on the system, which gave John Doe low privilege access to the system.

Vulnerability Fix: The publishers of Human have issued a patch to fix this known issue.

Severity: Critical

Proof of Concept: Modifications to the existing exploit was needed and is highlighted in red.

```
SELECT * FROM login WHERE id = 1 or 1=1 AND user LIKE "%root%"
In the code section :

Green Text
Red Text
Blue Text
```

Listing 1: Exploitation of Example

¹https://www.exploit-db.com/exploits/9623

Exploit execution

Quote:"The execution of the exploit. This can be a URL that is browsed to, running a python script, executing a Metasploit module, etc. You do not need to screenshot every step, just the last step you took when sending your low privilege exploit."

Figure 1: Exploitation of Example

hostname && id && ifconfig && cat local.txt

Listing 2: Post exploitation of Example with low privileges

Low Priv Shell "Local"

Quote: "The output of the successful low privilege exploit from #1, the output of "ifconfig/ipconfig", and the contents of the local.txt file. "

Figure 2: Proof of remote access to Example

1.3 Privilege Escalation

Proof of remote access:

Vulnerability Exploited: CVE-123-43 "Very Stupid Idiot User Again"

Vulnerability Explanation: Human is subject to a bug in XYZ. Attackers can use this vulnerability to perform a privilege escalation and take completely control over the system. When performing the penetration test, John Doe noticed an outdated version of Human. A public exploit² was available and could be used without modification. A targeted attack was performed on the system, which gave John Doe full administrative access over the system.

Vulnerability Fix: The publishers of Human have issued a patch to fix this known issue.

Severity: Critical

Proof of Concept: Modifications to the existing exploit was needed and is highlighted in red.

```
SELECT * FROM login WHERE id = 1 or 1=1 AND user LIKE "%root%"
In the code section :

Green Text
Red Text
Blue Text
```

Listing 3: Exploitation of Example

Priv esc exploit

Quote: "The execution of the privilege escalation exploit. This can be a URL that is browsed to, running a Python script, executing a Metasploit module, etc. You do not need to screenshot every step, just the last step you took when sending your privilege escalation exploit."

Figure 3: Privilege escalation exploit of Example

```
hostname && id && ifconfig && cat proof.txt
```

Listing 4: Post exploitation of Example

 $^{^{2}}$ https://www.exploit-db.com/exploits/9623

Proof

Quote: "The output of the successful privilege escalation exploit from #3, the output of "ifconfig/ipconfig", and the contents of the proof.txt file"

Figure 4: Proof of successful privilege escalation on Example

2 DeepThought

2.1 Service Enumeration

DeepThought			
Туре	Open ports		
TCP	1,2,3		
UDP	23,42		
Earth	42.42.42.23		

Table 2: Service enumeration DeepThought

2.2 Remote Access Exploitation

Vulnerability Exploited: Vogons

Vulnerability Explanation: BLA BLA WRITE SOMETHING HERE

Severity: Critical

```
Kali prep:
Modifications in the exploit
    PANIC PANIC PANIC
    Running the exploit
Escaping the low priv shell:
```

Listing 5: Exploitation of DeepThought




Figure 5: Exploitation of DeepThought

2.2.1 Privilege Escalation



Figure 6: Local shell of DeepThought



Figure 7: Priv escalation exploit of DeepThought

Proof of Concept:

2.2.2 Proof and Post escalation

Post exploitation commands run:

Listing 6: Post exploitation of DeepThought




Figure 8: Proof of DeepThought