

Delete Order Extension Installation Guide



Delete Order

Content

| | |
|---|---|
| Pre Installation Steps | 3 |
| Installation Steps | 4 |
| Module Purchase From Mavenbird | 4 |
| Install Using Web Wizard Module Manager | 4 |
| Install Using SSH | 5 |
| Module Purchase From Marketplace | 6 |
| Support | 7 |

Delete Order Extension for Magento2 by Mavenbird

Pre-Installation

Go to **Admin->SYSTEM->Tools->Cache Management**, select all caches, click **“Disable”** from the drop down menu and submit the changes.

Cache Management 🔍 🔔 3 admin ▾

Flush Cache Storage Flush Magento Cache

Refresh ▾ Submit 13 records found

| ☐ ▾ | Cache Type | Description | Tags | Status |
|--------------------------|--------------------------------|--|--------------------------|----------|
| <input type="checkbox"/> | Configuration | Various XML configurations that were collected across modules and merged | CONFIG | DISABLED |
| <input type="checkbox"/> | Layouts | Layout building instructions | LAYOUT_GENERAL_CACHE_TAG | DISABLED |
| <input type="checkbox"/> | Blocks HTML output | Page blocks HTML | BLOCK_HTML | DISABLED |
| <input type="checkbox"/> | Collections Data | Collection data files | COLLECTION_DATA | DISABLED |
| <input type="checkbox"/> | Reflection Data | API interfaces reflection data | REFLECTION | DISABLED |
| <input type="checkbox"/> | Database DDL operations | Results of DDL queries, such as describing tables or indexes | DB_DDL | DISABLED |
| <input type="checkbox"/> | EAV types and attributes | Entity types declaration cache | EAV | DISABLED |
| <input type="checkbox"/> | Customer Notification | Customer Notification | CUSTOMER_NOTIFICATION | DISABLED |
| <input type="checkbox"/> | Page Cache | Full page caching | FPC | DISABLED |
| <input type="checkbox"/> | Integrations Configuration | Integration configuration file | INTEGRATION | DISABLED |
| <input type="checkbox"/> | Integrations API Configuration | Integrations API configuration file | INTEGRATION_API_CONFIG | DISABLED |
| <input type="checkbox"/> | Translations | Translation files | TRANSLATE | DISABLED |
| <input type="checkbox"/> | Web Services Configuration | REST and SOAP configurations, generated WSDL file | WEBSERVICE | DISABLED |

You also should run the Magento in developer mode when you're extending or customising it. You can use this command line to show current mode:

php bin/magento deploy:mode:show

Use this command to change to developer mode:

php bin/magento deploy:mode:set developer

Please refer below link for how to set magento mode.

<https://experienceleague.adobe.com/en/docs/commerce-operations/configuration-guide/cli/set-mode>

Installation Steps

Purchase Module from Mavenbird:

- Install Using Web Wizard Module Manager:

1. Download Zip files from Mavenbird Account and Upload Files on Your MagentoServer.

Step-1

- Unpack the contents of the “**Mavenbird-DeleteOrder-1.0.0.zip**” folder that you have downloaded.

Step-2

- Create a “**Mavenbird**” folder in your <magento root directory>/app/code directory, if “**Mavenbird**” Folder does not exist.
 - Create a “**DeleteOrder**” folder in your <magento root directory>/app/code/**Mavenbird** directory.
 - Select the content of “**Mavenbird_DeleteOrder**” folder in your <magento directory>/app/code/Mavenbird/DeleteOrder directory and follow the below mentioned steps.
2. Go to System -> Tools -> Web Wizard Setup. Then Click on the ‘**Module Manager**’.
 3. We will go to the Module Manager Page. Here all available modules are listed. Using the Action drop-down we will enable and disable the module.
 4. Run readiness check.
 5. Create back up: if you want to take Backup before install module then select back up option.
 6. Enable the module. The installation process takes a couple of minutes
 - when you click on the Enable module then it will redirect to the process extensions section.
 7. After the installation is complete, you’ll see the success page.

Install Using SSH:

Step-1

- Unpack the contents of the “**Mavenbird-DeleteOrder-1.0.0.zip**” folder that you have downloaded.

Step-2

- Create a “**Mavenbird**” folder in your <magento root directory>/app/code directory, if “**Mavenbird**” Folder does not exist.
- Create a “**DeleteOrder**” folder in your <magento root directory>/app/code/Mavenbird directory.
- Select the content of “**Mavenbird_DeleteOrder**” folder in your <magento directory>/app/code/Mavenbird/DeleteOrder directory and follow the below mentioned steps.
 1. Open command prompt / terminal and change directory to your magento install directory.
 2. Run following command :

php bin/magento module:enable Mavenbird_DeleteOrder

bin/magento setup:upgrade

php bin/magento setup:static-content:deploy

Step-3

- Go to **Admin → System → Tools → Cache Management**.
- Select all caches, click on “**refresh**” from the drop down menu and submit the changes.

Purchase Module Using Magento Marketplace:

1. Login Into your marketplace account.
2. Open the '**My Access Keys**' page from "**My Profile**".
3. Click on the '**Access Keys**' button and the keys will be generated automatically.
4. Log in to your Magento website, go to **System->Tools-> Web Setup Wizard->System Config** then **sign in** using generated keys.
5. Click on the '**Component Manager**'.
6. Press the '**Sync**' button and then install available extensions.
7. Select the following extension packages and click '**Install**'.
 - **mavenbird/module-delete-order**
8. Run readiness check.

NOTE: During the readiness check process if you find the above errors, please make sure you've configured the cron job for Magento properly. [Here](#) you'll find the information on how to set up the cron job for Magento.

9. Create Backup
10. Install the Component. The installation process takes a couple of minutes.
11. After the installation is complete, you'll see the success page

Thank you!

Do you need Extension Support?
Do you have any suggestions? Please contact us,
<https://www.mavenbird.com/contact>