

money_for_rabbit

Money For Rabbit 서비스 Backend API 명세서입니다.

아래의 예시들에서 나타나지 않은 에러들

• 기본적으로 에러 메시지는 소문자로 이루어진 error 가 키로 구성되고, 그것의 쌍으로는 에러 상세 내용 으로 구성 됩니다. 예시는 아래와 같습니다.

{"error": "상세내용 조회는 본인만 가능합니다."}

- 토큰 인증에 실패하면 서버는 401 상태 코드와 에러 메시지를 응답합니다. 예시는 아래와 같습니다.
 - {"error": "잘못된 토큰입니다."}
- Refresh Token Roatation 이 적용되었으므로 Refresh Token 은 1회용으로만 사용되어야 합니다. 그렇지 않을 시, 에러 메시지를 응답합니다.

{"error": "refresh token 은 2회 이상 사용될 수 없습니다."}

• schema 레벨 에러 메시지는 현재 개선 중입니다.

쪽지 API

GET 쪽지 목록 조회

https://tgoddessana.pythonanywhere.com/api/user/31/messages

AUTHORIZATION

Bearer Token

Token

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJmcmVzaCl6dHJ1ZSwiaWF0ljoxNjczMzcyMzc2LCJqdGkiOiJmNmRmM2UwMS03OT RjLTRINTctOTk2MC0xNDc4MDRiZGQzNzMiLCJ0eXBlljoiYWNjZXNzliwic3ViljozMSwibmJmljoxNjczMzcyMzc2LCJleHAiOjE2Nz M0NTg3NzYsInVzZXJuYW1lljoiXHVjODE1XHVjN2FjXHVhZGUwIn0.dqPUFq3z4DM-k-92lq77jauiw4Uu0efe1-7abzuwVO0

Example Request 쪽지 목록 조회

curl --location --request GET 'https://tgoddessana.pythonanywhere.com/api/user/31/messages'

GET 쪽지 목록 조회(페이지네이션)

https://tgoddessana.pythonanywhere.com/api/user/31/messages?page=2

AUTHORIZATION

Bearer Token

Token

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJmcmVzaCl6dHJ1ZSwiaWF0ljoxNjczMzcyMzc2LCJqdGkiOiJmNmRmM2UwMS03OT RjLTRINTctOTk2MC0xNDc4MDRiZGQzNzMiLCJ0eXBlIjoiYWNjZXNzliwic3ViljozMSwibmJmIjoxNjczMzcyMzc2LCJleHAiOjE2Nz M0NTg3NzYsInVzZXJuYW1lIjoiXHVjODE1XHVjN2FjXHVhZGUwIn0.dqPUFq3z4DM-k-92lq77jauiw4Uu0efe1-7abzuwVO0

PARAMS

page

2

Example Request

Example Response

쪽지 목록 조회(페이지네이션)

curl --location --request GET 'https://tgoddessana.pythonanywhere.com/api/user/31/messages?pac

Body Header (9)

```
{
 "user_info": {
 "username": "정재균바보",
 "email": "logical_man@naver.com",
```

200 OK

```
View More
```

GET 쪽지 상세 조회

https://tgoddessana.pythonanywhere.com/api/user/31/messages/1

AUTHORIZATION

Bearer Token

Token

<token>

Example Request 쪽지 상세 조회

curl --location --request GET 'https://tgoddessana.pythonanywhere.com/api/user/31/messages/1'

Example Response 200 OK

POST 새 쪽지 생성

https://tgoddessana.pythonanywhere.com/api/user/31/messages

AUTHORIZATION

Bearer Token



eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJmcmVzaCl6dHJ1ZSwiaWF0ljoxNjczMzcyMzc2LCJqdGkiOiJmNmRmM2UwMS03OT RjLTRINTctOTk2MC0xNDc4MDRiZGQzNzMiLCJ0eXBlljoiYWNjZXNzliwic3ViljozMSwibmJmljoxNjczMzcyMzc2LCJleHAiOjE2Nz M0NTg3NzYsInVzZXJuYW1lljoiXHVjODE1XHVjN2FjXHVhZGUwIn0.dqPUFq3z4DM-k-92lq77jauiw4Uu0efe1-7abzuwVO0

HEADERS

Content-Type

application/json

BODY raw

```
{
   "message":"Flask 와 FastAPI 가 비슷하지만 어떤 면에서 FastAPI가 각광을 받고 있는지 한 말씀 부탁드립니다" "amount" : 5000,
   "is_moneybag" : false
}

◆
```

Example Request 새 쪽지 생성

```
curl --location --request POST 'https://tgoddessana.pythonanywhere.com/api/user/31/messages' '
--header 'Content-Type: application/json' \
--data-raw '{
   "message":"Flask 와 FastAPI 가 비슷하지만 어떤 면에서 FastAPI가 각광을 받고 있는지 한 말씀 부탁드립니다
   "amount" : 5000,
   "is_moneybag" : false
}'
```

사용자 API

POST 로그인

https://tgoddessana.pythonanywhere.com/api/user/login

HEADERS

Content-Type

```
\equiv
```

BODY raw

```
{
    "email":"logical_man@naver.com",
    "password":"Vhtmxmaos123#"
}
```

Example Request 로그인

```
curl --location --request POST 'https://tgoddessana.pythonanywhere.com/api/user/login' \
--header 'Content-Type: application/json' \
--data-raw '{
    "email":"logical_man@naver.com",
    "password":"Vhtmxmaos123#"
}'
```

Example Response 200 OK

```
Header(9)

{
    "access_token": "eyJ0eXAi0iJKV1QiLCJhbGci0iJIUzI1NiJ9.eyJmcmVzaCI6dHJ1ZSwiaWF0IjoxNjczMzcyN"
    "refresh_token": "eyJ0eXAi0iJKV1QiLCJhbGci0iJIUzI1NiJ9.eyJmcmVzaCI6ZmFsc2UsImlhdCI6MTY3MzM3I
}
```

POST 회원가입

https://tgoddessana.pythonanywhere.com/api/user/register

HEADERS

Content-Type

application/json

BODY raw

```
{
    "username":"goddessana",
    "email":"twicegddessana1229@gmail.com",
    "password":"Vhtmxmaos123#"
```

 \equiv

Example Request 회원가입

```
curl --location --request POST 'https://tgoddessana.pythonanywhere.com/api/user/register' \
--header 'Content-Type: application/json' \
--data-raw '{
    "username":"goddessana",
    "email":"twicegddessana1229@gmail.com",
    "password":"Vhtmxmaos123#"
}
```

View More

Example Response 201 CREATED

```
Body Header(7)
{
  "success": "goddessana 님, 회원가입을 환영합니다!"
}
```

DEL 회원탈퇴

https://tgoddessana.pythonanywhere.com/api/user/withdraw

AUTHORIZATION

Bearer Token

Token

<token>

HEADERS

Content-Type

application/json

BODY raw

```
{
"username":"정재균바보"
https://documenter.getpostman.com/view/21924519/2s8YzTT23A
```

 \equiv

Example Request 회원탈퇴

```
curl --location --request DELETE 'https://tgoddessana.pythonanywhere.com/api/user/withdraw' \
--header 'Content-Type: application/json' \
--data-raw '{
    "username":"정재균바보"
}'
```

Example Response 204 NO CONTENT

Body Header (6)

No response body

This request doesn't return a response body

POST 액세스 토큰 재발급

https://tgoddessana.pythonanywhere.com/api/user/refresh

AUTHORIZATION

Bearer Token

Token

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJmcmVzaCl6ZmFsc2UsImlhdCl6MTY3MzM3MjU1MCwianRpljoiZDc3NTkxNzktNzE 1YS00YTAzLTk0MTltMjQ5MTg5NjIzZjFhliwidHlwZSl6InJIZnJlc2giLCJzdWliOjMxLCJuYmYiOjE2NzMzNzl1NTAsImV4cCl6MTY3 NTk2NDU1MH0.wY24H8UV0Sua1sit818VLBkzEWIVPFFZUSpFT-ZyxcQ

HEADERS

Content-Type

application/json

```
curl --location --request POST 'https://tgoddessana.pythonanywhere.com/api/user/refresh' \
--header 'Content-Type: application/json' \
--data-raw ''

Example Response 200 OK

Body Header (9)

{
    "access_token": "eyJ0eXAi0iJKV1QiLCJhbGci0iJIUzI1NiJ9.eyJmcmVzaCI6dHJ1ZSwiaWF0IjoxNjczMzczM:
    "refresh_token": "eyJ0eXAi0iJKV1QiLCJhbGci0iJIUzI1NiJ9.eyJmcmVzaCI6ZmFsc2UsImlhdCI6MTY3MzM3I
}
```

PUT 회원정보 수정

https://tgoddessana.pythonanywhere.com/api/user/31

AUTHORIZATION

Bearer Token

Token

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJmcmVzaCl6dHJ1ZSwiaWF0ljoxNjczMzcyMzc2LCJqdGkiOiJmNmRmM2UwMS03OT RjLTRINTctOTk2MC0xNDc4MDRiZGQzNzMiLCJ0eXBlIjoiYWNjZXNzliwic3ViljozMSwibmJmljoxNjczMzcyMzc2LCJleHAiOjE2Nz M0NTg3NzYsInVzZXJuYW1lljoiXHVjODE1XHVjN2FjXHVhZGUwIn0.dqPUFq3z4DM-k-92lq77jauiw4Uu0efe1-7abzuwVO0

HEADERS

Content-Type

application/json

BODY raw

```
{
 "username":"정재균바보"
}
```

Example Request 회원정보 수정

```
"username":"정재균바보"
}'

Example Response 200 OK

Body Header (7)

{
 "success": "닉네임이 정재균바보 으로 변경되었습니다."
}
```

GET 회원정보 조회

https://tgoddessana.pythonanywhere.com/api/user/31

AUTHORIZATION

Bearer Token

Token

<token>

Example Request 회원정보 조회

```
curl --location --request GET 'https://tgoddessana.pythonanywhere.com/api/user/31'
```

Example Response 200 OK

```
Body Header(7)
{

"user_info": {

"username": "정재균",

"total_amount": 0
```